


USER: CDRN FILENAME: C:\WORKS\CDR\PROJECT FILES\0_M\PERMIT_FILES\LANDFILL\PROJECT FILES\0_M\PERMIT_FILES\03056989A-PERMIT-CD\DWG SAVE DATE: 7/1/2009 4:51 AM PLOT DATE: 7/16/2009 9:57 AM



LEGEND

--- 3924 ---	EXISTING TOPOGRAPHIC CONTOUR	---	PROPOSED DIVERSION/PERIMETER SWALE
---	EXISTING LANDFILL PERMIT BOUNDARY	---	PROPOSED STORMWATER FLOW DIRECTION
---	TO BE RESERVED FOR THE LANDFILL IN BASE MASTER PLAN	---	PROPOSED NATURAL STONE, RIP-RAP OR PROCESSED CONCRETE SURFACE TREATMENT LINED SLOPE
---	PROPOSED 5' PERMIT FINAL COVER GRADES	---	PROPOSED NATURAL STONE, RIP-RAP OR PROCESSED CONCRETE FILLED GABION MATTRESSES
---	PROPOSED 1' PERMIT FINAL COVER GRADES	---	PROPOSED EROSION CONTROL MATTING
---	PROPOSED GRAVEL ROAD	---	PROPOSED CHECK DAM
---	PROPOSED CHAIN LINK FENCE	---	PROPOSED SILT FENCE
---	APPROXIMATE EXISTING LANDFILL CELL LIMITS		

PLAN

0 100' 200'

NOTES:

- CHECK DAMS SHALL BE INSTALLED IN ALL SWALES AT A MAXIMUM SPACING OF 200 FEET ON CENTER.
- NATURAL ROCK, RIP-RAP OR PROCESSED CONCRETE SURFACE TREATMENT SHALL BE INSTALLED ON TOP OF THE FINAL COVER GRADES AS SHOWN IN THE DETAIL.
- SEE SHEET C-7 AND C-9 FOR DRAINAGE AND EROSION CONTROL DETAILS.
- STABILIZED CONSTRUCTION ENTRANCE PER TYPICAL DETAIL SHEET C-12 TO BE INSTALLED AT THE ENTRANCE ROAD INTERSECTION OF SANITARY LANDFILL ROAD.

Sealed for Permitting Purposes Only

	DATE: _____
U.S. ARMY CORPS OF ENGINEERS REGIONAL PLANNING AND ENVIRONMENTAL CENTER FORT WORTH, TEXAS	SOLICITATION NO.: _____ CONTRACT NO.: _____ FILE NUMBER: _____
DESIGNED BY: _____ DWN BY: _____ SUBMITTED BY: _____	PLOT DATE: 7/16/2009 FILE NAME: 30056989A-PERMIT_CD4.dwg
FORT BLISS MUNICIPAL SOLID WASTE LANDFILL PERMIT MODIFICATION APPLICATION - OPTIMIZED EVAPOR-TRANSPIRATION (ET) ALTERNATIVE COVER SYSTEM	
FINAL COVER STORM WATER COLLECTION PLAN I	
SHEET IDENTIFICATION C-4 <small>SHEET 7 OF 12</small>	