



USER: CZERNI, FILENAME: C:\USERS\CZERNI\PROJECT FILES\LANDFILL\PROJECT FILES\LANDFILL\FIGURES\300569894-PERMIT-C&D.DWG, SAVE DATE: 7/1/2022 4:48 AM, PLOT DATE: 7/6/2022 9:57 AM



PLAN



LEGEND

- | | | | |
|--------------|---|-----|---|
| --- 3924 --- | EXISTING TOPOGRAPHIC CONTOUR | --- | PROPOSED DIVERSION/PERIMETER SWALE |
| --- | EXISTING LANDFILL PERMIT BOUNDARY | --- | PROPOSED STORMWATER FLOW DIRECTION |
| --- | PROPOSED 5' PERMIT FINAL COVER GRADES | --- | PROPOSED NATURAL STONE, RIP-RAP OR PROCESSED CONCRETE SURFACE TREATMENT LINED SLOPE |
| --- | PROPOSED 1' PERMIT FINAL COVER GRADES | --- | PROPOSED NATURAL STONE, RIP-RAP OR PROCESSED CONCRETE FILLED GABION MATTRESSES |
| --- | PROPOSED GRAVEL ROAD | --- | PROPOSED EROSION CONTROL MATTING |
| --- | PROPOSED CHAIN LINK FENCE | --- | PROPOSED CHECK DAM |
| --- | APPROXIMATE EXISTING LANDFILL CELL LIMITS | --- | PROPOSED SILT FENCE |

NOTES:

- CHECK DAMS SHALL BE INSTALLED IN ALL SWALES AT A MAXIMUM SPACING OF 200 FEET ON CENTER.
- NATURAL ROCK, RIP-RAP OR PROCESSED CONCRETE SURFACE TREATMENT SHALL BE INSTALLED ON TOP OF THE FINAL COVER GRADES AS SHOWN IN THE DETAIL.
- SEE SHEET C-7 AND C-9 FOR DRAINAGE AND EROSION CONTROL DETAILS.
- STABILIZED CONSTRUCTION ENTRANCE PER TYPICAL DETAIL SHEET C-12 TO BE INSTALLED AT THE ENTRANCE ROAD INTERSECTION OF SANITARY LANDFILL ROAD.

Sealed for Permitting Purposes Only

DATE: JULY 2022	SOLICITATION NO.:
DESIGNED BY: RUT	CONTRACT NO.:
DRAWN BY: DINESH	FILE NUMBER:
SUBMITTED BY:	PLOT DATE: 7/6/2022
FILE NAME: 300569894-PERMIT-C&D.dwg	SIZE: ANS I D
U.S. ARMY CORPS OF ENGINEERS REGIONAL PLANNING AND ENVIRONMENTAL CENTER FORT WORTH, TEXAS	
FORT BLISS MUNICIPAL SOLID WASTE LANDFILL PERMIT MODIFICATION LOCATION: OPTIMIZED EVAPORATION REDUCTION (ET) ALTERNATIVE COVER SYSTEM	
FINAL COVER STORM WATER COLLECTION PLAN II	
SHEET IDENTIFICATION C-5 SHEET 8 OF 12	