

| Common Name | SP | SU | FA | W |
|--|----|----|----|---|
| Treecreepers and Wrens | | | | |
| Brown Creeper | U | | U | F |
| House Wren* | U | R | U | U |
| Winter Wren | U | | F | F |
| Marsh Wren | R | | | |
| Carolina Wren* | C | C | C | C |
| Gnatcatchers and Kinglets | | | | |
| Blue-gray Gnatcatcher* | C | C | F | a |
| Golden-crowned Kinglet | F | | C | C |
| Ruby-crowned Kinglet | C | | C | C |
| Thrushes and Allies | | | | |
| Eastern Bluebird* | C | C | C | C |
| Veery | U | | U | |
| Gray-cheeked Thrush | R | | U | |
| Swainson's Thrush | U | | U | |
| Hermit Thrush | F | | F | C |
| Wood Thrush* | F | F | U | |
| American Robin* | C | C | C | C |
| Catbirds, Mockingbirds, and Thrashers | | | | |
| Gray Catbird* | C | C | C | U |
| Brown Thrasher* | C | C | C | F |
| Northern Mockingbird* | C | C | C | C |
| Starlings | | | | |
| European Starling* | F | F | F | U |
| Pipits and Waxwings | | | | |
| American Pipit | R | | R | U |
| Cedar Waxwing* | F | U | F | C |
| Finches and Allies | | | | |
| Evening Grosbeak | H | | I | I |
| House Finch* | C | C | C | C |
| Purple Finch | I | | I | I |
| Red Crossbill | a | a | H | H |
| Pine Siskin | I | a | I | I |
| American Goldfinch* | C | C | C | C |
| Longspurs | | | | |
| Lapland Longspur | a | | a | R |
| New World Sparrows | | | | |
| Bachman's Sparrow* | C | C | F | F |
| Grasshopper Sparrow* | U | U | U | R |
| Chipping Sparrow* | C | C | C | C |
| Clay-colored Sparrow | | | | a |
| Field Sparrow* | F | F | F | F |
| Lark Sparrow* | U | U | | |
| Fox Sparrow | U | | U | U |
| Dark-eyed Junco | C | | C | C |
| White-throated Sparrow | C | | C | C |
| Vesper Sparrow | R | | R | R |
| Savannah Sparrow | C | | F | C |
| Henslow's Sparrow | a | | | a |
| Song Sparrow | C | R | C | C |
| Swamp Sparrow | F | | F | F |
| Eastern Towhee* | C | C | C | C |

| Common Name | SP | SU | FA | W |
|------------------------------|----|----|----|---|
| Chats | | | | |
| Yellow-breasted Chat* | F | F | U | |
| Blackbirds and Allies | | | | |
| Bobolink | R | | R | |
| Eastern Meadowlark* | C | C | C | C |
| Orchard Oriole* | F | F | U | |
| Baltimore Oriole | U | R | U | R |
| Red-winged Blackbird* | C | C | C | C |
| Brown-headed Cowbird* | C | C | F | F |
| Rusty Blackbird | U | | R | U |
| Common Grackle* | C | C | C | F |
| New World Warblers | | | | |
| Ovenbird* | C | C | F | |
| Worm-eating Warbler | U | a | U | |
| Louisiana Waterthrush* | F | U | R | |
| Northern Waterthrush | U | | U | |
| Blue-winged Warbler | U | | U | |
| Black-and-white Warbler* | C | F | F | |
| Prothonotary Warbler* | C | C | F | |
| Swainson's Warbler* | U | U | ? | |
| Tennessee Warbler | R | | U | |
| Orange-crowned Warbler | a | | R | R |
| Nashville Warbler | a | | | |
| Kentucky Warbler* | F | U | U | |
| Common Yellowthroat* | C | C | F | U |
| Hooded Warbler* | C | C | C | |
| American Redstart* | C | F | C | |
| Cape May Warbler | U | | U | |
| Northern Parula* | F | F | F | |
| Magnolia Warbler | U | | F | |
| Bay-breasted Warbler | R | | R | |
| Yellow Warbler | U | a | U | |
| Chestnut-sided Warbler | R | | U | |
| Blackpoll Warbler | F | | R | |
| Black-throated Blue Warbler | F | | F | |
| Palm Warbler | U | | U | U |
| Pine Warbler* | C | C | C | C |
| Yellow-rumped Warbler | C | | C | C |
| Yellow-throated Warbler* | C | C | F | |
| Prairie Warbler* | C | C | F | |
| Black-throated Green Warbler | U | | U | |
| Canada Warbler | R | | R | |
| Wilson's Warbler | R | | | |
| Cardinals and Allies | | | | |
| Summer Tanager* | C | C | F | |
| Scarlet Tanager | U | R | U | |
| Northern Cardinal* | C | C | C | C |
| Rose-breasted Grosbeak | U | | U | |
| Blue Grosbeak* | C | C | F | a |
| Indigo Bunting* | C | C | F | |
| Old World Sparrows | | | | |
| House Sparrow* | F | F | F | F |

Fort Bragg and Camp Mackall, NC

Bird checklist Updated Dec 2018



Access to the two installations is restricted to certain lakes, the All-American Trail (closed during hunting season), and Smith Lake Recreation Area. For detailed access info call Fort Bragg Wildlife at 910-396-7506.

Directorate of Public Works, Environmental Division 2175

Rock Merritt, Stop A, Fort Bragg, NC 28310

KEY

Abundance:

- C common, certain to be seen or heard in suitable habitat
- F fairly common, present but may not be seen or heard
- U uncommon, seen only a few times during a season
- R rare, seen less than once a year
- I irregular, variable from year to year
- a accidental, reported only one or two times
- H Historic, last seen over two decades ago
- ? Hypothetical
- * Known to breed
- + Probable breeder in region but not found on property yet

Seasons:

- SP Spring - March, April, May
- SU Summer - June and July
- FA Fall - August, September, October, November
- W Winter - December, January, February

Special thanks to Susan Campbell, Bruce Sorrie, Jay Carter and the Sandhills bird checklist from which we drew extensively.

| Additional rare birds seen w/in 10 miles of boundary | | |
|--|----------------------------|---------------------------|
| Snow Goose | Still Sandpiper | Least Flycatcher |
| Greater Scaup | Sanderling | Western Kingbird |
| Surf Scoter | Dunlin | Scissor-tailed Flycatcher |
| White-winged Scoter | Baird's Sandpiper | Fork-tailed Flycatcher |
| Long-tailed Duck | White-rumped Sandpiper | Philadelphia Vireo |
| Horned Grebe | Buff-breasted Sandpiper | Warbling Vireo |
| Eared Grebe | Western Sandpiper | Sedge Wren |
| Common Ground-Dove | Willet | Bicknell's Thrush |
| White-winged Dove | Least Tern | Sage Thrasher |
| Rufous Hummingbird | Caspian Tern | Cassin's Sparrow |
| King Rail | Common Tern | White-crowned Sparrow |
| American Avocet | Forster's Tern | Leconte's Sparrow |
| Black-bellied Plover | Royal Tern | Lincoln's Sparrow |
| American Golden-Plover | Sandwich Tern | Bullock's Oriole |
| Piping Plover | Wilson's Storm-Petrel | Golden-winged Warbler |
| Upland Sandpiper | Yellow-crowned Night-Heron | Blackburnian Warbler |
| Ruddy Turnstone | Glossy Ibis | Western Tanager |
| Red Knot | Yellow-bellied Flycatcher | Black-headed Grosbeak |
| | | Painted Bunting |

| Common Name | SP | SU | FA | W |
|--------------------------------------|----|----|----|---|
| Ducks, Geese, and Waterfowl | | | | |
| Brant | | | | a |
| Canada Goose* | C | C | C | C |
| Mute Swan+ | R | R | R | R |
| Tundra Swan | a | | a | R |
| Wood Duck* | C | C | C | C |
| Blue-winged Teal | U | | U | R |
| Northern Shoveler | | | | a |
| Gadwall | R | | U | F |
| American Wigeon | U | | U | U |
| Mallard* | C | C | C | C |
| American Black Duck | U | | U | U |
| Northern Pintail | R | | U | U |
| Green-winged Teal | U | | U | U |
| Canvasback | R | | R | R |
| Redhead | | | a | R |
| Ring-necked Duck | C | a | C | C |
| Lesser Scaup | U | | U | U |
| Bufflehead | F | | F | C |
| Common Goldeneye | R | | a | R |
| Hooded Merganser | F | | F | C |
| Common Merganser | R | | a | R |
| Red-breasted Merganser | U | | U | R |
| Ruddy Duck | F | a | F | C |
| New World Quail | | | | |
| Northern Bobwhite* | F | F | F | F |
| Pheasants, Grouse, and Allies | | | | |
| Wild Turkey* | F | F | F | F |
| Grebes | | | | |
| Pied-billed Grebe | C | U | C | C |
| Pigeons and Doves | | | | |
| Rock Pigeon* | F | F | F | F |
| Eurasian Collared-Dove* | I | I | I | I |
| Mourning Dove* | C | C | C | C |
| Cuckoos | | | | |
| Yellow-billed Cuckoo* | F | F | F | |
| Black-billed Cuckoo | a | | | |
| Nightjars | | | | |
| Common Nighthawk* | C | C | U | |
| Chuck-will's-widow* | C | C | U | |
| Eastern Whip-poor-will* | F | F | U | a |
| Swifts and Hummingbirds | | | | |
| Chimney Swift* | C | U | C | |
| Ruby-throated Hummingbird* | C | F | C | R |
| Rails, Gallinules, and Coots | | | | |
| Clapper Rail | | | a | |
| Sora | a | | | a |
| American Coot | F | R | F | F |
| Purple Gallinule | | a | | |
| Cranes | | | | |
| Sandhill Crane | | a | | |
| Plovers | | | | |
| Semipalmated Plover | a | | a | |
| Killdeer* | F | F | F | F |

| Common Name | SP | SU | FA | W |
|--------------------------------------|----|----|----|---|
| Sandpipers and Allies | | | | |
| Least Sandpiper | U | R | F | R |
| Pectoral Sandpiper | R | R | U | a |
| Semipalmated Sandpiper | R | | R | |
| Short-billed Dowitcher | | | a | |
| American Woodcock+ | U | U | U | F |
| Wilson's Snipe | a | | R | R |
| Spotted Sandpiper | F | R | U | R |
| Solitary Sandpiper | F | R | F | |
| Greater Yellowlegs | U | | U | |
| Lesser Yellowlegs | U | R | U | R |
| Gulls and Terns | | | | |
| Bonaparte's Gull | R | | U | U |
| Ring-billed Gull | U | | F | F |
| Herring Gull | R | | R | R |
| Black Tern | R | R | U | |
| Loons Common Loon | U | R | U | F |
| Anhingas | | | | |
| Anhinga* | U | R | R | |
| Cormorants | | | | |
| Double-crested Cormorant | F | R | U | C |
| Herons, Egrets, and Bitterns | | | | |
| American Bittern | R | | | R |
| Least Bittern | R | R | | a |
| Great Blue Heron* | C | C | C | C |
| Great Egret | U | U | U | a |
| Snowy Egret | R | R | R | |
| Little Blue Heron | R | R | R | |
| Cattle Egret | U | U | U | |
| Green Heron* | F | C | F | a |
| Black-crowned Night-Heron | R | a | a | |
| Ibises White Ibis | | | a | |
| New World Vultures and Osprey | | | | |
| Black Vulture* | U | U | U | R |
| Turkey Vulture* | C | C | C | U |
| Osprey | F | U | U | U |
| Hawks, Eagles, and Kites | | | | |
| Swallow-tailed Kite | a | | R | |
| Golden Eagle | | | | a |
| Mississippi Kite* | U | U | R | |
| Northern Harrier | U | a | U | F |
| Sharp-shinned Hawk* | U | U | F | F |
| Cooper's Hawk* | U | U | F | F |
| Bald Eagle+ | U | R | U | U |
| Red-shouldered Hawk* | F | F | F | F |
| Broad-winged Hawk* | U | U | R | |
| Red-tailed Hawk* | C | C | C | C |
| Owls | | | | |
| Barn Owl | | | a | |
| Eastern Screech-Owl* | F | F | F | F |
| Great Horned Owl* | F | F | F | F |
| Barred Owl* | C | C | C | C |
| Short-eared Owl | | | | a |

| Common Name | SP | SU | FA | W |
|--------------------------------|----|----|----|---|
| Kingfishers | | | | |
| Belted Kingfisher* | F | F | F | F |
| Woodpeckers | | | | |
| Yellow-bellied Sapsucker | U | | F | F |
| Red-headed Woodpecker* | C | C | F | F |
| Red-bellied Woodpecker* | C | F | F | C |
| Downy Woodpecker* | C | C | C | C |
| Red-cockaded Woodpecker* | C | C | C | C |
| Hairy Woodpecker* | U | U | U | U |
| Pileated Woodpecker* | C | C | C | C |
| Northern Flicker* | C | C | C | C |
| Falcons | | | | |
| American Kestrel* | F | F | F | F |
| Merlin | R | | a | U |
| Peregrine Falcon | | | | a |
| Flycatchers | | | | |
| Olive-sided Flycatcher | | | a | |
| Eastern Wood-Pewee* | C | C | F | |
| Acadian Flycatcher* | F | F | F | |
| Alder Flycatcher | a | | | |
| Willow Flycatcher | | a | | |
| Eastern Phoebe* | F | U | F | F |
| Great Crested Flycatcher* | F | C | U | |
| Brown-crested Flycatcher | | | | ? |
| Eastern Kingbird* | C | C | F | |
| Shrikes | | | | |
| Loggerhead Shrike* | F | F | U | F |
| Vireos | | | | |
| White-eyed Vireo* | C | C | U | R |
| Yellow-throated Vireo* | F | F | U | |
| Blue-headed Vireo* | F | F | F | U |
| Red-eyed Vireo* | F | C | F | |
| Crows and Jays | | | | |
| Blue Jay* | C | C | C | C |
| American Crow* | C | C | C | C |
| Fish Crow* | C | C | C | F |
| Larks | | | | |
| Horned Lark* | F | F | F | F |
| Swallows | | | | |
| Northern Rough-winged Swallow* | F | F | U | |
| Purple Martin* | F | F | U | |
| Tree Swallow+ | F | R | U | |
| Bank Swallow | U | U | U | |
| Barn Swallow* | C | F | F | |
| Cliff Swallow | U | U | a | |
| Chickadees and Titmice | | | | |
| Carolina Chickadee* | C | C | C | C |
| Tufted Titmouse* | C | C | C | C |
| Nuthatches | | | | |
| Red-breasted Nuthatch | I | | I | I |
| White-breasted Nuthatch* | C | C | C | C |
| Brown-headed Nuthatch* | C | C | C | C |

