



SAFETY RECALL MESSAGE

14 May 2025



Legend Brands Recalls Bliss Hair Dryers Due to Electrocution and Shock Hazards (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 25-257

Name of Product: Bliss Hair Dryers

Hazard: The handheld dryers lack an immersion protection device and can cause death or serious injury due to electrocution or shock if the hair dryers fall into water when plugged in. The hair dryers are in violation of federal regulations for hair dryers and present a substantial product hazard.

Consumer Contact: Legend Brands toll-free at 888-325-9044 from 9 a.m. to 5:30 p.m. ET Monday through Friday or email at support@shoptrakk.com.

Description: This recall involves Legend Brands' Bliss hair dryers. The foldable travel hairdryers were sold in teal and pink with silver accents. The three-speed hairdryers have a temperature regulation switch. The Bliss logo appears in white lettering on the side of the blow dryer.

Remedy: Consumers should immediately unplug and stop using the recalled hair dryers and contact Legend Brands to receive a full refund. Consumers will be asked to destroy the hair dryers by cutting the cord and disposing of the product. Consumers must send a photo of the destroyed hair dryers to support@shoptrakk.com. Legend Brands is contacting all known purchasers directly.

Incidents/Injuries: None reported

Sold At: Burlington stores nationwide from **January 2025 through March 2025 for about \$20.**





SAFETY RECALL MESSAGE

14 May 2025



Deuter Recalls Kid Comfort, Kid Comfort Pro and Kid Comfort Active Child Carriers (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-256

Name of Product: Kid Comfort, Kid Comfort Pro and Kid Comfort Active Child Carriers

Hazard: The hinges on the foldable rear kickstand support leg can crack or break, posing a fall hazard.

Consumer Contact: deuter toll-free at 877-384-9252 from 9 a.m. to 5 p.m. MT Monday through Friday, email at recall@deuterusa.com, or online at <https://www.deuter.com/us-en/service/kid-comfort-recall> or <https://www.deuter.com/us-en/contact> and click on "Kid Comfort Recall" at the bottom of the page for more information.

Description: This recall involves Kid Comfort, Kid Comfort Pro, and Kid Comfort Active Child Carriers. The child carriers have a backpack style with a foldable frame with hinges. They were sold in maroon and green forest (model 3621221), blue midnight (model 3621321), and teal (model 3621121). "deuter" and the product name are printed on the back of the carrier. A production code is located on a tag inside the main storage pocket at the bottom of the carrier. Production codes ending in 0123, 1223 or 0423 are included in this recall.

Remedy: Consumers should immediately stop using the recalled child carriers and contact Deuter to receive a free replacement child carrier. Consumers should fill out the recall form at <https://www.deuter.com/us-en/service/kid-comfort-recall>, print a prepaid return shipping label, and return the product. Deuter is contacting all known purchasers directly.

Incidents/Injuries: The firm has received 13 reports of hinges cracking and breaking. No injuries have been reported.

Sold At: REI and Bass Pro and other stores in the United States, and online at deuter.com and Amazon.com and other websites from **March 2023 through March 2025 for between \$240 and \$370.**



How to locate your
date code on a
deuter Kid Comfort

Open the bottom
compartment



Production labels are either laminated or a woven label





SAFETY RECALL MESSAGE

14 May 2025

Delta Gas Ball Valves Recalled Due to Fire and Burn Hazards (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-255

Name of Product: Delta Gas Ball Valves

Hazard: Small amounts of gas can leak from the valve when it is in the open position, posing fire and burn hazards.

Consumer Contact: Masco Canada toll-free at 888-789-6779 from 8 a.m. to 4 p.m. ET Monday through Friday, email at recall@mascocanada.com, or online at <https://www.mascocanada.com/recall-notice> or www.mascocanada.com and click on “Recalls” located at the bottom of the page for more information.

Description: This recall involves all models of Delta-branded Gas Ball Valves. These are chrome manually operated gas valves sold by Masco Canada Limited and Delta Faucet Company for use in school, research and hospital laboratories. The valves are used to control the flow of gas, acting as an on/off valve for gas delivery. All of the models will have the word “Delta” on at least one side of the chrome-colored sides of the body and the word “GAS” written in white on the blue-colored top. The recalled models are also identifiable by the “1/2 PSI MAX” and “GAS/GAZ” stamped on the bottom.

Remedy: Consumers should immediately stop using the recalled Delta-branded Gas Ball Valves and contact Masco Canada to confirm that their product is part of the recall and receive instructions on how to get a refund. Masco Canada will also reimburse the cost of labor to remove the units and dispose of them. Masco is contacting all known purchases directly.

Incidents/Injuries: None reported

Sold At: Exclusively at plumbing supply distributors nationwide from **January 2006 through January 2025 for between \$30 and \$160.**





SAFETY RECALL MESSAGE

14 May 2025

Igloo 90 Qt. Rolling Coolers Recalled Due to Amputation and Crushing Hazard (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-253

Name of Product: Igloo 90 Qt. Flip & Tow Rolling Coolers

Hazard: The tow handle can pinch consumers' fingertips against the cooler, posing fingertip amputation and crushing hazards.

Consumer Contact: Igloo toll-free at 888-943-5182 from 8 a.m. to 5 p.m. ET Monday through Friday, email at igloo90qt@sedgwick.com, or online at www.igloo90qtrecall.expertinquiry.com or <http://www.igloocoolers.com> and click on "Recall Information" at the top of the page for more information.

Description: This recall expansion involves an additional 130,000 Igloo 90 Qt. Flip & Tow Rolling Coolers manufactured prior to January 2024. The date of manufacture is imprinted on the bottom of the cooler in a circular pattern with an arrow pointing to the month of manufacture and the last two digits of the year of manufacture inside the circle.

The recalled coolers have a tow handle, and "IGLOO" is printed on the side of the coolers. The coolers were sold in multiple body and lid color combinations. The following cooler models with tow handles are included in the recall expansion. The model number is located on labels affixed to the bottom of the cooler.

Additional Recalled Coolers Model/SKU #	Description	Date Codes
34692	LATITUDE 90 QT ROLLER	07/2020-09/2021
34785	LATITUDE 90 QT ROLLER	10/2021-12/2022
34790	MAXCOLD LATITUDE 90 QT ROLLER	10/2021-02/2023



Remedy: Consumers should immediately stop using the recalled coolers and contact igloo for a free replacement handle.

Incidents/Injuries: Since the recall was announced in February 2025, Igloo has received 78 reports of fingertip injuries, including 26 resulting in fingertip amputations, bone fractures or lacerations.

Sold At: Costco, Target, Academy, Dick's, and other stores nationwide and online at Amazon.com, Igloocoolers.com, and other websites from **January 2019 through January 2025 for between \$80 and \$140.**





SAFETY RECALL MESSAGE

14 May 2025



Xylolin Peg Doll Toy Sets Recalled Due to Choking Hazard (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-252

Name of Product: Xylolin Peg Doll Toy Sets

Hazard: The peg dolls' spherical ends can block the child's airway, posing a risk of choking and death to children.



Consumer Contact: Babywants by email at recall@twoodtoy.com or online at www.xylolintoys.com/pages/recall-page.

Description: This recall involves Xylolin peg doll with pedestal sets. The toy sets consist of nine rainbow-colored peg dolls in various sizes and a natural wood-colored base that has holes to match with the size of the peg dolls. "Model SD13" is printed on a white label on the side of the product packaging.

Remedy: Consumers should take the product away from children immediately, dispose of the product and send a picture to Babywants for a full refund. Amazon is contacting all known purchasers directly.

Incidents/Injuries: None reported

Sold At: Amazon.com from **May 2021 through January 2025** for about \$20.





SAFETY RECALL MESSAGE

14 May 2025

Sanven Technology Recalls Vevor Cable Railing Kits Due to Entrapment Hazard (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-251

Name of Product: Vevor stainless steel cable railing kits

Hazard: The bottom hole on the cable support posts is over four inches from the bottom of the base plate, posing an entrapment hazard to consumers.

Consumer Contact: Sanven Technology Ltd. toll-free at 855-599-6320 from 9 a.m. to 5 p.m. PT Monday through Friday, or email at recalling@vevor.com.

Description: This recall involves Vevor's cable railing kits for indoor or outdoor use. The cable support posts are made of stainless steel and were sold in black and silver colors. "Vevor" is printed on a label located on the top of each support post, and the P/N or P/C number is on the label of the product's outer packaging. If the consumer has discarded the outer packaging, the product model can be identified through the following product features.

(P/N) or (P/C) #	Color	Number of Holes	Overall Height of Cable Support Post (in inches)	Cross-sectional Dimensions (in inches)	Location of the Holes on Cable Support Post
1JZLGZHS9142UYBR4V0	black	10	36"	1.18" x 1.96"	L-shaped Holes
1JZLGZHS1067CSWRBV0	black	12	42"	1.18" x 1.96"	L-shaped Holes
1JZLGZ106755UOBB9V0	black	12	42"	1.96" x 1.96"	L-shaped Holes
LGZY106.72.55KZF0V0	silver	12	42"	1" x 2"	Horizontal Holes
1JZLGZ91455YMDM3LV0 /1JZLGZ91455YMDM3LV0-0801	silver	10	36"	1.96" x 1.96"	Horizontal Holes

Remedy: Consumers should stop using the cable railing kits immediately, prevent children from accessing the area where they are located, and contact Vevor for a full refund.

Vevor will provide pre-paid shipping labels so that consumers can return the recalled cable railing kits. Alternatively, consumers can provide photographic evidence of disposal or destruction of the cable support posts to recalling@vevor.com.

Incidents/Injuries: None reported

Sold At: Online at Home Depot.com, Lowes.com, Amazon.com, Wayfair.com and vevor.com from **May 2021 through September 2024** for between **\$32 and \$40 each for the kit.**





SAFETY RECALL MESSAGE

14 May 2025

Yamaha Recalls Power Adaptors Due to Burn and Fire Hazards (Recall Alert)

Company Recall Date: 8 May 2025

Recall Number: 23-254

Name of Product: Maril Brand Scented Candles

Hazard: The candle's glass container can crack or break while the candle is burning, posing a laceration and fire hazard.

Consumer Contact: DEMDACO toll-free at 888-336-3226 from 8 a.m. to 5 p.m. CT Monday through Friday, email customercare@demdaco.com, or online at www.demdaco.com/recall-information or www.demdaco.com and click on "Recall Information" at the bottom of the page for more information.

Description: This recall involves DEMDACO'S Maril-brand seasonal scented candles. The recalled candles were sold in an 8-ounce glass jar and come in various fragrances. A sticker with the brand name "MARIL" is located at the bottom edge of the glass. The fragrance name is also on the bottom of the container. The following scented candles and SKU numbers are found on the bottom label.

Scented Candle Name	SKU Number (located on the bottom of the glass jar)
Siberian Fir Seasonal Candle	1008170071
Cinnamon + Cedar Seasonal Candle	1008170072
Pumpkin + Birch Seasonal Candle	1008170073
Seasonal Candle Tester – Siberian Fir	1008170074
Seasonal Candle Tester – Cinnamon + Cedar	1008170075
Seasonal Candle Tester – Pumpkin + Birch	1008170076



Remedy: Consumers should immediately stop using the recalled candle and contact DEMDACO for a full refund in the form of original payment. Contact DEMDACO via email at customercare@demdaco.com for instructions on how to receive a refund and pre-paid shipping label to return the candle. Proof of purchase (receipt) is not required. Consumers should not return the recalled candles to retail stores. DEMDACO is contacting all known purchasers directly.

Incidents/Injuries: The firm has received three reports of the candle's glass breaking while in use. No injuries or property damage have been reported.

Sold At: Gift ships nationwide, including Bachman's (Minneapolis, MN), Flowers Around the Corner (Bowling Green, KY), Coopers Uptown Store (Kenosha, WI), Haws & Co. Floral and Gifts (Lehi, UT), Past and Presents (Lenexa, KS) and online at www.demdaco.com from **July 2024 through November 2024 for about \$30.**



SAFETY RECALL MESSAGE

14 May 2025

DEMDACO Recalls Maril Brand Scented Candles Due to Laceration and Fire Hazard (Recall Alert)

Company Recall Date: 8 May 2025
Recall Number: 23-250
Name of Product: YAMAHA PA-300C AC Power Adaptors

Hazard: The AC power adaptors can overheat and ignite, posing burn and fire hazards.

Consumer Contact: Yamaha toll-free at 844-703-5446 from 9 a.m. to 5 p.m. PT Monday through Friday, email at PA300CRECALL@yamaha.com, or online at www.yamaha.com/us/support/pa300crecall/ or at www.usa.yamaha.com and click on “Product Safety Information” at the bottom of the page for more information.

Description: This recall involves Yamaha-brand AC adaptors with model number PA-300C that were sold with Yamaha-brand arranger workstations, digital pianos, and music control panels, as well as Steinberg-brand audio interfaces. The AC power adaptors are black and have the model name, the model number, the efficiency level, and the serial number printed on the AC adaptor rating label. The recalled adaptors were manufactured from July 2010 through May 2012. The fifth character in the serial number corresponds to the year the product was manufactured, while the sixth character corresponds to the month that the product was manufactured. For example, XXXX24XXXX corresponds to April 2012. The power adaptors were sold separately as a service part and also built into certain Yamaha-brand Clavinova digital pianos.

Brand	Model Number	Model Name	Serial Number
YAMAHA	PA-300C	AC ADAPTOR	XXXX0XXXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX1XXXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX21XXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX22XXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX23XXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX24XXXXX
YAMAHA	PA-300C	AC ADAPTOR	XXXX25XXXXX

Clavinova Digital Piano

UCQ*****
UCR*****
UCS*****
UCTH*****
UCTI*****

Remedy: Consumers should immediately stop using and unplug the recalled PA-300C AC Power Adaptor and contact Yamaha Corporation of American for a free replacement adaptor. Visit www.Yamaha.com/us/support/pa300recall/ for instructions to participate in the recall. Consumers will need to submit their information through an online form or by email, and will need to submit evidence of product destruction with their claim. Consumers should not damage their recalled adaptor until they have read the recall instructions online. Consumers who own a Yamaha-brand Clavinova digital piano with a recalled adaptor should unplug the piano and contact Yamaha. Yamaha will provide piano technician services to perform an on-site inspection of the piano and provide a free replacement adaptor.

Incidents/Injuries: The firm has received four reports of adaptors burning or smoking. No injuries have been reported.

Sold At: Music stores nationwide and online including www.shop.usa.Yamaha.com from September 2010 through November 2014 for about \$70.

