



SAFETY RECALL MESSAGE

2 June 2025



Step2 Recalls My First Snowman Toys Due to Serious Risk of Injury or Death Due to Choking Hazard (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 25-308

Name of Product: My First Snowman Toys

Hazard: The top hat on the recalled snowman can break into small pieces, posing a risk of serious injury or death to small children from choking.

Consumer Contact: The Step2 Company toll-free at 800-347-8372 from 8 a.m. to 5 p.m. ET Monday through Friday, step2-company@step2.net, or online at <https://www.step2.com/pages/step2-my-first-snowman> or www.step2.com and click on "Product Recalls" at the bottom of the page for more information.

Description: This recall involves My First Snowman toy, which is sold with a removable plastic top. The toy snowman was sold with additional removable facial features and mittens. The snowman's hat is black and red with a gray snowflake. The snowman is about 17 inches high and is white, with purple mittens, blue ears, one blue eye, one green eye, an orange nose and red and orange buttons on the front. The Step2 logo is on the front of the snowman. The top hat is battery powered. Only snowman toys manufactured in December 2023 and April 2024 are included in this recall. The date code appears on the bottom of the hat near the battery compartment. The date code is listed in a dial format, showing month and year of production.

Remedy: Consumers should stop using the recalled snowman immediately, take off the toy snowman's hat and keep it away from children. Contact The Step2 Company for instructions on how to dispose of the top hat and receive a free replacement. The Step2 Company is notifying all known purchasers directly.

Incidents/Injuries: The firm has received 47 reports of the brim of the top hat breaking. No injuries have been reported.

Sold At: Online at Step2.com, Amazon.com, Walmart.com and Wayfair.com from **March 2024 through December 2024 for about \$40.**





SAFETY RECALL MESSAGE

2 June 2025



iWALK Magnetic Wireless Power Banks Recalled Due to Fire and Burn Hazards (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-304

Name of Product: iWALK Magnetic Wireless Power Banks

Hazard: The lithium-ion batteries in the recalled power banks can overheat and ignite, posing a risk of serious injury or death from fire and burn hazards to consumers.

Consumer Contact: U2O Global Co. Ltd. toll-free at 888-279-0111 from 9 a.m. to 6 p.m. PT Monday through Friday, by email at service@iwalk.net, or online at <https://www.iwalk.net/recall.html> or www.iwalk.net and click on "Product Recalls" at the top of the webpage.

Description: This recall involves iWALK Magnetic Wireless Power Banks. "iWALK" is printed on the front of each power bank, and the model numbers and serial numbers are printed on the back. The pocket-sized power banks are compatible with various devices and were sold in a variety of colors. All recalled models include a circular LED display screen on the front to reflect the remaining power of the power bank. Models DBL6000M and DBL6000P include a circular phone holder ring above the LED display screen. Visit <https://www.cpsc.gov/Recalls/2025/iWALK-Magnetic-Wireless-Power-Banks-Recalled-Due-to-Fire-and-Burn-Hazards-Manufactured-by-U2O-Global> for a full list of serial numbers included in this recall.

Remedy: Consumers should immediately stop using the recalled power banks and contact U2O Global for a full refund. To receive a refund, consumers should send a photo of the recalled power bank, showing the model number and the serial number, with "Recalled" written on the power bank in permanent marker to U2O Global by email at service@iwalk.net. Consumers should dispose of the recalled power banks in accordance with local hazardous waste disposal procedures.

Incidents/Injuries: The firm has received 15 reports of the lithium-ion battery catching fire, resulting in 10 burn injuries.

Sold At: Online at iWalkMall.com, Amazon.com and other e-commerce websites from **July 2021 through March 2024 for between \$20 and \$57.**





SAFETY RECALL MESSAGE

2 June 2025



Playworld Systems Recalls Unity Teeter Tunnels with Lexan Tops Due to Risk of Serious Injury and Crush Hazard (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-303

Name of Product: Unity Teeter Tunnels with Lexan Tops

Hazard: **If a child accidentally falls underneath the Unity Teeter Tunnel, the end of the seesaw plank can land on them, posing a risk of serious injury and a crush hazard.**


Consumer Contact: Playworld Systems toll-free at 800-233-8404 from 8 a.m. to 4:30 p.m. ET Monday through Friday, by email at recalls@playworld.com, or online at <https://playworld.com/recall-information> or <https://playworld.com> and click on the "Teeter Tunnel Recall Safety Information" located at the bottom of the page for more information.

Description: This recall involves Playworld Unity Teeter Tunnels with part numbers ZZXX0182, ZZXX0182S, ZZXX0192 and ZZXX0192S. The seesaws allow multiple children to stand, sit and lie down on them and to crawl into a tunnel. The part number appears on the original purchase order and on the installation instructions.

Remedy: **Consumers should immediately stop using the recalled teeter tunnels and contact Playworld Systems to schedule a free repair. Playworld Systems will send a certified playground installer to each location to repair the unit. Playworld Systems is contacting all known purchasers directly and will request that consumers place the teeter tunnels out of service until the repair is completed.**

Incidents/Injuries: The firm has received two reports of children falling under the end of the seesaw plank of the recalled Unity Teeter Tunnels. One child sustained a liver laceration when the end of the seesaw plank landed on her abdomen and the second child suffered fractures to his right tibia and right fibula when the end of the seesaw plank landed on him.

Sold At: Playworld Systems sales representatives and their authorized independent sales representatives nationwide from **October 2014 through March 2025 for between \$13,450 and \$13,600.**





SAFETY RECALL MESSAGE

2 June 2025



VFAUOSIT Brand Kitchen Faucets Recalled Due to Dangerous Lead Exposure for Young Children (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-307

Name of Product: VFAUOSIT Kitchen Faucets, model number 06BNV

Hazard: The recalled faucets were tested and found to contain lead that can leach into water at levels that can be particularly harmful to infants and young children. The faucets were also found to leach other contaminants. Lead ingestion can cause harmful neurological effects on infants and young children, including attention-related behavioral problems, decreased cognitive performance and lower IQ.

Consumer Contact: Whisper08 by email at customerservice@vfausosit.com.

Description: This recall involves VFAUOSIT kitchen faucets, model number 06BNV. The faucets are brushed nickel, single-handle kitchen faucets with a pull-down detachable spray and single-hole installation. Consumers can identify whether they have a recalled faucet by searching their Amazon purchase history for "Vfausosit" and "kitchen faucet" and looking for a description including pull-down sprayer, brushed nickel, stainless steel modern, high-arc, single-handle, single-hole, pull-out kitchen faucet for bar laundry RV utility sink.

Remedy: Consumers should immediately stop using these faucets and contact Whisper08 about disposal and a refund. Consumers will need to provide a photograph of disposal and their order number to receive the refund. Whisper08 is contacting all known purchasers directly.

Incidents/Injuries: None reported

Sold At: Online at www.amazon.com from January 2024 through May 2025 for about \$40.





SAFETY RECALL MESSAGE

2 June 2025



KICIMPRO Brand Kitchen Faucets Recalled Due to Dangerous Lead Exposure for Young Children (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-306

Name of Product: KICIMPRO Kitchen Faucets, model number KM800-01-06BN

Hazard: The recalled faucets were tested and found to contain lead that can leach into water at levels that can be particularly harmful to infants and young children. Lead ingestion can cause harmful neurological effects on infants and young children, including attention-related behavioral problems, decreased cognitive performance and lower IQ.

Consumer Contact: Kicimpro by email at support@kicimprohome.com.

Description: This recall involves KICIMPRO kitchen faucets, model number KM800-01-06BN. The faucets are brushed nickel, single-handle kitchen faucets with a pull-down detachable spray and single-hole installation. Consumers can identify whether they have a recalled faucet by searching their Amazon purchase history for "Kicimpro" and "kitchen faucet" and looking for a description including pull-down sprayer, brushed nickel, high-arc, single-handle sink faucet with water lines, commercial modern RV stainless steel, grifos de cocina.

Remedy: Consumers should immediately stop using these faucets and contact Kicimpro about disposal and a refund. Consumers will need to provide a photograph of disposal and their order number to receive the refund. Kicimpro is contacting all known purchasers directly.

Incidents/Injuries: None reported

Sold At: Online at www.amazon.com from January 2024 through May 2025 for about \$35.





SAFETY RECALL MESSAGE

2 June 2025



BASDEHEN Brand Kitchen Faucets Recalled Due to Dangerous Lead Exposure for Young Children (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-305

Name of Product: BASDEHEN Kitchen Faucets, model number CFDTTH-000-YGH

Hazard: The recalled faucets were tested and found to contain lead that can leach into water at levels that can be particularly harmful to infants and young children. Lead ingestion can cause harmful neurological effects on infants and young children, including attention-related behavioral problems, decreased cognitive performance and lower IQ.

Consumer Contact: Chenfeng Store by email at ChenfengStoreF@outlook.com.

Description: This recall involves BASDEHEN kitchen faucets, model number CFDTTH-000-YGH. The faucets are matte black single-handle kitchen faucets with 360° swivel, spring spout design, detachable spray, optional mounting plate and single-hole installation. Consumers can identify whether they have a recalled faucet by searching their Amazon purchase history for "Basdehen" and "kitchen faucet."

Remedy: Consumers should immediately stop using these faucets and contact Chenfeng Store about disposal and a refund. Consumers will need to provide a photograph of disposal to receive the refund. Amazon is contacting all known purchasers directly.

Incidents/Injuries: None reported

Sold At: Online at www.amazon.com from May 2024 through May 2025 for about \$30.





SAFETY RECALL MESSAGE

2 June 2025



WeHwupe Adult Portable Bed Rails Recalled Due to Risk of Serious Injury or Death from Entrapment and Asphyxiation Hazards (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-302

Name of Product: WeHwupe Adult Portable Bed Rails

Hazard: The recalled bed rails violate federal regulations for adult portable bed rails, posing a serious entrapment hazard and risk of death by asphyxiation. When the bed rails are attached to a bed, users can become entrapped within the bed rail or between the bed rail and the side of the mattress. In addition, the bed rails do not bear the required hazard warning labels.

Consumer Contact: WeHwupe Store toll-free at 888-438-3220 from 9 a.m. to 4 p.m. CT Monday through Friday, email at wehwupestore@163.com, or online at <https://chunqushop.com/wehwupe-bed-rail-safety-recall/> or <https://chunqushop.com> and click "Product Recall" at the top of the page for more information.

Description: This recall involves WeHwupe branded adult portable bed rails, models BRX-8002 and BRX-8003, sold for use on adult beds. The bed rails are not labeled with the model numbers. The model numbers may be found on the assembly instructions, if retained. Both bed support railings are made of white metal tubing with a rounded gray foam rubber grip handle and a fabric pouch. Model BRX-8002 measures 22 inches wide with an adjustable height between 18.8 to 21.5 inches. Model BRX-8003 has two support legs and measures 23.6 inches wide with an adjustable height between 20.2 to 22.6 inches.

Remedy: Consumers should stop using the recalled adult portable bed rails immediately and contact WeHwupe Store to obtain a free replacement.

Incidents/Injuries: The firm has received one report involving the BRX-8002 model bed rail, which broke during use, resulting in a fall injury.

Sold At: Online at Amazon.com and Walmart.com from September 2023 through January 2025 for between \$33 and \$43.

WeHwupe Adult portable bed rails



WeHwupe Adult portable bed rails





SAFETY RECALL MESSAGE

2 June 2025



Minka Lighting Recalls Vortic Flow Series Lights Due to Impact Injury Hazard (Recall Alert)

Company Recall Date: 29 May 2025

Recall Number: 23-301

Name of Product: Minka Vortic Flow Series light fixtures

Hazard: The component that connects the recalled light to the ceiling mount can weaken, allowing the fixture to fall unexpectedly, posing a risk of injury from impact.

Consumer Contact: Minka Lighting toll-free at 888-770-7027 from 7:30 a.m. to 5 p.m. CT Monday through Friday, by email at vortic@realtimeresults.net, or online at <https://www.recallrtr.com/vortic> or <https://www.minkagroup.net> and click on "Recall" at the bottom of the page for more information.

Description: This recall involves all Minka Vortic Flow light fixtures that are made of steel with a finish of dark bronze and mosaic gold and with model numbers 3679, 4677 and 4679. Model number 3679 is a 10-light pendant, measuring 30 by 21 inches and weighing 25.7 pounds. Model number 4677 is an eight-light pendant measuring 11 by 30 inches and weighing 16 pounds. Model number 4679 is an 18-light chandelier measuring 37.5 by 27 inches and weighing 28.6 pounds. "Minka-Lavery" and model number are printed on the fixture's packaging or purchase records.

Remedy: Consumers should immediately contact Minka Lighting to schedule a free inspection and an on-site repair to replace the connection component.

Incidents/Injuries: The firm has received two reports of the light fixtures partially detaching. No fallen light fixtures or injuries have been reported.

Sold At: Lighting and home improvement stores nationwide and online at www.Ferguson.com, www.wayfair.com and www.lamps.com from **August 2019 through October 2024 for between \$850 and \$1500.**

