Water Quality Table for Tripler Army Medical Center including non-detectable results

Contaminant Categories for complete data

The following contaminant categories are listed as the subgroups for the complete water quality table, listed on pages 2 through 7. These describe the categories and when they are sampled.

Bacteriological, contaminants occur naturally from the environment. Bacteriological samples are collected and analyzed for coliform and E. Coli at each installation on a monthly basis. The number of samples taken on each installation is dependent on the population and represents a cross section in each water system.

<u>Carbamate Pesticides</u> occur from runoff of pesticides. The garrison collects two samples each, every three years. Samples are collected from the Tripler Army Medical Center's water treatment plant in two separate quarters within the same calendar year.

<u>Chlorinated Acids</u>, occur mostly from pesticides. The garrison collects two samples each, every three years from the Tripler Army Medical Center's water treatment plant in two separate quarters within the same calendar year

<u>Disinfection Byproducts</u>, occur from water additives used to control microbes. The garrison collects one sample for disinfection byproducts annually. Disinfection byproducts include haloacetic acids and trihalomethanes and are created when chlorine interacts with naturally occurring organic material.

Asbestos, occurs from cement decay in water mains. The garrison collects one asbestos sample from each installation every nine years. Samples are taken from locations that are at higher risk for asbestos contamination.

EDB/DBCP/TCP, occur from pesticides and factory runoff. The garrison collects two samples each, every three years. This group is made up of Ethylene Dibromide, 1,2-Dibromo-3 -Chloro propane, 1,2,3-Trichloropropane.

<u>Glyphosate</u>, occurs from runoff of pesticides. The garrison collects two samples each, every three years. Samples are collected from the Tripler Army Medical Center water treatment plants water treatment plant in two separate quarters within the same calendar year.

<u>Inorganic Anions</u>, occur from runoff from fertilizers and natural sources. The garrison collects one nitrate and anions sample annually from the Tripler Army Medical Center water treatment plant.

Lead and Copper, occurs naturally. Lead and Copper samples are collected from select individual residences every three years. The total number of samples are taken dependent on the size of the installation


<u>Radionuclides</u>, occur from erosion of natural and man made deposits. The garrison collects one sample for radiological from each installation once every 9 years

<u>Semivolatiles & Cyanide</u>, occur from runoff from herbicide, chemical factories, and other factories. The garrison collects two samples every three years for semivolatiles and 1 routine every 3 years for cyanide. Samples are collected at the Tripler Army Medical Center's water treatment plant in two separate quarters within the same calendar year

<u>Synthetic Organic Chemicals</u>, occur mainly from pesticides. The garrison collects two samples each, every three years. Samples are collected from the Tripler Army Medical Center's water treatment plant in two separate quarters within the same calendar year

<u>Trace Metals</u> occur naturally. The garrison collects one sample every three years from the Tripler Army Medical Center's water treatment plant.

<u>Volatile Organic Compounds</u>, occur from discharge of landfills and factories. The garrison collects one volatile organic compound sample from the Tripler Army Medical Center's water treatment plant.



https://commons.wikimedia.org/wiki/File:Common_Water_Contaminates.jpg

Water Quality Table for Tripler Army Medical Center including non-detectable results

The tables below show a comprehensive list of all drinking water contaminants sampled during calendar year 2021 unless otherwise indicated. These tables include detectable information that was shown on page 3 of the 2022 Tripler Army Medical Center Water Quality Report, along with non-detectable data. The EPA allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or our system is not considered vulnerable to this type of contamination. Some of our data, though representative, are more than one year old.

Contaminants in the Distribution System (units of measurement)	MCL	MCLG	Average Level Detected	Range of Detection (multiple samples)	Likely Source of Contaminant	Violation	Category				
Bacteriological											
Total Coliform	5%1	0	0	No Range	Naturally present in the environ- ment	NO	Bacteriological and Water Quality Readings				
Disinfectant & Disinfection Byproducts											
Residual Chlorine (ppm)	MRDL=4	MRDLG=4	0.64	0.22-1.63	Water additive used to control microbes	NO	Bacteriological and Water Quality Readings				
Total Trihalomethane (ppb)	80	N/A	0.82	No Range							
Chloroform	N/A	70	ND	No Range	Byproduct of drinking water						
Bromodichloromethane	N/A	0	ND	No Range	disinfection	NO					
Dibromochloromethane	N/A	60	ND	No Range							
Bromoform	N/A	0	0.82	No Range							
Total Haloacetic Acids (ppb)	60	N/A	ND	No Range			Disinfection By- products				
Monochloroacetic acid	N/A	70	ND	No Range		NO					
Monobromoacetic acid	N/A	N/A	ND	No Range	Byproduct of drinking water						
Dichloroacetic acid	N/A	0	ND	No Range	disinfection						
Trichloroacetic acid	N/A	20	ND	No Range							
Dibromoacetic acid	N/A	N/A	ND	No Range							
Inorganic											
Copper (ppm)	AL=1.3	1.3	ND ^{2,3} (2019)	0 4	Corrosion of household plumb- ing systems; Erosion of natural deposits	NO					
Lead (ppb)	AL=15	0	ND ^{2,3} (2019)	0 4	Corrosion of household plumb- ing systems; Erosion of natural deposits	МО	Lead and Copper				
Fluoride (ppm)	4	4	0.695	0.08-1.73	Erosion of natural deposits; water additive to promote strong teeth	NO	Bacteriological and Water Quality Readings				
Asbestos											
Asbestos (MFL)	7	7	ND8	ND	Decay of asbestos cement in water mains; erosion of natural deposits	NO	Asbestos				

Contaminants in the Plant Wa- ter (units of measurement)	MCL	MCLG	Average Level Detect- ed	Range of Detec- tion (multiple samples)	Likely Source of Contaminant	Violation	Category		
Volatile Organic Chemicals (VOCs) (ppb)									
Vinyl Chloride	2	0	ND ² (2020)	No Range	Leaching from PVC pipes; discharge from plastic factories	NO			
1,1 - Dichloro ethylene	7	7	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
Benzene	5	0	ND ² (2020)	No Range	Discharge from factories; leaching from gas storage tanks and landfills	NO			
1,2 - Dichloro ethane (EDC)	5	0	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	МО			
Trichloro ethylene (TCE)	5	0	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
p-Dichloro benzene	75	75	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
trans-1,2-Di chloroethylene	100	100	ND ² (2020)	No Range	Discharge from industrial chemical factories	NO			
cis-1,2-Di chloroethylene	70	70	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
1,2-Dichloro propane (DCP)	5	0	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
Toluene	1000	1000	ND ² (2020)	No Range	Discharge from factories; leaching from gas storage tanks and landfills	NO	VOC		
Ethylbenzene	700	700	ND ² (2020)	No Range	Discharge from factories; leaching from gas storage tanks and landfills	NO			
Chlorobenzene	100	100	ND ² (2020)	No Range	Discharge from chemical and agricultural chemical factories	NO			
o-Dichlorobenzene	600	600	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	NO			
Styrene	100	100	ND ² (2020)	No Range	Discharge from rubber and plastic factories; leaching from landfills	МО			
Total Xylenes	10000	10000	ND ² (2020)	No Range	Discharge from petroleum fac- tories; discharge from chemical factories	NO			
Tetrachloroethylene (PCE)	5	0	ND ² (2020)	No Range	Discharge from factories and dry cleaners	NO			
Dichloromethane	5	0	ND ² (2020)	No Range	Discharge from drug and chemical factories	NO			
1,1,2-Trichloroethane	5	3	ND ² (2020)	No Range	Discharge from industrial chemi- cal factories	Ю			
1,2,4-Trichlorobenzene	70	70	ND ² (2020)	No Range	Discharge from textile finishing factories	NO			

Contaminants in the Plant Water (units of measure- ment)	MCL	MCLG	Average Level Detected	Range of Detection (multiple samples)	Likely Source of Contaminant	Violation	Category			
Synthetic Organic Chemicals (ppb)										
Hexachlorocyclo- pentadiene	50	50	ND ² (2020)	ND	Discharge from chemical factories	NO				
Hexachloroben- zene	1	0	ND ² (2020)	ND	Discharge from metal refineries and agricultural chemical factories	NO				
Lindane	0.2	0.2	ND ² (2020)	ND	Runoff/leaching from insecticide used on cattle, lumber, gardens	NO				
Heptachlor	0.4	0	ND ² (2020)	ND	Residue of banned termiticide	NO				
Heptachlor epox- ide	0.2	0	ND ² (2020)	ND	Breakdown of heptachlor	NO				
Endrin	2	2	ND ² (2020)	ND	Residue of banned insecticide	NO				
Methoxychlor	40	40	ND ² (2020)	ND	Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, livestock	NO				
Alachlor	2	0	ND ² (2020)	ND	Runoff from herbicide used on row crops	NO				
Chlordane	2	0	ND ² (2020)	ND	Residue of banned termiticide	NO				
Toxaphene	3	0	ND ² (2020)	ND	Runoff/leaching from insecticide used on cotton and cattle	NO				
Aroclor 1016	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Aroclor 1221	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO	Synthetic Organic			
Aroclor 1232	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO	Chemicals			
Aroclor 1242	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Aroclor 1248	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Aroclor 1254	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Aroclor 1260	0.5	0	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Simazine	4	4	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO				
Atrazine	3	3	ND ² (2020)	ND	Runoff from herbicide used on row crops	NO				
Metribuzin	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				
Aldrin	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				
Butachlor	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				
Dieldrin	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				
Metolachlor	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				
Propachlor	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A				

Contaminants in the Plant Water (units of measure- ment)	MCL	MCLG	Average Level Detected	Range of Detection (multiple samples)	Likely Source of Contaminant	Violation	Category	
Synthetic Organic C Carbofuran	hemicals (40	ND	ND	Leaching of soil fumigant used on rice and alfalfa	NO		
Oxamyl (Vydate)	200	200	ND	ND	Runoff/leaching from insecticide used on apples, potatoes, and tomatoes	NO		
Aldicarb	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Aldicarb Sulfone	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Aldicarb Sulfoxide	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A	Carbamate	
Carbaryl	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A	Pesticides	
3- Hydroxycarbofuran		N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Methomyl	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Propoxur	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Methoiocarb	UNREGU- LATED ⁶	N/A	ND	ND	Leaching/Runoff from pesticide	N/A		
Benzo (a) pyrene	0.20	0	ND	ND	Leaching from linings of water storage tanks and distribu- tion lines	ИО		
Di (2-ethylhexyl) adipate	400	400	ND	ND	Discharge from chemical factories	NO		
Di (2-2ethylhexyl) phthalate	6	0	ND	ND	Discharge from rubber and chemical factories	NO	Semivola-	
Dioxin	30	0	ND	ND	Emissions from waste incineration and other combustion; discharge from chemical factories	NO	Cyanide	
Diquat	20	20	ND	ND	Runoff from herbicide use	NO		
Endothall	100	100	ND	ND	Runoff from herbicide use	NO		
Cyanide (ppb)	200	200	ND	ND	Discharge from steel/metal factories; discharge from plastic and fertilizer factories	NO		
Dalapon	200	200	ND ² (2020)	ND	Runoff from herbicide used on rights of way	NO		
2,4-D	70	70	ND ² (2020)	ND	Runoff from herbicide used on row crops	NO		
Pentachlorophenol	1	0	ND ² (2020)	ND	Discharge from wood preserving factories	NO		
2,4,5-TP	50	50	ND ² (2020)	ND	Residue of banned herbicide	NO	Chlorinated Acids	
Dinoseb	7	7	ND ² (2020)	ND	Runoff from herbicide used on soybeans and vegetables	NO		
Picloram	500	500	ND ² (2020)	ND	Leaching/Runoff from pesticide	NO		
Dicamba	UNREGU- LATED ⁶	N/A	ND ² (2020)	ND	Leaching/Runoff from pesticide	N/A		
Glyphosate	700	700	ND	ND	Runoff from herbicide use	NO	Glyphosate	
Ethylene Dibromide	0.05	0	ND	ND	Discharge from petroleum refineries	NO		
1,2-Dibromo-3- Chloro propane	0.2	0	ND	ND	Runoff/leaching from soil fumigant used on soybeans, cot- ton, pineapples, and orchards	NO	EDB/DBCP/ TCP	
1,2,3- Trichloropropane	UNREGU- LATED ⁶	N/A	ND	ND	Discharge from industrial chemical factories and pesticides	N/A		

Contaminants in the Plant Water (units of measure- ment)	MCL	MCLG	Average Level Detected	Range of Detection (multiple samples)	Likely Source of Contaminant	Violation	Category	
Inorganics								
Nitrate (as N) (ppm)	10	10	0.44	No Range	Runoff from fertilizer use; leaking from septic tanks, sewage; erosion of natural deposits	NO		
Nitrite (as N) (ppm)	1	1	ND	No Range	Runoff from fertilizer use; leaking from septic tanks, sewage; erosion of natural deposits	NO	Inorganic Ani-	
Fluoride (ppm)	250 ⁷	N/A	0.59	No Range	Naturally occurs; affects taste	NO		
Sulfate (ppm)	4	4	11	No Range	Erosion of natural deposits; water additive to promote strong teeth	NO		
Trace Metals (ppb)								
Antimony	6	6	ND ² (2020)	No Range	Naturally occurs	NO		
Arsenic	10	0	ND ² (2020)	No Range	Naturally occurs	NO		
Barium	2000	2000	ND ² (2020)	No Range	Naturally occurs	NO		
Beryllium	4	4	ND ² (2020)	No Range	Naturally occurs	NO		
Cadmium	5	5	ND ² (2020)	No Range	Naturally occurs	NO		
Chromium	100	100	ND ² (2020)	No Range	Naturally occurs	NO		
Copper	1300	1.3	ND ² (2020)	No Range	Naturally occurs	NO	Trace Metals	
Lead	15	0	ND ² (2020)	No Range	Naturally occurs	NO		
Mercury	2	2	ND ² (2020)	No Range	Naturally occurs	NO		
Nickel	UNREG- ULATED ⁶	N/A	ND ² (2020)	No Range	Naturally occurs	N/A		
Selenium	50	50	ND ² (2020)	No Range	Naturally occurs	NO		
Sodium	UNREG- ULATED ⁶	N/A	39 ² (2020)	No Range	Naturally occurs	N/A		
Thallium	2	0.5	ND ² (2020)	No Range	Naturally occurs	NO		
Radionuclides								
Gross Alpha (pCi/L)	15	0	0.19 ⁸ (2016)	No Range	Decay of natural and man-made deposits	NO		
Gross Beta (pCi/L)	50	0	2.2 ^{8,9} (2016)	No Range	Decay of natural and man-made deposits	NO		
Radium-228 (pCi/L)	5	0	0.75 ^{4,8} (2016)	No Range	Erosion of natural deposits	NO		
Radium-226 (pCi/L)	5	0	0.14 ⁸ (2016)	No Range	Erosion of natural deposits	NO	Radionuclides	
Combined Radium (pCi/L)	5	0	0.89 ⁸ (2016)	No Range	Erosion of natural deposits	МО		
Uranium ppb	30	0	0.01 ⁸ (2016)	No Range	Erosion of natural deposits	МО		

Table Definitions, Abbreviations, and Notes

Table Notes:

- 1. No more than 5.0% positive in a month
- 2. The state and EPA require water system to monitor certain contaminants less than once per year because the concentration is not expected to vary significantly from year to year. The date of the last sample collected is as indicated
- 3. In accordance with EPA and State regulations, this number represents the 90th percentile value of the sample collected
- 4. Number of samples above the action level.
- 5. Fluoride is added to the water system to help promote healthy teeth in children. The target level is 0.7 ppm
- 6. Unregulated contaminant monitoring helps EPA to determine where certain contaminants occur and whether the Agency should consider regulating those contaminants in the future
- 7. This is a Secondary Maximum Contaminant Level (SMCL). It is not enforced by the EPA and is not considered a risk to human health at SMCL
- 8. This sampling is done every 9 years
- 9. The MCL for beta particles is 4 mrem/year. EPA considers 50pCi/L to be the level of concern for beta particles

Table Definitions:

- **AL** Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- **MCL** Maximum Contaminant Level The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- **MCLG** Maximum Contaminant Level Goal The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- **MRDL** Maximum Residual Disinfectant Level The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- **MRDLG** Maximum Residual Disinfectant Level Goal The level of a drinking water disinfectant below which there is no known or expected risk to health.
- MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.
- NCTAMS Naval Computer Telecommunication Area Master Station supplies water to Helemano.
- **UCMR4** Unregulated Contaminant Monitoring Rule 4

Table Abbreviations:

- **ppb** parts per billion or micrograms per liter ($\mu g/L$)
- **ppm** parts per million or milligrams per liter (mg/L)
- pCi/L picocurie per liter
- N/A not applicable
- ND not detected
- MFLs-million fibers per liter