STANDARD OPERATING PROCEDURE FOR LINE MARKING WITHIN FORT HOOD CANTONMENT AREAS DIRECTORATE OF PUBLIC WORKS OPERATIONS AND MAINTENANCE DIVISION (DPW-OMD) SEPTEMBER 2021

1. REFERENCES.

- a. American Public Works Association (APWA) Uniform Color Code (ANSI Standard Z535.1, Safety Color Code).
- b. Army Regulation 350-19 The Army Sustainable Range Program
- c. Military Training Excavation SOP (Range Control)
- d. Texas Administrative Code (TAC) Title 16, Part 1, Chapter 18, Rule §18.6 General Marking Requirements
- e. Utilities Code Title 5, Chapter 251
- f. Line Marking Form DPW-OMD 001, March 2018 DPW-OMD coordination for line locating and marking within Fort Hood Cantonment Areas.
- 2. PURPOSE. To establish policies, procedures and coordination for all entities requiring Line Marking on the Fort Hood, Texas military installation.
- 3. APPLICABILITY. This standard operating procedure applies to all Soldiers, civilian employees, contractors, and private individuals requiring Line Marking within the Fort Hood Cantonment Areas. Obtaining an approved DPW-OMD Line Marking Form is required for complete coordination of land excavation. Line marking is essential to safety of project personnel, and to prevent damage of utility systems, fiber optic cable, and infrastructure.

4. DEFINITIONS.

- a. "Line Marking" means the physical act of identifying underground utilities utilizing paint and/or flags in accordance with (IAW) American Public Works Association (APWA) Uniform Color Code (ANSI Standard Z535.1, Safety Color Code).
- b. "Emergency" means an unplanned or unexpected situation has occurred in which the Installation or public life, health, safety (LHS), property, or post protection is at risk and requiring immediate reestablishment of service if service is interrupted.

- c. "Excavation" means any movement of soil (mechanical or hand digging) and includes digging, staking, and any other type of ground disturbance or penetration. Excavation actions include, but are not limited to, tank ditches, battle positions, defensive fighting positions (foxholes), foundation excavations, utility line ditches and right-of-ways, grading, post holes, borrow pits, stakes, grounding rods, any hole or ground insertion, and other construction activities that disturb the soil.
- d. "Damage" means the defacing, scraping, displacement, penetration, destruction, damage to utility trench fill materials, or partial or complete severance of an underground utilities or of any protective coating, housing, or other protective device of an underground utilities.
- e. "Non-routine" means an unplanned or unexpected situation has occurred in which the Installation or public need for uninterrupted service and immediate reestablishment of service if service is interrupted compels immediate action but does not place the Installation or public LHS, property, or post protection at risk.
- f. "Valid," as in "valid form," means the DPW-OMD Line Marking for Land Excavation Form has all parts complete to include signature and confirmation that each utility owner has identified and marked their assets.
- 5. POLICY. Any persons on the Fort Hood Cantonment Areas will not engage in land excavation without securing a <u>valid</u> DPW-OMD Line Marking Form.
- 6. RESPONSIBILITIES.
 - a. Requestor or Proponent Responsibilities:
 - 1) Requestor must review and comply with their contract requirements (if applicable).
 - 2) Requestor must coordinate with external utility system owners (i.e., Spectrum, AT&T, Embarg, etc.) by contacting them directly or by calling 811 for assistance.
 - 3) Requestor is responsible for obtaining a <u>valid</u> Line Marking Form as part of their permit request process <u>prior</u> to beginning any excavation(s).
 - 4) Line Marking Forms are located in Building 40001. Forms and general information can be requested via-email at usarmy.hood.id-readiness.list.dpw-omd-line-locates@army.mil
 - 5) Requests for Line Marking Forms must be submitted a minimum of 10-Business days before the planned excavation start date.
 - 6) Requestor must identify Emergency (i.e., life, health, safety (LHS), property, or post protection) or non-routine (a situation in which the Installation or public need for uninterrupted service and immediate reestablishment of service if service is interrupted compels immediate action) Line Marking needs.
 - a. Justification is required.

- b. Emergency or non-routine Line Marking requests may be approved on a case-by-case basis.
- 7) Each requestor performing land excavation must obtain a <u>valid</u> Line Marking Form for excavation within the identified and approved area. If excavation has not begun 14-days after approval the form is no longer valid and the requestor will be responsible for submitting a new Line Marking Form.
- 8) The requestor is responsible for maintaining the location markings and/or flags for the duration of the project, construction, or excavation work. Failure to maintain markings IAW this SOP or if flags fade, or are lost or washed off during the course of the project, the requestor must submit a new Line Marking Form. This resubmittal will be scheduled by the DPW-OMD Line Locating and Marking Department within 10-Business days of form submittal, and may require a rescheduled start date.
- 9) The requestor <u>must</u> hand dig within three feet (36 in.) on either side of the ground markings indicating the presence of an underground utility.
- 10) It is the requestor's responsibility to prevent any damages to marked utilities, whether hand digging or using mechanical excavation, to include damages to additional infrastructure within the marked boundaries.

b. DPW-OMD Responsibilities:

- Supply Line Marking Forms, review approval process with requestor, and provide coordination for land excavation guidance in accordance with regulatory requirements.
- Line Marking will be scheduled by the DPW-OMD Line Locating Department and will typically occur within 10-Business days of form submittal.
 - a. Have Line Marking Form assigned a Demand Maintenance Order (DMO) via request from the DPW-OMD Line Locating Department to DPW Work Reception (dispatch) and assign the DMO number to the Line Marking (i.e., use DMO number as form control number for tracking and accountability purposes).
- 3) Emergency line marking will be completed within 24-Hours from request submittal.
- 4) Non-routine line marking will be completed within 72-Hours from request submittal.
- 5) Schedule a Line Marking on-site meeting for special or unusual circumstances, if required.
- 6) DPW-OMD will monitor field use of a Line Marking Form to ensure excavation is in compliance with <u>valid</u> line markings.
 - a. G3 or DPTMS-Range Division is responsible for establishing procedures and controlling access to maneuver and live fire training areas on the installation (AR 350-19).
- c. DPW-Work Management Branch (WMB) Responsibilities:
 - 1) In the event of emergency line markings, WMB dispatch will call all required parties, OMD line locate, American Water, Dominion Energy, and NEC point of contacts.

7. LINE MARKING REQUEST AND FORM PROCEDURES.

- a. Line Marking Form shall be completed as follows:
 - 1) Name, Rank, Title, and Organization of Requestor (Telephone, Projected dates of Excavation) or include business or company name and Point of Contact (POC) information.
 - 2) Phone number.
 - 3) Projected dates of excavation.
 - 4) Location, Purpose, and Description of Excavation (i.e., project number, contract title, type of work or utility type, military mission, etc.)
 - a. Map: Provide detailed maps and descriptions of the proposed excavation work and include building numbers, street names, and planned excavation locations. Map(s) must be attached to the Line Marking Form.
 - 5) Site POC (i.e., Program Manager, Contracting Officer Representative (COR), NCOIC, etc.).
 - 6) Site POC phone number.
 - 7) Read Line Marking SOP and reference Line Marking Form, Section II Requestor Responsibilities.
 - 8) Signature of Requester.
 - 9) Date of form submittal.
 - 10)Line Marking Forms will require signature and confirmation that each utility owner has identified and marked their assets:
 - a. Network Enterprise Communication (NEC)
 - b. Dominion Energy (DE)
 - c. American Water (AW)
 - d. (DPW-OMD)
 - 11)Line Marking becomes invalid 14-days after all utility assets have been marked.
- b. Email <u>usarmy.hood.id-readiness.list.dpw-omd-line-locates@army.mil</u> or hand deliver a completed Line Marking Form to 40001, DPW-OMD Line Locating Department.

8. UTILITY MARKINGS.

- a. Marking Agencies:
 - 1) OMD-DPW, NEC, Dominion Energy, and American Water will mark utility locations.
 - 2) Other Utility agencies (i.e., Spectrum, AT&T, Embarq, etc., and 811) will be responsible for marking utilities IAW Federal and State regulations.
 - 3) Any damages to any unmarked utilities due to a marking failure will be the responsibility of the respective utility owning agency.

- 9. PROPONENT. The proponent for this standing operating procedure is the Chief, Operations and Maintenance Division, Directorate of Public Works, Fort Hood, Texas.
- 10. EXPIRATION. This standing operating procedure supersedes previous policies issued and will remain in effect until superseded or rescinded.

Adam H. Alexander Chief, Operations & Maintenance Division Directorate of Public Works

Directorate of Public Works DISTRIBUTION: DPW all Divisions

APPENDIX A
DPW-OMD Line Marking Form

APPENDIX A.1
SAMPLE DPW-OMD Line Marking Form

APPENDIX B
DPW-OMD Line Locating and Marking Department Map

APPENDIX C
Coordination for Line Marking in Cantonment Map

APPENDIX A. DPW-OMD Line Marking Form

DPW-OMD LINE MARKING

		Sectio	n I						
*FH200-10 from Environm Line Marking form.	nental must be approved prior to sub	CONTROL NUMBER/ DMO:							
	usiness days to process and validate. valid until project is complete as long	are maintained by	the requestor and	excavation is started within 14-day	s from				
, ,	Each requestor performing land exca								
	excavation has not begun 14-days after approval, the form is no longer valid and the requestor will be responsible for submitting a new Line Marking request.								
*Upon receipt of an approved FH200-10 form from DPW Environmental and approved DPW OMD Line Marking Form the requestor may proceed with coordination of land excavation IAW contractual and regulatory excavation requirements.									
1. NAME, RANK, TI	TLE, AND ORGANIZATION (2. PHONE NUMBER:						
			3. PROJECTED DATES OF EXCAVATION:						
4. LOCATION & DE	SCRIPTION OF LAND EXCA\	/ATION: <u>Requestor n</u>	nust include an	attached mag	2				
5. SITE POC:		6. POC PHONE N	UMBER:						
DPW Contract	USACE Contract	Other Contract	Military Re	equestor	Civilian Requestor				
7. Contract Inform	ation Received by COE or D	PW.							
COR POC Name:		COR Ph	one #:						
Contract #:									
Task Order #:			•						
_			_						
	Sec	tion II-REQUESTOR	RESPONSIBI	LITIES					
8. REQUESTOR RES	SPONSIBILITIES AND GENE	RAL EXCAVATION 51	ATEMENTS						
Lunderstand that it is my	responsibility to review and comply s	with my contract requiremen	nts.						
Lunderstand that I must o	coordinate with external utility system	n owners by contacting then	n directly or by callin	ng 811 for assistance	e.				
I understand this Line Marking Form is required for coordination of land excavation and upon receipt of a validated form, I may proceed with coordination of land excavation									
	latory excavation requirements								
	ations within Fort Hood cantonment rocedures and controlling access in m				MS-Range Division is responsible fo	f			
I understand that I cannot	t not dig or excavate without receipt	of an approved excavation p	sermit FH200-10 wit	hin Fort Hood Canto	onment Areas.				
	e approved dig or excavation permit	is received, I must hand dig	within three feet (36	in.) on either side	of the ground markings indicating the	100			
presence of an underground utility. Lunderstand my responsibilities and obligations pursuant to safety, property damage, personal injury, and life-threatening hazards associated with digging in the vicinity of									
underground utilities (including utilities such as electrical cables and pipes containing natural gas, water, sewer, liquefied fuels, and refrigerants). Severe injuries, death, and									
extensive property damage may occur as a result of digging through underground utilities.									
I understand that I am responsible for damages caused to persons or property as a result of my fault or negligence. If the exact location(s) of underground utilities are said to be unknown, I will perform whatever work is necessary to determine exact location(s) and avoid damaging utilities.									
Be unknown, I will perform whatever work is necessary to determine exact location(s) and allow building unities. If archaeological resources (arrowheads, charcoal, bones, etc.) are discovered during excavation, I or my representative will notify DPW Cultural Resources at 287-1092 and									
-	ies pending further guidance from Di								
9. SIGNATURE OF F	9. SIGNATURE OF REQUESTOR: 10. DATE:								

APPENDIX A. DPW-OMD Line Marking Form (continued)

LINE LOCATE SPECIAL REQUIREMENTS/NOTES SECTION				
		Section III - DPW OFFICE USE ON	LY	
AW:	Ĺ	I have marked the identified excavation site fo	AW owned utility assets.	
AW SIGNATURE:		Area clear of any AW owned line	DATE:	
DE:	L	I have marked the identified excavation site for		
DE SIGNATURE:	L	Area clear of any DE owned line	DATE:	
NEC:	L	I have marked the identified excavation site for		
NEC SIGNATURE:	H	Area clear of any NEC owned line	DATE:	
DPW-OMD:	H	I have marked the identified excavation site fo	_	
DPW-OMD SIGNATURE:		Area clear of any DPW owned line	DATE:	

APPENDIX A.1 SAMPLE DPW-OMD Line Marking for Land Excavation Form


DPW-OMD LINE MARKING

19237


Section I		LINE LOCATE SPECIAL REQUIREMENTS/NOTES SECTION
*FH200-10 from Environmental state the approved prior to submission of the QQQ Marking form. 19-237 /- 19		
occavation has not begun 14-days after approved, the form is no binger valid and the requester will googgoogles for submitting a new Line Marking request. "Upon receipt of an approved FH200-10 form from DPVE previonmental and approved DPV DMD line Marking From the requestor may proceed with coordination of land excavation flat displacements.		
NAME, RANK, TITLE, AND ORGANIZATION OF REQUESTOR: Jackie Wheelbarger	2. PHONE NUMBER: 254-699-2115 Ext 201	
Project Administrator SSP Industries, LP reference and ref	PROJECTED DATES OF EXCAVATION: 1/14/2019	
4. LOCATION & DESCRIPTION OF LAND EXCAVATION: Requester must include an attached map		
Installation of 981f of sewer service and connect to existing sewer line.at Bld AW PO#000003161-1	₃ . 9205.	
5. SITE POC: Randall Gerber USACE CAR CACC Unifer Contract D Milliary N	4,535-5004 requester Livilian scequestorus	
Contract Information Received by COE or DPW.		
COR POC Name: Ghazi Qakik COR Phone#: 254-2	13-0382	
Contract#:		
Task Order #:PO# 000003161-1		
Section 11-REQUESTOR RESPON	SIBILITIES	
8. REQUESTOR RESPONSIBILITIES AND GENERAL EXCAVATION STATEMENT	's	
I understand that It is my responsibility to review and comply with expoolsed/requirements. I understand that I must coordinate with national safety system commit by contacting them directly or by caking a landerstand this land Marking From its required for coordination of land excavation and upon receipt of a valid MAV contractsal and requisitory excavation requirements. I propose to dig at the locations within Froit Hood carterment areas depicted in the attached map and understand the statistic or the safety of the statistic parameters of procedures on the invitability of the statistic parameters of procedures on the invitability of the statistic parameters of procedures on the invitability of the statistic parameters of procedures on the invitability of the statistic parameters of procedures on the invitability of the statistic parameters.	ated form, I may proceed with coordination of land excavation of the Coordination	
I understand that I cannot not dig or excavate without receipt of an approved excavation permit FH200-10. I understand that once the approved dig or excavation permit is received, I must hand dig within three feet (36		Section III - DPW OFFICE USE ONLY AW:
presence of an underground wilty. I understand my exposed that and obligations pursuant to safety, property damage, personal injury, and life-th		AW SIGNATURE: / - L How Area clear of any AW owned line 5 W DATE: 1 - 1 S 1 7
underground utblee- including utilities such «Is electrical cables and pipes centairing natural gas, water, sewer extensive property damage may occur as a result of digging through underground utilities. Fundamisand that I am responsible for damages caused to persons or property as a result of my fault or negligi-		DE SIGNATURE: Area clear of any DE owned in Area Clear of any DE o
be unknown, I will perform whatever work is necessary to determine dedict location(s) and avoid damaging util If archaeological resources (arrowheads, charcoal, bones, etc.) are discovered during expanation, I or my repre	tics.	NEC: Liaucemarked the identified excavation site for NEC owned utility assets. REGSIGNATURE:
suspend at digging activities pending further guidance from DPW-Cultural Resources. 9. SIGNATURE OF RECUESTOR-Jackie. Wheelbarger	10. DATE:01/11/2018	DPW-OMD: 1 have marked the identified excavation site for DPW-dMD owned utility assets.
in white are at	19: Mrs 1 to 12 17 1 11 2 0 1 0	DPW-OMD-SIGNATURES AND LATER of an DPW owned line DATE: /-/ J.

LINE MARKING FORM EXPIRES 14-DAYS AFTER UTILITY ASSETS HAVE BEEN MARKED


LINE MARKING FORM EXPIRES 14-DAYS AFTER UTILITY ASSETS HAVE BEEN MARKED



APPENDIX B. DPW-OMD Line Locating Department Map



APPENDIX C. Coordination for Line Marking in Cantonment Map



STANDARD OPERATING PROCEDURE NO. DPW-OMD 001

Life, Health, Safety

Operations and Maintenance Division US Army Garrison Fort Hood

Glossary
Abbreviations
AR
Army Regulation
AW
American Water
COR
Contracting Officer's Representative
DA
Department of the Army
DE
Dominion Energy
DPTMS
Directorate of Plans, Training, Mobilization, and Security
DPW
Directorate of Public Works
DPW-OMD
Directorate of Public Works – Operations & Maintenance Division
FH
Fort Hood
LHS

STANDARD OPERATING PROCEDURE NO. DPW-OMD 001

Operations and Maintenance Division US Army Garrison Fort Hood

NEC

Network Enterprise Center

OMD

Operations & Maintenance Division

PΜ

Program Manager

POC

Point of Contact