Title V Operating Permit / New Source Review

Purpose: This form is used to capture detailed information about new air emission sources which have the potential to emit pollutants into the atmosphere. Information from this form will be used to address permit requirements such as new applications, notifications, amendments or revisions under the Fort Cavazos Title V Air Operating Permit # O-01659. The form shall be completed as soon as required equipment data is known to allow sufficient time to prepare permit applications for new sources prior to startup. Reminder: Some types of emission sources (e.g. boilers, generators and tanks) may also require startup or initial notifications to the Environmental Protection Agency.

Indicate proposed emission source type and complete all applicable fields for <u>each</u> piece of equipment. Complete the questionnaire sheet for <u>each</u> emission source type in this facility. Forms must be returned to the DPW, Environmental Division, Air Quality Program, Bldg 4622, (254) 287-8714, (254) 288-7976 or (254) 319-0192.

Requestor: [Date:	/	/	_ Phone	:		Project#:		
Building#:			Descrip	otive Nam	e of Fa	cility:			
Location of Facility:		UTM Co	oordinate	: Zone:	14	Northing: _		Easting:	
AUTHORIZATION FOR STARTUP									
Authorized by:	т	itle:							
Signature:	D	ate of S	tartup: _	/	/				

ENV Use Only

INTERNAL COMBUSTION UNITS (e.g. Test Cells, Covered by <u>30 TAC 106.511</u> and <u>30 TAC 106.512</u>) Make: Model: Serial #:	FUEL STORAGE TANKS (Covered by <u>30 TAC 106.473</u> , <u>30 TAC 106.478</u> and <u>30 TAC Chap 11</u> 5)
	Make: Model: Serial #:
Power Rating: KW; Horsepower: HP	Tank Volume: gals; Tank Dimensions (ft): Diameter:
Engine Type: 4SLB / 4SRB / 2SLB / Other (Circle one)	Make: Model: Serial #:
Fuel Type: Natural Gas / Propane / Diesel; Integrated Fuel Tank Capacity: gallons	Tank Volume: gals; Tank Dimensions (ft): Diameter: Length:
Make: Model: Serial #:	
Power Rating: KW; Horsepower: HP	Make: Model: Serial #:
Engine Type: 4SLB / 4SRB / 2SLB / Other (Circle one)	Tank Volume: gals; Tank Dimensions (ft): Diameter: Length:
Fuel Type: Natural Gas / Propane / Diesel; Integrated Fuel Tank Capacity: gallons	Tank Type: Aboveground / Underground (Circle one)
Make: Model: Serial #:	Vapor Control Equipped: YES / NO (Circle one)
	Roof Type: Horizontal Fixed Roof / Vertical Fixed Roof / Internal Floating Roof /
Power Rating: KW; Horsepower: HP	Pressure Tank External Floating Roof (Circle one)
Engine Type: 4SLB / 4SRB / 2SLB / Other (Circle one)	Seasonal Operating Percentage for This Emission Point:
Fuel Type: Natural Gas / Propane / Diesel; Integrated Fuel Tank Capacity: gallons	
	Spring% Summer% Fall% Winter%
Seasonal Operating Percentage for This Emission Point:	(Note: Total Must Equal 100%)
Spring% Summer% Fall% Winter %	Normal Operating Schedule: Start Time: hours/day days/week
(Note: Total Must Equal 100%)	weeks/year
	Normal Operating Rate: gallons or CuFT/yr (Circle one)
Normal Operating Schedule: Start Time: hours/day days/week	Operating Rate: gallons/year
weeks/year	Maximum Operating Rate: gallons/year
Normal Operating Rate: gallons or CuFT/yr (Circle one)	
EXTERNAL COMBUSTION UNITS (e.g. Boilers & Heaters Covered by 30 TAC 106.102 or 30	FUEL DISPENSING UNITS (Covered by <u>30 TAC 106.412</u>)
TAC 106.183)	Make: Model: Serial #:
Fuel Type: Natural Gas / Diesel (Circle one)	
	Make: Model: Serial #:
Make: Model:Serial #:	Make: Model: Serial #:
Input Rating: MMBTUH Height of Stack: ft; Diameter of Stack:ft;	
Stack Velocity: ft/sec	Make: Model: Serial #:
Make: Model:Serial #:	
Input Rating: MMBTUH Height of Stack: ft; Diameter of Stack: ft;	Fuel Type: MUR / Diesel / JP-8 / Other (Circle one)
Stack Velocity: ft/sec	Dispensing Type: Retail / Bulk (Circle one)
	Vapor Control Equipped : YES / NO (Circle one)
Seasonal Operating Percentage for This Emission Point:	Dispenser Pump rate: gallons/minute
Spring% Summer% Fall% Winter %	Seasonal Operating Percentage for This Emission Point:
(Note: Total Must Equal 100%)	Spring % Summer % Fall % Winter %
Normal Operating Schedule: Start Time: hours/day days/week weeks/	(Note: Total Must Equal 100%)
year Normal Operating Rate: gallons or CuFT/yr (Circle one)	Normal Operating Schedule: Start Time: hours/day days/week
	weeks/year Normal Operating Rate: gallons or CuFT/yr (Circle one)

SURFACE COATING OPERATIONS (Covered by <u>30 TAC 106.433</u> , <u>30 TAC 106.436</u> or <u>30 TAC 116.110</u>) Attach approved SDS of each coating and solvent used in process	REFRIGERATION EQUIPMENT (e.g. Air Conditioning, Freezer) (Covered by <u>30 TAC</u> <u>106.103</u>)			
	Make: Model: Serial #:			
Particulate Matter Control Efficiency of Booth:%	No. of compressors: Refrigerant Type:			
Booth Air Flow Rate: scfm Transfer Efficiency of Paint Gun:	Amount of Charge:lbs; Initial Charge Date://			
% Number of Paint Guns:				
Associated Heater: YES / NO (Circle one/Complete Separate Questionnaire for Each Heater)	Make:			
Associated Gun Cleaner: YES / NO (Circle one/Complete Separate Questionnaire for Each Cleaner on	No. of compressors: Refrigerant Type:			
degreaser section)	Amount of Charge:Ibs; Initial Charge Date:/			
	Make: Model: Serial #:			
Seasonal Operating Percentage for This Emission Point:	No. of compressors: Refrigerant Type:			
Spring:% Summer:% Fall:% Winter: %	Amount of Charge:Ibs; Initial Charge Date://			
(Note: Total Must Equal 100%)	Maker Madels Carial #			
Normal Operating Schedule: Start Time: hours/day days/week	Make: Model: Serial #: No. of compressors: Refrigerant Type:			
weeks/year	Amount of Charge: Ibs; Initial Charge Date://			
Normal Operating Rate: gallons (each coating and solvent)				
WELDING OPERATIONS (Covered by 30 TAC 106.227) Attach approved SDS of each welding rod type used in process Make: Model: Serial #:	DEGREASERS (Covered by <u>30 TAC 106.454</u>) Attach SDS of proposed degreaser solvent			
Make: Model: Serial #:	Degreaser Type: Parts Cleaner / Paint Gun Cleaner (Circle one)			
Make: Model: Serial #:	Make: Model: Serial #:			
Particulate Matter Control Efficiency of hood (if available):%	Make: Model: Serial #:			
Exhaust Fan Ventilation Rate : scfm	Make: Model: Serial #:			
Acetylene on hand: lbs of gas	Make: Model: Serial #:			
Oxygen on hand:lbs of gas	Make: Model: Serial #:			
Seasonal Operating Percentage for This Emission Point:	Seasonal Operating Percentage for This Emission Point:			
Spring:% Summer:% Fall:% Winter: %	Spring:% Summer:% Fall:% Winter: %			
(Note: Total Must Equal 100%)	(Note: Total Must Equal 100%)			
Normal Operating Schedule: Start Time: hours/day days/week	Normal Operating Schedule: Start Time: hours/day days/week			
weeks/year	weeks/year			
Normal Operating Rate:# of rods/year	Normal Operating Rate: gallon/year			

INTERNAL COMBUSTION UNITS (e.g. Generators, Covered by 30 TAC 10 For Generators provide a copy of the Manufacturer's Emission Certification	06.511 and 30 TAC 106.512)
Location Description:	Details Collected at the Shop Priority:
Integral Tank Details Tank ID:	

INTERNAL COMBUSTION UNITS (e.g. Generators, Covered by 30 TAC 106.511 and 30 TAC 106.512)

For Generators provide a copy of the Manufacturer's Emission Certification

Location:	DETAILS COLLECTED AT THE SHOP PRIORITY: Real Property ID:
Unit Description:	NSPS Applicable:
	NESHAP Exempt
ENGINE DETAILS	Max Demand Load:
Manufacturer:	Inspection Anchor Date:
Model:	Authorization Letter 👝 One-Line Diagram 🖂
Serial:	Facility Schematics 🔄 Technical data Sheet 🔲
Fuel:	O & M Manual Connection Diagrams
Displacement: Cylinders:	Approved Design As-Built Drawings
Rated HP: RPM:	MOA(s)
Engine Type:	Intogral Tank Dataila
Ignition Type:	Integral Tank Details
CEMS? CPMS? Hour Meter?	Tank ID: Position:
Manufacture date:	Volume:
Order Date: Install Date:	Length: Diameter:
Reconstruction Date:	
Usage Tracking Method:	SEPARATE TANK DETAIL
Crankcase Ventilation:	Tank ID:
Battery Install date:	Position:
	Volume:
ALTERNATOR DETAILS	Length: Diameter:
Manufacturer:	Seasonal Operating Percentage for Emission Point:
Model:	Spring % Summer % Fall % Winter %
Serial:	(Note: Total Must Equal 100%)
Rate KW: Amps:	Normal Operating Schedule: Start Time:
Phase: Frequency:	hours/day days/week
Voltage:	weeks/year
Power factor:	Normal Operating Rate: gallons or CuFT/yr
	(circle one)
Switch Detail	
Manufacturer:	ADDITION COMMENTS
Model	
Serial: Amps: Poles:	
Bypass Capable	
Switch Type:	
//	