AMC EXPLOSIVES FACILITY LICENSE

(For use, see: AMC-R 385-10)

This form is primarily used for the Arms Room license but can be used as a facility license when operationally reducing the Net Explosive Weights (NEW) from a DDESB approved site plan. Use the DA Form 7632 (page 3) as the interim license for those locations that are being used without a DDESB approved site plan but require one.

LOCATION NAME: FSGA or HAAF	LICENSE #: Year, BLDG, Suite	ISSUE DATE:

AE FACILITY LOCATION: Physical Address of Arms Room	IS THIS AN ARMS ROOM?	YES ◉ NO ○
	FACILITY PHYSICAL SECURITY CONTRUCTION STATEMENT EXPIRATION:	
	HAS COMMANDER/APPROPRIATE DESIGNEE SIGNED RISK ASSESSMENT?	YES ◉ NO ○
	LEVEL OF RISK: (When approved site plan does not exist)	Low
	IS THE APPROPRITE FIRE SYMBOL POSTED?	YES ◉ NO ○

COMPLIANCE WITH QD AND COMPATIBILITY CRITERIA IS NOT REQUIRED FOR MISSION SEESENTAL OR OPERATIONAL REQUIRED QUANTITIES OF HD 1.4 AND 6.1 (EXCLUDING TOXIC CHEMICAL MUNITIONS) STORED IN ARMS ROOMS.

*SUBSTITUTE/INTERCHANGE OF DODICS AUTHORIZED IAW CURRENT CONVENTIONAL AE S/I LIST CIRCUMSTANCES MAY DRIVE THE NEED TO STORE TRAINING AE IN ARMS ROOMS UNTIL PROPER TURN-IN CAN BE MADE. IN THESE CASES: TRAINING AE WILL BE SEGREGATED. LIMITED TO 50LBS 1.2.2, 100LBS 1.3, AND 100LBS 1.4. WHEN 1.2.2 IS STORED, APPROPRIATE FRAGMENT BARRIERS MUST BE IN PLACE. TRAINING AE WILL BE STORED IN ARMS ROOMS IAW SC ESMP DURATION RESTRICTIONS.

CEREMONIAL AE (1.3/1.4 BLANK) WILL BE CALCULATED TOWARDS 100LB 1.3 LIMIT.

EXPLOSIVES FACILITY STORAGE LIMITS (Unit of Measure: FT/LBS) *Must have DDESB approved site plan.

HC/D	LIMITING EXPOSED SITE	TYPE OF DISTANCE	REQUIRED QD	ACTUAL SEPERATION	AUTHORIZED NEW
1.4	Lightning rd	PTRD	100	290	Unlimited 1.4S only, see notes
1.3					
1.2.3					
1.2.2					
1.2					
1.1					

*1.5 AND 1.6 WILL BE CALCULATED IAW APPLICABLE DA PAM AND/OR DOD REQUIREMENTS

NOTES: (Continue on back)

a. Explosive and Storage limits are DESR 6055.09 and DA PAM 385-64
b. Definitions are as follows: IBD = Inhabited Building Distance, PTRD = Public Traffic Route Distance, AGM = Above Ground Magazine.
c. Hazard/class Division 1.1 and 1.2 are not authorized. Authorization is for 1.3 and 1.4 only. Combined 1.3 and 1.4 cannot exceed 100 lbs. NEW.
d. The license will be reviewed annually by Garrison Safety IAW DA PAM 385-64.
f. Ammunition DODIC -
e. Total QTY of each DODIC -
g. Total NEW -

ANALYST: NAME: Mark Bush TITLE: Explosive Safety Officer CONTACT #: (571) 801-2056

REVIEW/CONCURRENCE (CO, PHYSICAL SECURITY, QASAS, FIRE, SAFETY, AND SO FORTH)

ORGANIZATION	PRINTED NAME	SIGNATURE	CONCUR
Co, BN, BDE, HQ	Commander or XO		☐
406th AFSBn	QASAS, Harvey Bailey		☐
3rd Infantry Division	3ID Safety Office (only if unit is 3ID)		☐
Analyst	Mark Bush		☐
			☐
			☐

APPROVER: NAME: William T Pendleton TITLE: Installation Safety Director SIGN:

NOTES, ARMS ROOM INVENTORY; APPLICABLE DEVIATIONS, CAUTIONS or WARNINGS

Unit will not store more than 100 lbs NEW of HD 1.3, if HD 1.4 is present then the NEW will be combined. The combined total of HD 1.3 and HD 1.4 cannot exceed 100 lbs. (DA PAM 385-64)
There is no NEW limit of HC/D 1.4s ammunition in an arms room.
A limited quantity, not to exceed operational necessity, of HC/D 1.3 and HC/D 1.4 ceremonial ammunition (such as, 75 mm blank, 105 mm blank) may be stored in an arms room. Total quantity cannot exceed 100 lbs NEW. (DA PAM 385-64)
Training ammo storage in arms room(s) will not exceed 10 calendar days. (ASP EXT-SOP)
Unit will exhaust all options for storage of training ammo to include use of field ASP (FASPs) prior to use of arms room(s). (DA PAM 385-64)
CS Capsules storage requires the proper display of chemical symbol 1, set 2 (yellow man). (DA PAM 385-64) **Note: Armorer will have protective mask on hand and building occupants will be informed of CS presence.
Ammunition will remain properly packaged. (DA PAM 385-64)
Proper fire/chemical symbol(s) will be displayed on building. (DA PAM 385-64). Note: Symbols must be removed or covered when all ammo / CS is removed from arms room(s).
Ammunition will not be stored on vehicles in a motor pool.
Ammunition storage not to exceed 30 days or the suspense on the issued DA Form 581 (Request for Issue and Turn-In of Ammunition), whichever is shorter.
Residue not held more than five (5) days. ((DA Pam 710-2-1, para 11-16c (1))
Security requirements of AR 190-11 will be met.
This request will be emailed to the appropriate offices below:
a. Safety @ 571-801-2058/50 usarmy.stewart.usag.list.gso-all@army.mil
b. QASAS @ 571-801-0563 harvey.f.bailey.civ@army.mil
c. 911 Operations Manager usarmy.stewart.usag.mbx.des-911@army.mil
d. DPW Construction Statement @ 571-801-0213 emily.d.wingate.civ@army.mil
e. Fire Safety Inspection @ 571-801-1573 james.c.bates44.civ@army.mil

ANNUAL REVIEW

YEAR:

ORGANIZATION	PRINTED NAME	SIGNATURE	CONCUR
			☐
			☐
			☐
			☐
			☐

YEAR:

ORGANIZATION	PRINTED NAME	SIGNATURE	CONCUR
			☐
			☐
			☐
			☐
			☐

YEAR:

ORGANIZATION	PRINTED NAME	SIGNATURE	CONCUR
			☐
			☐
			☐
			☐
			☐

YEAR:

ORGANIZATION	PRINTED NAME	SIGNATURE	CONCUR
			☐
			☐
			☐
			☐
			☐