



IMA



3d Inf Div (Mech)

**Army Environmental Command
and
Fort Stewart Directorate of Public Works
Under Contract Number W91ZLK-05-D-0015 D.O. 0003**

**Corrective Action Plan – Part B Addendum #1
Former Aboveground Storage Tanks 7001 & 7003
Bulk Fuel Facility – HAA-09 Release #3
Hunter Army Airfield, Savannah, GA
Facility ID No. 9-025113*3**

October 29, 2009



C. Scott Bostian, P.E.
Senior Engineer



Charles A. Bertz, PE
Senior Project Manager

Corrective Action Plan – Part
B Addendum #1
Former ASTs 7001 & 7003
(Bulk Fuel Facility: HAA-09)
Release #3
Facility ID No. 9-025113*3
Hunter Army Air Field
Savannah, Georgia

Prepared for:
Army Environmental Command

Prepared by:
ARCADIS
801 Corporate Center Drive
Suite 300
Raleigh, North Carolina 27607
Tel 919.854.1282
Fax 919.854.5448

Our Ref.:
GP08HAFS.H09B EHCAP

Date:
October 29, 2009

COMMENTS PROJECT REVIEW		Date: 26 Oct 2009	Page 1 of 2
To: Chuck Bertz		From: Environmental & Natural Resource Division (ENRD) (Reviewer): Algeana Stevenson	
Project: Draft CAP-Part B Addendum #1, Former ASTs 7001 & 7003			
Type of Action: ☒ Draft (Check Appropriate Boxes) ☐ Final ☐ Other			
ITEM NUMBER	REFERENCE DRAWING OR PAGE NUMBER	COMMENT	RESPONSE
1	Page 2-1, 2 nd Paragraph, 3 rd Sentence	Please denote that the free product removal activities associated with Release #2 will be addressed in a separate report.	Statement was added to text.
2	Page 2-3, Section 2.2, 2 nd Paragraph, 1 st Sentence	Please denote that while (58) DPT points were installed the reason why DPT points 46 and 47 are not listed in Figure 2-3 and Table 2-2.	Numbers 46 and 47 were inadvertently omitted in the numbering sequence and only 56 points were installed. The text has been changed accordingly.
3	Page 3-3, Section 3.2.4.2	Spring 2009 Update: EPA has released the updated Regional Screening Table in May of 2009. The Regional Screening Table (RSL) has replaced the Region 3 RBC tab.	Reference in text has been updated.
4	Page 4-2, Section 4.2	Will any MWs be installed downgradient of the site?	Two of the wells will be down gradient of the source areas.
5	Page 4-3, Section 4.3.3	Time given for completion report submission, does not take into consideration time for review of draft report.	The time for completion report submission has been deleted from the text. Please note that the 30 days for completion report submission was based on the requirement in the CAP-Part B Guidance that "a final completion report is required within 30 days of completing all corrective action specified in the CAP-Part B."
E-mail from Algeana Stevenson dated October 27, 2009			
6		Please add a map with the groundwater flow direction to this report.	A statement has been added to Section 2.1.5 that figures depicting historical groundwater flow direction are included in Appendix I.

COMMENTS PROJECT REVIEW		Date: 26 Oct 2009	Page 2 of 2
To: Chuck Bertz		From: Environmental & Natural Resource Division (ENRD) (Reviewer): Algeana Stevenson	
Project: Draft CAP-Part B Addendum #1, Former ASTs 7001 & 7003			
Type of Action: (Check Appropriate Boxes)		☒ Draft ☐ Final ☐ Other	
E-mail from Zsolt Haverland dated October 1, 2009			
7	Section 3.2.2	The section states that GW impacts will be remediated but only monitoring is proposed. What is the proposed remedy? GW monitoring alone is not a remedy, however, enhanced MNA could be.	Groundwater impacts will be remediated to the approved concentration limits through the excavation of the source mass and application of an oxygen source (Calcium Peroxide) to the groundwater through the excavation. Monitor wells will be installed after excavation to determine the extent of groundwater concentrations exceeding IWQS or approved ACLs and to monitor the enhanced natural attenuation of residual mass. The text has been changed to clarify.
8	Section 4.3.5	Would suggest performance monitoring of some remedial technology of which semiannual monitoring would not be consistent with past regulatory requirements for performance monitoring.	Text has been changed to state that monitoring will be conducted initially on a quarterly basis. The monitoring periods will be adjusted as data become available on contaminant concentrations, attenuation and transport.

Acronyms	v
1. Corrective Action Plan Certification – Part B	1-1
2. Site Investigation Report	2-1
2.1 Regional, Local, and Site Hydrogeology	2-2
2.1.1 Groundwater Usage	2-2
2.1.2 Aquifer Description	2-2
2.1.3 Surface Water	2-2
2.1.4 Site Stratigraphy	2-2
2.1.5 Direction of Groundwater Flow	2-3
2.2 Horizontal and Vertical Extent of Contamination	2-3
2.2.1 Delineation of Soil Contamination	2-4
2.2.2 Delineation of Groundwater Contamination	2-5
2.2.3 Delineation of Free Product	2-5
2.2.4 Delineation of Surface Water and Sediment Contamination	2-6
3. Remedial Action Plan	3-1
3.1 Corrective Action Completed or in Progress	3-1
3.1.1 Recovery/Removal of Free Product	3-1
3.1.2 Remediation/Treatment of Contaminated Backfill Material and Native Soil	3-1
3.2 Objectives of Corrective Action	3-1
3.2.1 Remove Free Product That Exceeds One-Eighth Inch at the Former AST 7001/7003 (Release #3)	3-1
3.2.2 Remediate Groundwater Contamination at the Former AST 7001/7003 (Release #3)	3-2
3.2.3 Remediate Soil Contamination at the Former AST 7001/7003 (Release #3)	3-2
3.2.4 Provide Risk-Based Corrective Action	3-2
3.2.4.1 Potential Receptor Survey	3-3
3.2.4.2 Screening for Chemicals of Potential Concern	3-3

4. Design and Operation of Corrective Action	4-1
4.1 Excavation	4-1
4.2 Installation of Monitor Wells	4-2
4.3 Implementation	4-2
4.3.1 Milestone Schedule	4-2
4.3.2 Progress Reporting	4-2
4.3.3 Certificate of Completion Report	4-3
4.3.4 Inspection Schedule and Preventative Maintenance Program	4-3
4.3.5 Periodic Monitoring	4-4
4.3.6 Effectiveness of Corrective Action	4-4
4.3.7 Confirmatory Soil Sampling Plan	4-4
4.3.8 Stockpiled Bulk Soil Sampling	4-4
4.3.9 Monitoring Only Termination Conditions	4-4
4.3.10 Post-Completion Site Restoration Activities	4-5
4.4 Public Notification	4-5
5. Claim for Reimbursement	5-1
6. References	6-1

Appendices

Appendix A: Figures

- Figure 2-1 Site Location Map
- Figure 2-2 Summary of Free Product Thicknesses (December 2008 through June 2009)
- Figure 2-3 PID Screening Data (June 2009)
- Figure 2-4 BTEX in Soil (June 2009)
- Figure 2-5 PAH in Soil (June 2009)
- Figure 2-6 BTEX and PAH in Groundwater (June 2009)
- Figure 2-7 Surface Water Features
- Figure 3-1 Estimated Extent of Excavations and Proposed Monitor-Well Locations

Appendix B: Tables

- Table 2-1a Liquid Levels in Free Product Monitoring Points – December 2008
- Table 2-1b Liquid Levels in Free Product Monitoring Points – April 2009
- Table 2-1c Liquid Levels in Free Product Monitoring Points – June 2009
- Table 2-2 Soil Analytical Data – June 2009
- Table 2-3 Groundwater Analytical Data – June 2009

Appendix C: Analytical Data from June 2009 Investigation

Appendix D: DPT Boring Logs

Appendix E: Survey Report

Appendix F: Alternate Concentration Limit and Alternate Threshold Level Calculations

Appendix G: Summary of Fate and Transport Model (Bioscreen)

Appendix H: Site Ranking Form

Appendix I: Groundwater Potentiometric Surface Maps from CAP-Part B

Acronyms

ACL	Alternate Concentration Limit
ATL	Alternate Threshold Level
AST	Aboveground Storage Tanks
BFF	Bulk Fuel Facility
bgs	Below Ground Surface
BTEX	Benzene, Toluene, Ethylbenzene, And Xylenes
CAP	Corrective Action Plan
COPC	Chemical of Potential Concern
DAF	Dilution Attenuation Factor
DPT	Direct Push Technology
DRO	Diesel Range Organics
EFR	Enhanced Fluid Recovery
ft	Feet
FP	Free Product
GA EPD	Georgia Environmental Protection Division
GUST	Georgia Underground Storage Tank
GRO	Gasoline Range Organics
HAAF	Hunter Army Airfield
IDW	Investigation Derived Waste
IWQS	In-Stream Water Quality Standard
µg/L	Microgram per liter
mg/kg	Milligram per kilogram
PAH	Polyaromatic Hydrocarbon
PID	Photo Ionization Detector
RBC	Risk Based Concentrations
SAIC	Science Applications International Corporation
STL	Soil Threshold Level
TOC	Total Organic Carbon
TCLP	Toxicity Characteristic Leaching Procedure
USEPA	United States Environmental Protection Agency
UST	Underground Storage Tank
USTMP	Underground Storage Tank Management Program
VOC	Volatile Organic Compounds

CORRECTIVE ACTION PLAN-PART B

Facility Name: Former AST 7001/7003 (HAA-9) Street Address: Bulk Fuel facility
 Facility ID: 9-025113*3 City: Hunter Army Airfield County: Chatham Zip Code: 31409
 Latitude: 32° 00' 54" Longitude: 81° 08' 26"

Submitted by UST Owner/Operator:

Name: Thomas C. Fry/ Environmental Branch
 Company: U. S. Army/HQ 3d, Inf. Div. (Mech)
 Address: DPW ENRD ENV. Br. (Fry)
1550 Frank Cochran Drive, Bldg. 1137
 City: Fort Stewart State: GA
 Zip Code: 31314-4927
 Telephone: (912) 767-2010

Prepared by Consultant/Contractor:

Name: Charles Bertz
 Company: ARCADIS
 Address: 801 Corporate Center Dr.
Suite 300
 City: Raleigh State: NC
 Zip Code: 27607
 Telephone: (919) 854-1282

I. PLAN CERTIFICATION:

A. UST OWNER/OPERATOR


I hereby certify that the information contained in this plan and in all the attachments is true, accurate, and the plan satisfies all criteria and requirements of rule 391-3-15-09 of the Georgia Rules for Underground Storage tank Management.


Name: Thomas C. Fry
 Signature: _____

Date: _____

B. REGISTERED PROFESSIONAL ENGINEER OR PROFESSIONAL GEOLOGIST CERTIFICATION

I hereby certify that I have directed and supervised the fieldwork and preparation of this plan in accordance with State Rules and Regulations. As a registered professional geologist and/or professional engineer, I certify that I am a qualified groundwater professional, as defined by the Georgia State Board of Professional Geologists. All of the information and laboratory data in this plan and in all of the attachments are true, accurate, complete, and in accordance with applicable State Rules and Regulations.

Name: Scott Bostian, PE
 Signature: 
 Date: 10/29/09



Check all boxes that apply. Attach supporting documentation, i.e. narrative, figures, tables, maps, boring/well logs, etc., for all items checked. Supporting documentation should be three-hole punched and prepared in conformity with the guidance document "Underground Storage Tank (UST) Release: Corrective Action Plan-Part B (CAP-B) Content", GUST 7B.

II. SITE INVESTIGATION REPORT

☐ Not Applicable The extent of contamination, and the local & site hydrogeology requirements have been fulfilled under the CAP Part A, therefore additional SIR reporting is not necessary.

☒ **Extent of Contamination:**

☒ Soil ☐ Groundwater ☒ Free Product ☐ Surface water

☒ **Local and Site Hydrogeology:**

☒ Documentation of Local Groundwater Conditions

☒ Stratigraphic Boring Logs

☐ Stratigraphic Cross Sections

☒ Referenced or Documented Calculations of Relevant Aquifer Parameters

☒ Direction of Groundwater Flow

☒ Table of Monitoring Well Data

☒ Potentiometric Map

☒ Flow Net Superimposed on a Base Map

III. REMEDIAL ACTION PLAN

A. Corrective Action Completed or In-Progress:

☐ Not Applicable

☒ Recovery/Removal of Free Product (Non-Aqueous Phase Hydrocarbons)

☐ Remediation/Treatment of Contaminated Soils

☐ Other (specify)

B. Objectives of Corrective Action:

☐ No Further Action

☒ Remove Free Product That Exceeds One-Eighth Inch

☒ Remediate Groundwater Contamination That Exceeds:

☐ Maximum Contaminant Levels (MCLs)

OR

☒ In-stream Water Quality Standards

B. Objectives of Corrective Action (CONTINUED):

☒ Remediate Soil Contamination That Exceeds:

☐ Threshold Values Listed In Table A

OR

☐ Threshold Values Listed In Table B

OR

☒ Alternate Threshold Levels (ATLs) (Reference CAP A App. I)

☐ Provide Risk-Based Corrective Action (Reference CAP B App. I):

☒ Remediate Soil and/or Groundwater Contamination That Exceeds Alternate Concentration Limits (ACLs) and Monitor Residual Contaminants

OR

☐ Monitor Soil and/or Groundwater Contamination That Exceeds Levels In Rule – 391-3-15-.09(3).

C. Design and Operation of Corrective Action Systems:

☒ Soil ☒ Groundwater ☒ Free Product ☐ Surface water ☐ Not Applicable

D. Implementation (MUST INCLUDE THE FOLLOWING):

NOTE: If No Further Action is proposed and none of the following apply, a brief explanation must be provided with the signed Certificate of Completion.

- ▶ Milestone schedule for proposed site activities
- ▶ Inspection and preventive maintenance schedule for all specialized remediation equipment

AND / OR

Monitoring/sampling and reporting plan for measuring interim progress and project completion

- ▶ Plan to decommission equipment/wells and close site

IV. PUBLIC NOTICE:

- ☐ Not Applicable The Corrective Action Objectives submitted and approved under the CAP-Part A have not changed.
- ☐ Certified Letters to Adjacent, Potentially Affected Property Owners and Local Officials
- ☒ Legal Notice in Newspaper, as approved by EPD
- ☐ Other EPD-approved Method (specify) _____

V. CLAIM FOR REIMBURSEMENT (For GUST Trust Fund sites only)

- ☒ Not Applicable (specify) _____
- ☐ GUST Trust Fund Application - (attach if applicable)
- ☐ Cost Proposal:
- ☐ A Total of All Costs Incurred To Date (MUST INCLUDE THE FOLLOWING):
- ▶ Invoices and Proofs-of-Payment For All Costs Incurred To Date
 - ▶ Invoices itemized on the GUST-4D
 - ▶ All Non-Eligible Costs Clearly Identified as such
 - ▶ Incurred Costs Itemized per GUST-92 form or EPD provided form/specifications
- ☐ A Total of Estimated Costs To Complete Corrective Action
- ▶ Estimated Costs Itemized per GUST-92 form or EPD provided form or specifications
- ☐ Total Project Costs
- ☐ Proposed Schedule For Reimbursement
- ☐ Lump Sum Payment Upon Completion Of Corrective Action
- OR**
- ☐ Interim Payments With Final Payment Upon Completion
- OR**
- ☐ EPD Established Payment Schedule

2. Site Investigation Report

Addendum #1 to the Corrective Action Plan (CAP) Part-B for Release #3 at the Bulk Fuel Facility (BFF) has been prepared to summarize the soil and groundwater investigation conducted in June 2009. The BFF is located at Hunter Army Airfield (HAAF) and is approximately 600 by 1,200 feet covering approximately 16.5 acres (Figure 2-1). The site status and release history in the area were described in the CAP-Part B (ARCADIS 2009).

In the past, remediation activities have been conducted to address impacts identified as Release #1 and Release #2. Release #1 (Underground Storage Tank (UST) 117, Facility ID #9-025113*1) was granted no further action by Georgia Environmental Protection Division (GA EPD) UST Management Program (USTMP) on October 6, 2003 (Lewis 2003). Release #2 is associated with free product observed in well BF-MW-E5, which is in the vicinity of above ground storage tank (AST) 7009 (Facility ID #9-025113*2). Free product removal activities are currently being conducted for Release #2 and will be addressed in a separate report. The concrete foundations of former ASTs 7001 and 7003 were removed in May 2006. Free product was discovered approximately 3 to 4 feet (ft) below ground surface (bgs) at the former location of AST 7003 and identified as Release #3. Four 2-foot diameter sumps were installed in the area of former AST 7003 to collect free product. The level of free product was measured in the sumps and free product was removed on a routine basis from May through August 2006. In November 2006, forty-two (42) free product (FP) monitoring points (FP-1 through FP-42) were installed on 50-foot centers in the area of former ASTs 7001 and 7003 (Figure 2-2). Monitor wells associated with Release #1 located throughout the BFF were abandoned in 2006 and there are currently no monitor wells in the Release #3 area. In December 2008, liquid levels were measured in the 42 FP monitoring points and 4 sumps. Free product was detected in 6 FP monitoring points and two sumps in the area around former AST 7003 and one FP monitoring point around former AST 7001. Free product was detected in a similar distribution in April 2009.

The CAP-Part B for release #3 was approved by GA EPD USTMP in April 2009. The approved corrective action includes excavation of impacted soil and installation of monitor wells to address potential groundwater impacts. In accordance with the approved CAP-Part B, soil and groundwater samples were taken with direct push technology (DPT) in June 2009 to evaluate the extent of impacts prior to excavation. The results of the June 2009 investigation are presented in this addendum.

2.1 Regional, Local, and Site Hydrogeology

A discussion of the regional, local, and site hydrogeology was included in the CAP-Part B for release #3. The information was based on the CAP Part A, Former Underground Storage Tank 117, Building 7002, Facility Identification Number 9-025113*1, Bulk Fuel Facility (HAA-09) Hunter Army Airfield, Georgia (Science Applications International Corporation (SAIC) 2000), which addressed Release #1. The area impacted by Release #1 is the same as that impacted by Release #3 and the hydrogeology and geological information is applicable to Release #3. Updates to the geology and hydrogeology previously presented are summarized below.

2.1.1 Groundwater Usage

No additional information on groundwater usage was obtained.

2.1.2 Aquifer Description

Data obtained confirmed the aquifer description previously provided.

2.1.3 Surface Water

Further investigation was conducted to confirm the presence of a series of storm drains and catch basins located along the southern border of the BFF. The storm drains and catch basins were formerly used to drain the bermed area around each of the ASTs. The CAP-Part B for UST 117 (SAIC 2000) stated that one of the storm drains was located approximately 120 feet from the area of greatest soil and groundwater contamination for release #1 in the vicinity of AST 7003. The drain could not be located but a valve box matching the previously described location was noted in the approximate area. The drain may have been removed or obstructed during previous demolition activities. Since the pipes from the drains potentially convey water to the Lamar Canal, the location will be used as a conservative receptor. The Lamar Canal is located approximately 650 ft from the former ASTs. Historical figures indicate that Lamar Canal is lined with concrete in some areas down gradient of the BFF (SAIC 1999).

2.1.4 Site Stratigraphy

The soil descriptions from borings installed in June 2009 confirmed the site stratigraphy from soil borings drilled during the UST 117 CAP-Part A (SAIC 2000) and CAP-Part B

(SAIC 2001) Site Investigations. The lithology present within 15 feet of the surface at the site correlates with the regional stratigraphic section. The lithology consists of interbedded layers of fine sand with varying amounts of silt and clay. Boring logs from the June 2009 DPT investigation are provided in Appendix D.

2.1.5 Direction of Groundwater Flow

Historic groundwater flow direction is southeast toward the Lamar Canal (SAIC 2001). All monitor wells in the area have been abandoned and groundwater potentiometric surface measurements were not taken during the June 2009 DPT investigation. Monitor wells will be installed as part of this corrective action. Historical groundwater potentiometric surface maps from the CAP-Part B are included in Appendix I.

2.2 Horizontal and Vertical Extent of Contamination

Liquid levels were measured in free product monitor points and sumps prior to starting DPT investigation. The liquid level results from June 2009 and previous measurements from December 2008 and April 2009 are provided in Tables 2-1c, a and b, respectively and free product thicknesses are presented on Figure 2-2.

Fifty-six (56) DPT points were installed in the vicinity of former ASTs 7001 and 7003. Please note that DPT points are numbered to 58 because numbers 46 and 47 were inadvertently omitted in the numbering sequence. The DPT investigation was conducted to define the limits of soil with petroleum hydrocarbon impacts that exceed the regulatory limits. All soil within these limits will be excavated and transported off-site as described in the CAP-Part B (ARCADIS 2009). There were fewer DPT locations in areas where free product is known to be present since these areas will be excavated to remove free product. The initial DPT points were outside of the known free product areas with the goal of investigating the extent of impacts. The vertical extent of impacts through the entire historical smear zone was also evaluated. Additional DPT points were located based on the first set of screening results as time and weather allowed. Three (3) DPT points were installed in the area manifesting free product to provide additional data on vertical free product distribution. Field screening results were used to determine extent of impacts and select samples for laboratory analysis. Screening results were obtained through visual inspection of soil samples and measurement of volatile organic compound (VOC) headspace concentrations. For each 2-foot interval, soil grab samples were collected in plastic bags. The samples were set aside for at least 15 minutes for volatilization and temperature equilibration. After 15 minutes, the headspace VOC concentration was measured with a photo-ionization detector (PID)

with the proper lamp to quantify the VOCs. DPT locations for soil delineation extended to a depth of 8 ft bgs. Samples were collected at intervals determined with field screening equipment. Samples were collected from the subset of initial borings that indicated elevated vapors but were outside the area obviously impacted by free product. When no VOCs were detected during screening, a laboratory confirmatory sample was taken at the interval just above the water table. When VOCs are detected in one or more of the borehole intervals, samples for laboratory analysis were selected from the interval with the highest PID reading. Some sample locations with adjacent locations with similar screening results were not selected for laboratory analysis. Soil samples were analyzed by the United States Environmental Protection Agency (USEPA) Method 8260B and USEPA Method 8270C in accordance with GA EPD USTMP Guidance. Because groundwater samples were collected at the worst-case locations, only three soil samples were analyzed for USEPA Method 8015B gasoline range organics (GRO) and diesel range organics (DRO). Two samples were collected in “clean” areas for analysis of total organic carbon (TOC). Laboratory analytical results are included in Appendix C. Survey data for all sample locations are included in Appendix E.

Groundwater samples were taken at four locations to evaluate vertical and horizontal groundwater impacts and to select the location and screen interval for monitor wells that will be installed after the excavation activities are complete. The groundwater samples were taken in two selected “hotspot” locations and at two locations slightly down gradient of the source areas. A screen-point sampler was advanced to depth of 15 ft to collect groundwater samples. The average depth for the initial collection of groundwater was approximately 6 ft bgs. Samples were collected at 5-foot intervals to 15 ft bgs. Groundwater samples were analyzed for benzene, toluene, ethylbenzene and xylene (BTEX) and polyaromatic hydrocarbons (PAHs) in accordance with USEPA Method 8260B and USEPA Method 8270C respectively. Previous vertical investigations in the area for Release #1 indicated the dissolved impacts were predominantly above 15 ft bgs.

Soil samples were taken from investigation derived waste (IDW) drums for analysis of additional parameters (e.g., toxicity characteristic leaching procedure [TCLP]) as required for transportation and disposal of impacted soil and water.

2.2.1 Delineation of Soil Contamination

The data from samples analyzed with field and laboratory methods are displayed on Figures 2-3, 2-4 and 2-5. All analytical data from soil samples are summarized in Table

2-2. In general, the PID screening results correlated well with the laboratory results. The soil contamination was more widespread than expected and the extent of soil impacts above soil threshold levels (STL) was not reached in some directions. BTEX were detected at concentrations that exceeded the STL in the three samples from the known free product area and in the samples taken from the northern and southern line of samples points intended to establish extent of soil contamination. Isolated hotspots exceeding the STL were also discovered on the eastern and western line of extent points. PAH concentrations did not exceed STLs in any soil sample. The results indicated that most of the hydrocarbon mass was located between 2 and 6 ft bgs. Contaminant mass located between 0 and 2 ft bgs was mostly located in points in known free product areas.

2.2.2 Delineation of Groundwater Contamination

As stated previously, the monitor wells in the area of former ASTs 7001 and 7003 were abandoned. Consequently, there is no groundwater concentration data subsequent to the May 2006 discovery of the impacts designated as Release #3.

An assessment of the vertical and horizontal extent of groundwater impacts was performed with DPT in June 2009 in conjunction with the delineation of soil impacts. The groundwater samples were analyzed for BTEX and PAH constituents. Concentrations are presented in Table 2-3 and on Figure 2-6. The data from the vertical profile borings indicate groundwater impacts are predominantly located in the upper interval of the shallow aquifer and dissolved concentrations are much lower in samples from 11 to 15 ft bgs. Down gradient groundwater samples did not contain BTEX above the In-stream Water Quality Standard (IWQS). PAH compounds detected above the IWQS in down gradient groundwater samples were Dibenzo(a,h)anthracene at an estimated concentration of 0.59 µg/L and Indeno(1,2,3-c,d)pyrene at an estimated concentration of 0.56 µg/L.

Following excavation and site restoration activities, monitor wells will be installed to further evaluate groundwater impacts.

2.2.3 Delineation of Free Product

The extent of free product associated with Release #3 was first delineated by activities performed from May through August 2006 with installation of 4 sumps and product recovery. In November 2006, 42 FP points were installed on 50-ft centers. Free product was not detected in November 2006 when liquid levels were measured. Liquid

levels in FP points were measured in December 2008 and in April and June 2009. Free product was detected during all three events. The data from these activities are provided in Tables 2-1a, b and c and are presented on Figure 2-2.

When liquid levels were measured in the sumps and monitoring points in December 2008, April 2009 and June 2009, free product was detected in monitoring points FP-04, FP-06, FP-08, FP-16 and FP-38. Free product was also detected in Sump 1 and Sump 4. Free Product thickness measurements in the sumps ranged from 0.07 to 0.22 ft. In December 2008, free product was also detected in monitoring points FP-05, FP-13 and FP-38.

2.2.4 Delineation of Surface Water and Sediment Contamination

Results from the surface water and sediment samples collected during the CAP–Part A investigation for Release #1 indicated that the surface water in Lamar Canal was not being impacted by impacts from the BFF and additional samples were not recommended (SAIC 2000). Surface water and sediment samples have not been collected since. After monitor well installation, the need for surface water samples or sediment samples will be evaluated based on contaminant concentrations in down gradient wells. Surface water features at the site are shown on Figure 2-7.

3. Remedial Action Plan

3.1 Corrective Action Completed or in Progress

3.1.1 Recovery/Removal of Free Product

Four 2-foot sumps were installed in the area of the former AST 7003 foundation to collect free product in May 2006. Free product in the sumps was measured and pumped on a routine basis from May through August 2006. Forty-two free product monitoring points were installed in November 2006. The monitoring points contained no free product or other liquids when measured in November 2006. No free product removal activities were conducted in 2007, 2008 or to date in 2009. Free product measurements were conducted in December 2008, April 2009 and June 2009. Free product was detected during all three events but not in sufficient thickness to indicate vacuum recovery would be effective.

3.1.2 Remediation/Treatment of Contaminated Backfill Material and Native Soil

The concrete foundations of former ASTs 7001 and 7003 and UST 117 were removed in May 2006 (SAIC 2007). During the removal of the concrete foundations, free product was discovered approximately 3 to 4 ft bgs at the former location of AST 7003. Soil that was excavated during the removal of the concrete foundations was temporarily staged on the site pending sample analysis. Analytical results from the soil samples indicated detections of BTEX and GRO. The contaminated soil was removed as part of these activities.

3.2 Objectives of Corrective Action

3.2.1 Remove Free Product That Exceeds One-Eighth Inch at the Former AST 7001/7003 (Release #3)

Removal of free product that exceeds 1/8-inch will be achieved through excavation of saturated and unsaturated soil containing free product. The excavation interval will encompass the historic smear zone. The target excavation area is presented on Figure 3-1. The extent of the excavation area will be expanded as necessary to include free product and soil exceeding approved limits. The excavation will remain open and will be monitored for free product recharge. A vacuum truck will be onsite to remove any free product detected.

3.2.2 Remediate Groundwater Contamination at the Former AST 7001/7003 (Release #3)

Groundwater impacts will be remediated to the IWQS or approved alternate concentration limit (ACL) through the excavation of the source mass and application of an oxygen source (Calcium Peroxide) to the groundwater through the excavation. There are no monitor wells in the vicinity of Former AST 7001/7003. Monitor wells will be installed after excavation to determine the extent of groundwater concentrations exceeding IWQS or approved ACLs and to monitor the enhanced natural attenuation of residual mass. The estimated optimal monitor well locations are shown on Figure 3-1. Proposed monitor well locations were selected based on DPT investigation results and may be adjusted based on excavation results with GA EPD approval.

3.2.3 Remediate Soil Contamination at the Former AST 7001/7003 (Release #3)

Soil impacts will be reduced to below STLs or approved Alternate Threshold Limits (ATLs). The corrective action for soil remediation is excavation of soil with concentrations exceeding approved limits. Proposed ATLs were calculated for Release #3 and are included in Appendix F. The estimated location of this excavation is provided on Figure 3-1. Prior to backfilling, an oxygen source (Calcium Peroxide) will be applied to the bottom of the excavation to enhance biodegradation of residual contamination.

3.2.4 Provide Risk-Based Corrective Action

Due to the nature of the contamination and land use, the risk-based approach was limited to human health concerns. Ecological risk concerns are negligible because of the land use surrounding the site. During evaluation for Release #1, the analytical results from surface water and sediment sampling in the drainage ditch indicated that habitat potentially associated with Lamar Canal was not impacted by the former AST operations. The methods for assessing human health concern for the site were derived from Georgia USTMP CAP-Part B guidance (GA EPD 1995). Results from the site investigation were screened against the available regulatory levels to identify chemicals of potential concern (COPCs). Site specific ACLs and ATLs were developed for COPCs using the receptor locations and fate and transport modeling in accordance with the referenced guidance.

3.2.4.1 *Potential Receptor Survey*

The exposure assessment identified potentially complete pathways between the contaminant source and potential current and future receptors. The Former AST 7001 and 7003 sites are located within an active military installation and within an access-controlled fence. Lamar Canal is located approximately 180 ft south-southeast (downgradient) of the southern boundary of the site. A series of storm drains and catch basins are located along the southern border of the BFF and were used to drain the formerly bermed area around former ASTs 7001 and 7003. The drains associated with 7001 and 7003 could not be located but drain valves were noted in the drain locations depicted on historical figures.

No connection between site impacts and current off-site receptors was identified during current or previous evaluations. Site impacts associated with Release #1 migrated to the surficial aquifer only. The data indicates Release #3 is behaving similarly to release #3. The Hawthorne Group, which is approximately 90 ft of clay, separates the surficial aquifer from the deep drinking water aquifer, known as the Floridian aquifer. The Hawthorn Group, a thick and highly effective confining unit, separates the water supply wells from the surficial aquifer.

Current on-site receptors have not been identified for the site. Potential future on-site receptors might include industrial workers and military residents. Potential future on-site industrial receptors may come in direct contact with site impacted soil during construction or excavation activities. Due to the restricted access to the site, no near-term on-site receptors are likely to come into contact with groundwater unless the surficial aquifer discharges into the drainage basin or Lamar Canal (SAIC 2001).

3.2.4.2 *Screening for Chemicals of Potential Concern*

3.2.4.2.1 *Screening Methodology*

The DPT data were used to identify the COPCs and areas of concern at a site. Free product associated with Release #3 has been identified and remedial action will be implemented. The COPCs were determined using screening levels which are conservative and can be used to indicate site risk status. Screening criteria are the Georgia UST STL (GA EPD 2005), Georgia IWQS (Environmental Rule 391-3-6-.03) and USEPA Regional Screening Level Table (USEPA 2009).

3.2.4.2.2 *Site-Specific Levels*

BTEX concentrations in soil exceeded the STLs. Consequently, BTEX were identified as COPCs for soil. None of the PAH constituents exceeded their STLs.

The limited groundwater data indicated that benzene and 2 PAHs (dibenzo(a,h)anthracene and indeno(1,2,3-c,d)pyrene) exceeded the IWQS. These constituents were identified as COPCs for groundwater. Naphthalene does not have an IWQS but exceeded the EPA Region III RBC and was also designated as a COPC for groundwater. Detection limits exceeded the IWQS for 6 PAHs with an IWQS of 0.018 µg/L. For these constituents, screening levels represent values below achievable analytical levels. No additional COPCs were selected for groundwater based on detection limits for these PAHs.

ATLs and ACLs were developed for the COPCs using site-specific information for fate and transport modeling and applicable regulatory levels.

3.2.4.2.3 Alternate Threshold Levels

The ATLs were calculated after soil data indicated concentrations of BTEX exceeded the Soil Threshold Levels. Fate and transport modeling was used to develop a site-specific dilution attenuation factor (DAF) between the source mass and the receptor location, a drain located approximately 100 ft down gradient. ATL calculations for these compounds are presented in Appendix F. The ATLs were calculated in accordance with GA EPD USTMP guidance (GA EPD 2005). The ATLs were determined as follows:

- Benzene 0.3 milligram per kilogram (mg/kg)
- Toluene 54.3 mg/kg
- Ethylbenzene 25.3 mg/kg
- Xylenes 436.6 mg/kg

3.2.4.2.4 Alternate Concentration Limits

Benzene and 3 PAHs (naphthalene, dibenzo(a,h)anthracene and indeno(1,2,3-c,d)pyrene) were identified as COPCs for groundwater. Benzene was modeled to the potential downgradient receptor, a storm drain previously noted as located approximately 100 feet downgradient from the center of the source area (based on the current free product distribution). Fate and transport modeling was used to develop a site-specific DAF between the approximate center of source mass and receptor location. The modeling results estimated a DAF for benzene of 14.5. A DAF of 10

times the benzene DAF was used as a conservative DAF for the other BTEX constituents and PAH constituents. Compound specific regulatory levels were used in conjunction with site-specific DAFs identified for the potential migration of contaminants from the site to determine the ACL for each compound. The ACLs were calculated as follows:

- | | |
|---------------------------|---------------------------------|
| • Benzene | 700 micrograms per liter (µg/L) |
| • Napthalene | 942.5 µg/L |
| • Dibenzo(a,h)anthracene | 2.6 µg/L |
| • indeno(1,2,3-c,d)pyrene | 2.6 µg/L |

The ACL calculations are included in Appendix F.

3.2.4.2.5 Fate and Transport Model

Site specific DAFs between the source and the receptor locations were developed in accordance with Georgia UST guidance. The DAF is the ratio of chemical concentrations at the source and at the receptor and is used to conservatively quantify the natural attenuation of COPC. Bioscreen was used to model fate and transport for developing DAFs for groundwater. Bioscreen is a well known analytical fate and transport model for groundwater (USEPA 1996). The maximum soil concentration at the site was not above the water table and modeling of leaching to groundwater by percolating rainwater was not performed. The potential receptor is a storm drain approximately 100 ft southwest (downgradient) of the most highly impacted area of the site. This storm drain was part of a series of drains used to drain the formerly bermed areas around the ASTs at the BFF. These drains empty into Lamar Canal. This is the nearest possible location at which a receptor might encounter migrating groundwater contamination due to a possible hydraulic connection between the groundwater and the surface water in Lamar Canal (SAIC 2001). The drain could not be located but a valve was located during a recent site inspection. The drain may have been damaged or obstructed during past demolition activities. The drain was used as an extremely conservative receptor for modeling. If the drains are no longer conveying water to the canal then the canal, which is approximately 250 ft from the impacted area, would be the nearest receptor.

The model could not be calibrated to match the limited groundwater data. Parameter values were conservatively selected. Predicted contaminant transport exceeded actual results providing additional evidence that the model is protective.

The fate and transport modeling results are presented in Appendix G.

3.2.4.2.6 Conclusions and Recommendations

The initial goal of the proposed remedial approach will be removal of free product so that no hydrocarbon layer which exceeds 1/8-inch in thickness is detected in the monitoring points, sumps or monitor wells. Along with free product removal, soil impacts exceeding STLs or approved ATLs will be excavated and transported off site for disposal. Groundwater concentrations will be monitored to ensure levels are less than the IWQS or approved ACLs and are attenuating.

4. Design and Operation of Corrective Action

The approved corrective actions include excavation of contaminated soil and installation of groundwater monitor wells. Prior to any invasive site work all required permits and utility clearances will be obtained.

4.1 Excavation

Impacted soil will be excavated in the areas with concentrations above the approved applicable limits. The available data on groundwater elevations indicate that depth to water in the area of former AST 7001/7003 has ranged from 1.5 to 5 ft bgs (smear zone.) Therefore, the initial target depth of the excavation will be 5 ft bgs. DPT results indicated some contaminant mass in deeper intervals. The initial estimate of excavation depth was adjusted based on DPT data and will also be adjusted based on field results during excavation. Confirmatory soil samples will be taken from the sidewalls as part of the excavation activities. Soil samples will be taken for field screening. Remediation of impacted soil by excavation will be confirmed with samples taken for laboratory analysis of BTEX and PAHs by USEPA Method 8260 and USEPA Method 8270 respectively. Confirmatory samples will be taken approximately every 30 linear feet along the base of the side walls. The excavation depth will extend into the water table in all areas and soil samples will not be taken from the bottom of the excavation. Groundwater samples from the most impacted areas of the excavation will be collected and analyzed in order to comply with USTMP Guidance. Groundwater samples will be analyzed for BTEX and PAHs by USEPA Method 8260 and USEPA Method 8270, respectively.

Free product points and product recovery sumps in the area targeted for excavation will be removed during excavation.

All excavated soils will be stockpiled on polyethylene sheeting with hay bales or bermed soil around the perimeter to prevent runoff of sediments. All stockpiles will be sampled in accordance with USEPA guidance procedures. Soil excavated from the saturated zone will be allowed to drain back into the excavation. Dewatering pumps will be utilized if necessary to allow effective excavation to the target depth. Storage tanks will be brought to the site for containment of water extracted from the excavation. The storage areas will be staged in accordance with direction from HAAF personnel and in compliance with all applicable regulations.

If the excavated material is contaminated below the applicable STLs or ATLs, it may be returned to the excavation. Analytical results from representative samples taken from the staged soil will be required to demonstrate compliance with reuse criteria. All excavated materials contaminated above applicable threshold levels will be disposed off-site at an EPD-approved facility, in accordance with the guidance document on Petroleum Contaminated Soil Disposal/Treatment (GUST-39). Waste Profile Manifests will be submitted for soil disposition.

The excavated area will be maintained open for free product evaluation. The area around the excavation will be marked with warning tape and access will be controlled. Enhanced fluid recovery (EFR) events will be performed to address any free product that is detected in the excavation. Backfilling of the excavation will commence following completion of the removal of the impacted soil and verification of free product removal. An oxygen-releasing compound (calcium peroxide) will be applied to the bottom of the excavation along with approximately 1 ft of coarse sand. The backfill will be soil from an approved borrow source. The remediation area will be cleaned of all sediment and debris. All areas will be graded to match existing conditions.

4.2 Installation of Monitor Wells

At least four groundwater monitor wells will be installed after backfill and compaction activities are completed. The estimated optimal locations for the monitor wells are shown on Figure 3-1. With GA EPD concurrence, monitor well locations and number will be adjusted if necessary based on data from the excavation. The wells will be constructed to a depth of approximately 15-ft bgs as previously described in the CAP-Part B (ARCADIS 2009).

4.3 Implementation

4.3.1 Milestone Schedule

The milestone schedule for the proposed corrective action was presented in the CAP-Part B. HAAF will notify GA EPD of any significant changes to the schedule and will provide GA EPD with an updated Gantt chart, as necessary.

4.3.2 Progress Reporting

The remedial action completion report will include:

1. Project summary
2. Activities and assessment of existing conditions
3. A site map depicting the areas and dimensions of the soil excavation and showing the location and concentrations of confirmatory samples
4. Description of sampling procedures
5. Analytical data
6. Site ranking
7. Conclusions and recommendations on corrective action status.

4.3.3 Certificate of Completion Report

A completion report will be prepared at the conclusion of the corrective action and post-remediation monitoring work. The report will summarize the corrective actions accomplished and provide data confirming achievement of the remediation objectives. The completion report will include the following certification:

"I hereby certify that the Corrective Action Plan–Part B, dated February 2, 2009, for Hunter Army Airfield, Former AST 7003 site (Release #3), Facility ID #9-025113*3, including any and all certified amendments/addenda thereto, has been implemented in accordance with the schedules, specifications, sampling programs, and conditions contained therein and that the plan's stated objectives have been met."

Signature (Owner/Operator)

4.3.4 Inspection Schedule and Preventative Maintenance Program

The current plan does not require the installation of a permanent remediation system. Thus, on-site inspection and preventative maintenance are not applicable.

4.3.5 Periodic Monitoring

Monitoring will be conducted initially on a quarterly basis. Recommendations concerning subsequent monitoring periods will be included in each report based on the data on contaminant concentrations, attenuation and transport. Monitor wells will be measured and sampled until groundwater concentrations are below the applicable regulatory limit.

4.3.6 Effectiveness of Corrective Action

The effectiveness of the soil excavation will be determined with confirmatory soil samples. The excavation and monitor wells subsequently installed will be monitored to verify effective removal of free product. Groundwater samples will be collected from each monitor well to document groundwater contaminant concentrations. Groundwater contaminant concentrations will be evaluated for trends and compliance with remediation goals.

4.3.7 Confirmatory Soil Sampling Plan

The extent of soil with concentrations above STLs was not determined in some areas during the DPT investigation. Confirmatory sampling of the excavation will be performed with field screening and samples for laboratory analysis in accordance with GA EPD USTMP guidance.

4.3.8 Stockpiled Bulk Soil Sampling

Excavated soil that is stockpiled will be characterized with DPT investigation data and with confirmation samples taken in accordance with GA EPD guidance.

4.3.9 Monitoring Only Termination Conditions

The proposed remedial approach, which includes soil excavation, will remove free product such that no floating hydrocarbon layer that exceeds 1/8 inch in thickness is present. Soil with concentrations above approved limits will be removed via excavation and transported off-site for disposal. Groundwater will be monitored to ensure contaminant concentrations are below approved limits.

4.3.10 Post-Completion Site Restoration Activities

There will be no permanent equipment or systems located at the site as part of this remediation. The excavated area will be backfilled and graded to match existing.

4.4 Public Notification

The former ASTs 7001 and 7003 site is located entirely within the confines of HAAF, a federal facility. The U. S. Government owns all of the property contiguous to the site. The Fort Stewart Directorate of Public Works will comply with the public notice requirements defined by GA EPD guidance.



5. Claim for Reimbursement

HAAF is a federally owned facility. Application for GUST Trust Fund reimbursement is not being pursued at this time.


6. References

- ARCADIS. 2009. Corrective Action Plan Part B, Former Aboveground Storage tanks 7001 & 7003, Bulk Fuel Facility – HAA-09 Release #3, Hunter Army Airfield, Savannah, Georgia. March.
- Georgia Environmental Protection Division. 2005. Guidance Document Underground Storage Tank Release: Corrective Action Plan (CAP) Part A. Department of Natural Resources. March.
- Georgia Environmental Protection Division. 1995. Guidance Document Underground Storage Tank Release: Corrective Action Plan (CAP) Part B. Department of Natural Resources. January.
- Lewis, Lisa L. 2003. Letter from Thomas C. Fry (Fort Stewart Directorate of Public Works Environmental Branch), October 2003.
- Science Applications International Corporation. 2007. Third Annual Monitoring Only report for Former Underground Storage Tank 117, Building 7002, Facility ID 9-025113*1, Bulk Fuel Facility (HAA-09), Hunter Army Airfield, Georgia. U.S. Army Corps of Engineers, Savannah District, September 2007.
- Science Applications International Corporation. 2001. Corrective Action Plan-Part B Report for Former Underground Storage Tank 117, Building 7002, Facility ID 9-025113*1, Bulk Fuel Facility (HAA-09), Hunter Army Airfield, Georgia. U.S. Army Corps of Engineers, Savannah District, July 2001.
- Science Applications International Corporation. 2000. Corrective Action Plan-Part A Report for Former Underground Storage Tank 117, Building 7002, Facility ID 9-025113*1, Bulk Fuel Facility (HAA-09), Hunter Army Airfield, Georgia. U.S. Army Corps of Engineers, Savannah District, June.
- USEPA, Mid-Atlantic Risk Assessment. 2009. Regional Screening Level Table (RSL) Master April 2009. May.
- USEPA, Office of Research and Development. 1996. Bioscreen Natural Attenuation Decision Support System, User's Manual Version 1.3. August.

Appendix A

Figures

CITY:KNOXVILLE) DIV(GROUP:ENR) DB(B:ALTO) PIC(M:FENNER) PM(C:BERTZ) TM(S:BOSTIANE MADDIX)
PROJECT: GP08HAFS.H09B.EHCA) PATH: G:\GIS\GP08HAFS\H092009 CAP.PTB.ADD\F2-1.H09_CAPADD1_REG.mxd. SAVED: 3SEP2009



REFERENCE:
DIGITAL RASTER GRAPHIC COUNTY MOSAIC FROM NRCS,
CHATHAM COUNTY. FILE NAME: DRG_S_GA051.SID
USGS Topographic Quadrangles, Garden City and Savannah, Georgia.


HUNTER ARMY AIRFIELD, GEORGIA
FORMER ASTS 7001 AND 7003
BULK FUEL FACILITY (HAA-09 – RELEASE #3)
CORRECTIVE ACTION PLAN – PART B ADDENDUM #1


Site Location Map



FIGURE
2-1

CITY: KNOXVILLE DIV: GROUP/ENV DB: (B:AL:TM) LD: (B:AL:TM) PIC: (M:FENNER) PM: (C:BERTZ) TM: (S:BOSTIAN/E:MADDOX)
PROJECT: GP08HAFS.H08B.EHCAP PATH: G:\GIS\GP08HAFS\H08B.EHCAP\PTB.ADD\1F2-2.H09_CAP.ADD\1_FP.mxd SAVED: 4SEP2009






- Free-Product Monitoring Point
- DPT Groundwater Sample
- DPT Soil Boring
- <50 pmm at all depths

- 1) All sample locations (except sumps) were surveyed by Chatham Surveying Services, Inc. (June 5, 2009).
- 2) All depths reported in feet below ground surface (ft, bgs).
- 3) PID readings are reported in parts per million (ppm).

SB-58	6/4/2009
Depth (ft)	PID (ppm)
0-2'	0.0
2-4'	312.4
4-6'	349.0
6-8'	176.4





NOTES:

- 1) All sampling locations (except sumps) were surveyed by Chatham Surveying Services, Inc. (June 5, 2009).
- 2) All depths reported in feet below ground surface (ft, bgs).
- 3) All concentrations reported in micrograms per kilogram ($\mu\text{g/kg}$).
- 4) All DPT soil boring locations are shown. Some borings were not sampled for laboratory analysis.

TPH Total Petroleum Hydrocarbons
DRO Diesel Range Organics
GRO Gasoline Range Organics
TOC Total Organic Carbon


Constituent	STL	Constituent	STL
Acenaphthene	---	Fluorene	---
Acenaphthylene	---	Indeno(1,2,3-c,d)pyrene	660
Anthracene	---	1-Methylnaphthalene	---
Benzo(a)anthracene	660	2-Methylnaphthalene	---
Benzo(a)pyrene	660	Naphthalene	---
Benzo(b)fluoranthene	660	Phenanthrene	---
Benzo(g,h,i)perylene	---	Pyrene	---
Benzo(k)fluoranthene	660	TPH-DRO	---
Chrysene	660	TPH-GRO	---
Fluoranthene	---	TOC	---

HUNTER ARMY AIRFIELD, GEORGIA
FORMER ASTS 7001 AND 7003
BULK FUEL FACILITY (HAA-09 – RELEASE #3)
REVISED CORRECTIVE ACTION PLAN – PART B ADDENDUM #1

PAH in Soil (June 2009)



CITY: (KNOXVILLE) DIV: (GROUP/ENV) DB: (BALTOM) LD: (BALTOM) PIC: (M FENNER) PM: (C BERTZ) TM: (S BOSTIANE MADDOX)
PROJECT: GP08HAFS H09B EH CAP PATH: G:\GIS\GP08HAFS\H09\2009 CAP PTB ADD1\F2-6 H09_CAPADD1_200806-BTEX-PAH GW.mxd SAVED: 4SEP2008



- LEGEND**
- Sump
 - Free-Product Monitoring Point
 - DPT Groundwater Sample
 - ND Not Detected
 - J Estimated Value

- NOTES:**
- 1) All sample locations (except sumps) were surveyed by Chatham Surveying Services, Inc. (June 5, 2009).
 - 2) All depths reported in feet below ground surface (ft, bgs).
 - 3) All concentrations reported in micrograms per liter (µg/L).
 - 4) Shaded values exceed the In-Stream Water Quality Standard (IWQS).

Constituent	IWQS
Benzene	51
Toluene	5,980
Ethylbenzene	2,100
Xylenes (total)	10,000*
Benzo(g,h,i)perylene	---
Dibenzo(a,h)anthracene	0.018
Indeno(1,2,3-c,d)pyrene	0.018
1-Methylnaphthalene	---
2-Methylnaphthalene	---
Naphthalene	6.5**
Phenanthrene	---

- No IWQS determined.
* No IWQS, EPA Region III Risk-Based Criteria (RBC) used.
** No IWQS, Maximum Contaminant Level (MCL) used.

HUNTER ARMY AIRFIELD, GEORGIA
FORMER ASTS 7001 AND 7003
BULK FUEL FACILITY (HAA-09 – RELEASE #3)
REVISED CORRECTIVE ACTION PLAN – PART B ADDENDUM #1

BTEX and PAHs in Groundwater
(June 2009)

FIGURE
2-6

CITY: KNOXVILLE DIV: GROUP/ENV DB: (B,AL,TOM) LD: (B,AL,TOM) PIC: (M,FENNER) PM: (C,BERTZ) TM: (S,BOSTIAN/E,MADDOX)
PROJECT: GP08HAFS.H08B.EHCAP PATH: G:\GIS\GP08HAFS\H09\2009 CAP.PTB.ADD\1F2-7 H09_CAP.ADD1_SW.mxd SAVED: 4SEP2009



AERIAL REFERENCE: SAGIS (FLOWN IN 2008).

LEGEND

- Stormwater Drain System System
- Canal/Surface Water
- Drainage Ditch
- Flow Direction

HUNTER ARMY AIRFIELD, GEORGIA
FORMER ASTS 7001 AND 7003
BULK FUEL FACILITY (HAA-09 – RELEASE #3)
CORRECTIVE ACTION PLAN – PART B ADDENDUM #1

Surface Water Features



FIGURE

2-7

CITY: KNOXVILLE DIV: GROUP/ENV DB: (B,AL,TOM) LD: (B,AL,TOM) PIC: (M,FENNER) PM: (C,BERTZ) TM: (S,BOSTIAN/E,MADDOX)
PROJECT: GP08HAFS.H08B.EHCAP PATH: G:\GIS\GP08HAFS\H08B.EHCAP\PTB\ADD\1F3-1 H09_CAPADD1_EXC_PMW.mxd SAVED: 4SEP2008



AERIAL REFERENCE: SAGIS (FLOWN IN 2008).

LEGEND

- Estimated Extent of Excavation Area
- Proposed Monitor Well

HUNTER ARMY AIRFIELD, GEORGIA
FORMER ASTS 7001 AND 7003
BULK FUEL FACILITY (HAA-09 – RELEASE #3)
CORRECTIVE ACTION PLAN – PART B ADDENDUM #1

Estimated Extent of Excavations and
Proposed Monitor-Well Locations



FIGURE
3-1

Appendix B

Tables

Table 2-1a
Liquid Levels in Free Product Monitoring Points - December 2008
Corrective Action Plan-Part B Addendum #1
HAA-09 Bulk Fuel Facility
Hunter Army Airfield, Georgia

Well Number	Date Measured	Top of Casing Elevation (ft AMSL)	Depth of Screened Interval (ft BGS)	Depth to Water (ft BTOC)	Depth to Free Product (ft BTOC)	Product Thickness (ft)	Corrected Groundwater Elevation
							(ft AMSL)
Monitoring Points around 7003							
FP-01	12/11/2008	<i>b</i>	1.3 – 4.5	2.50	--	0	<i>b</i>
FP-02	12/11/2008	<i>b</i>	1.3 – 4.5	1.58	--	0	<i>b</i>
FP-03	12/11/2008	<i>b</i>	1.3 – 4.5	1.95	--	0	<i>b</i>
FP-04**	12/11/2008	<i>b</i>	1.3 – 4.5	6.00	1.55	4.45	<i>b</i>
FP-05	12/11/2008	<i>b</i>	1.3 – 4.5	1.95	1.1	0.85	<i>b</i>
FP-06	12/11/2008	<i>b</i>	1.3 – 4.5	2.25	1.49	0.76	<i>b</i>
FP-07	12/11/2008	<i>b</i>	1.3 – 4.5	1.77	--	0	<i>b</i>
FP-08	12/11/2008	<i>b</i>	1.3 – 4.5	1.54	1.45	0.09	<i>b</i>
FP-09	12/11/2008	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-15	12/11/2008	<i>b</i>	1.3 – 4.5	1.40	--	0	<i>b</i>
FP-16	12/11/2008	<i>b</i>	1.3 – 4.5	2.76	--	0	<i>b</i>
FP-17	12/11/2008	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-18	12/11/2008	<i>b</i>	1.3 – 4.5	2.27	--	0	<i>b</i>
FP-19	12/11/2008	<i>b</i>	1.3 – 4.5	1.35	--	0	<i>b</i>
FP-20	12/11/2008	<i>b</i>	1.3 – 4.5	1.34	--	0	<i>b</i>
FP-21	12/11/2008	<i>b</i>	1.3 – 4.5	1.49	--	0	<i>b</i>
FP-22	12/11/2008	<i>b</i>	1.3 – 4.5	1.34	--	0	<i>b</i>
FP-23	12/11/2008	<i>b</i>	1.3 – 4.5	2.44	--	0	<i>b</i>
FP-24	12/11/2008	<i>b</i>	1.3 – 4.5	2.49	--	0	<i>b</i>
FP-37	12/11/2008	<i>b</i>	1.3 – 4.5	2.71	0.8	1.91	<i>b</i>
FP-38	12/11/2008	<i>b</i>	1.3 – 4.5	1.50	1.33	0.17	<i>b</i>
FP-39	12/11/2008	<i>b</i>	1.3 – 4.5	1.76	--	0	<i>b</i>
FP-40	12/11/2008	<i>b</i>	1.3 – 4.5	2.02	sheen	0	<i>b</i>
FP-41	12/11/2008	<i>b</i>	1.3 – 4.5	1.60	--	0	<i>b</i>
FP-42	12/11/2008	<i>b</i>	1.3 – 4.5	2.07	--	0	<i>b</i>
Sump-1	12/11/2008	<i>b</i>	1.3 – 4.5	2.49	2.28	0.21	<i>b</i>
Sump-2	12/11/2008	<i>b</i>	1.3 – 4.5	3.03	sheen	0	<i>b</i>
Sump-3	12/11/2008	<i>b</i>	1.3 – 4.5	2.54	sheen	0	<i>b</i>
Sump-4	12/11/2008	<i>b</i>	1.3 – 4.5	2.55	2.43	0.12	<i>b</i>
Monitoring Points around 7001							
FP-10	12/16/2008	<i>b</i>	1.3 – 4.5	1.3	--	0	<i>b</i>
FP-11	12/16/2008	<i>b</i>	1.3 – 4.5	1.09	--	0	<i>b</i>
FP-12	12/16/2008	<i>b</i>	1.3 – 4.5	0.95	--	0	<i>b</i>
FP-13	12/16/2008	<i>b</i>	1.3 – 4.5	1.23	1.13	0.10	<i>b</i>
FP-14	12/16/2008	<i>b</i>	1.3 – 4.5	0.91	--	0	<i>b</i>
FP-25	12/16/2008	<i>b</i>	1.3 – 4.5	1.95	--	0	<i>b</i>
FP-26	12/16/2008	<i>b</i>	1.3 – 4.5	1.00	--	0	<i>b</i>
FP-27	12/16/2008	<i>b</i>	1.3 – 4.5	1.64	--	0	<i>b</i>
FP-28	12/16/2008	<i>b</i>	1.3 – 4.5	0.9	--	0	<i>b</i>
FP-29	12/16/2008	<i>b</i>	1.3 – 4.5	0.80	--	0	<i>b</i>
FP-30	12/16/2008	<i>b</i>	1.3 – 4.5	1.53	--	0	<i>b</i>
FP-31	12/16/2008	<i>b</i>	1.3 – 4.5	1.63	--	0	<i>b</i>
FP-32	12/16/2008	<i>b</i>	1.3 – 4.5	1.99	--	0	<i>b</i>
FP-33	12/16/2008	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-34	12/16/2008	<i>b</i>	1.3 – 4.5	2.6	--	0	<i>b</i>
FP-35	12/16/2008	<i>b</i>	1.3 – 4.5	2.34	--	0	<i>b</i>
FP-36	12/16/2008	<i>b</i>	1.3 – 4.5	1.89	--	0	<i>b</i>

NOTES:

b Elevations were not surveyed.

** Measurement listed was verified as accurate but appears anomalous. Liquid levels will be confirmed in next gauging activity

AMSL above mean sea level

BGS Below ground surface.

BTOC Below Top of Casing

ft feet

NM Not measured because well was in a low lying area covered in water

Table 2-1b
Liquid Levels in Free Product Monitoring Points - April 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

Well Number	Date Measured	Top of Casing Elevation (ft AMSL)	Depth of Screened Interval (ft BGS)	Depth to Water (ft BTOC)	Depth to Free Product (ft BTOC)	Product Thickness (ft)	Corrected Groundwater Elevations (ft AMSL)
Monitoring Points around 7003							
FP-01	4/1/2009	<i>b</i>	1.3 – 4.5	1.70	--	0	<i>b</i>
FP-02	4/1/2009	<i>b</i>	1.3 – 4.5	1.70	--	0	<i>b</i>
FP-03	4/1/2009	<i>b</i>	1.3 – 4.5	1.39	--	0	<i>b</i>
FP-04	4/1/2009	<i>b</i>	1.3 – 4.5	1.74	1.57	0.17	<i>b</i>
FP-05	4/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-06	4/1/2009	<i>b</i>	1.3 – 4.5	1.79	1.69	0.10	<i>b</i>
FP-07	4/1/2009	<i>b</i>	1.3 – 4.5	1.91	--	0	<i>b</i>
FP-08	4/1/2009	<i>b</i>	1.3 – 4.5	1.52	1.33	0.19	<i>b</i>
FP-09	4/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-15	4/1/2009	<i>b</i>	1.3 – 4.5	2.01	--	0	<i>b</i>
FP-16	4/1/2009	<i>b</i>	1.3 – 4.5	1.22	1.2	0.02	<i>b</i>
FP-17	4/1/2009	<i>b</i>	1.3 – 4.5	1.14	--	0	<i>b</i>
FP-18	4/1/2009	<i>b</i>	1.3 – 4.5	1.29	--	0	<i>b</i>
FP-19	4/1/2009	<i>b</i>	1.3 – 4.5	2.06	--	0	<i>b</i>
FP-20	4/1/2009	<i>b</i>	1.3 – 4.5	2.06	--	0	<i>b</i>
FP-21	4/1/2009	<i>b</i>	1.3 – 4.5	2.18	--	0	<i>b</i>
FP-22	4/1/2009	<i>b</i>	1.3 – 4.5	2.34	--	0	<i>b</i>
FP-23	4/1/2009	<i>b</i>	1.3 – 4.5	2.20	--	0	<i>b</i>
FP-24	4/1/2009	<i>b</i>	1.3 – 4.5	1.25	--	0	<i>b</i>
FP-37	4/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-38	4/1/2009	<i>b</i>	1.3 – 4.5	1.74	1.3	0.44	<i>b</i>
FP-39	4/1/2009	<i>b</i>	1.3 – 4.5	1.94	--	0	<i>b</i>
FP-40	4/1/2009	<i>b</i>	1.3 – 4.5	1.84	NM	0	<i>b</i>
FP-41	4/1/2009	<i>b</i>	1.3 – 4.5	1.29	--	0	<i>b</i>
FP-42	4/1/2009	<i>b</i>	1.3 – 4.5	1.70	--	0	<i>b</i>
Sump-1	4/1/2009	<i>b</i>	1.3 – 4.5	2.49	2.27	0.22	<i>b</i>
Sump-2	4/1/2009	<i>b</i>	1.3 – 4.5	3.25	--	0	<i>b</i>
Sump-3	4/1/2009	<i>b</i>	1.3 – 4.5	2.49	--	0	<i>b</i>
Sump-4	4/1/2009	<i>b</i>	1.3 – 4.5	2.54	2.45	0.09	<i>b</i>
Monitoring Points around 7001							
FP-10	4/1/2009	<i>b</i>	1.3 – 4.5	2.19	--	0	<i>b</i>
FP-11	4/1/2009	<i>b</i>	1.3 – 4.5	2.09	--	0	<i>b</i>
FP-12	4/1/2009	<i>b</i>	1.3 – 4.5	1.75	--	0	<i>b</i>
FP-13	4/1/2009	<i>b</i>	1.3 – 4.5	2.08	--	0	<i>b</i>
FP-14	4/1/2009	<i>b</i>	1.3 – 4.5	1.93	--	0	<i>b</i>
FP-25	4/1/2009	<i>b</i>	1.3 – 4.5	1.96	--	0	<i>b</i>
FP-26	4/1/2009	<i>b</i>	1.3 – 4.5	1.97	--	0	<i>b</i>
FP-27	4/1/2009	<i>b</i>	1.3 – 4.5	1.82	--	0	<i>b</i>
FP-28	4/1/2009	<i>b</i>	1.3 – 4.5	1.95	--	0	<i>b</i>
FP-29	4/1/2009	<i>b</i>	1.3 – 4.5	1.93	--	0	<i>b</i>
FP-30	4/1/2009	<i>b</i>	1.3 – 4.5	2.20	--	0	<i>b</i>
FP-31	4/1/2009	<i>b</i>	1.3 – 4.5	2.23	--	0	<i>b</i>
FP-32	4/1/2009	<i>b</i>	1.3 – 4.5	2.15	--	0	<i>b</i>
FP-33	4/1/2009	<i>b</i>	1.3 – 4.5	2.30	--	0	<i>b</i>
FP-34	4/1/2009	<i>b</i>	1.3 – 4.5	2.15	--	0	<i>b</i>
FP-35	4/1/2009	<i>b</i>	1.3 – 4.5	1.60	--	0	<i>b</i>
FP-36	4/1/2009	<i>b</i>	1.3 – 4.5	1.85	--	0	<i>b</i>

NOTES:

^b Elevations were not surveyed.

AMSL above mean sea level

BGS Below ground surface.

BTOC Below Top of Casing

ft feet

NM Not measured because well was in a low lying area covered in water

Table 2-1c
Liquid Levels in Free Product Monitoring Points - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

Well Number	Date Measured	Top of Casing Elevation (ft AMSL)	Depth of Screened Interval (ft BGS)	Depth to Water (ft BTOC)	Depth to Free Product (ft BTOC)	Product Thickness (ft)	Corrected Groundwater Elevations (ft AMSL)
Monitoring Points around 7003							
FP-01	6/1/2009	<i>b</i>	1.3 – 4.5	1.63	--	0	<i>b</i>
FP-02	6/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-03	6/1/2009	<i>b</i>	1.3 – 4.5	1.47	--	0	<i>b</i>
FP-04	6/1/2009	<i>b</i>	1.3 – 4.5	1.58	1.51	0.07	<i>b</i>
FP-05	6/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-06	6/1/2009	<i>b</i>	1.3 – 4.5	1.52	1.26	0.26	<i>b</i>
FP-07	6/1/2009	<i>b</i>	1.3 – 4.5	1.50	--	0	<i>b</i>
FP-08	6/1/2009	<i>b</i>	1.3 – 4.5	1.39	0.99	0.40	<i>b</i>
FP-09	6/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-15	6/1/2009	<i>b</i>	1.3 – 4.5	1.23	--	0	<i>b</i>
FP-16	6/1/2009	<i>b</i>	1.3 – 4.5	2.10	0.75	1.35	<i>b</i>
FP-17	6/1/2009	<i>b</i>	1.3 – 4.5	0.76	--	0	<i>b</i>
FP-18	6/1/2009	<i>b</i>	1.3 – 4.5	0.49	--	0	<i>b</i>
FP-19	6/1/2009	<i>b</i>	1.3 – 4.5	1.51	--	0	<i>b</i>
FP-20	6/1/2009	<i>b</i>	1.3 – 4.5	1.52	--	0	<i>b</i>
FP-21	6/1/2009	<i>b</i>	1.3 – 4.5	1.81	--	0	<i>b</i>
FP-22	6/1/2009	<i>b</i>	1.3 – 4.5	1.91	--	0	<i>b</i>
FP-23	6/1/2009	<i>b</i>	1.3 – 4.5	1.76	--	0	<i>b</i>
FP-24	6/1/2009	<i>b</i>	1.3 – 4.5	1.02	--	0	<i>b</i>
FP-37	6/1/2009	<i>b</i>	1.3 – 4.5	NM	NM	0	<i>b</i>
FP-38	6/1/2009	<i>b</i>	1.3 – 4.5	1.64	0.56	1.08	<i>b</i>
FP-39	6/1/2009	<i>b</i>	1.3 – 4.5	1.52	--	0	<i>b</i>
FP-40	6/1/2009	<i>b</i>	1.3 – 4.5	1.68	NM	0	<i>b</i>
FP-41	6/1/2009	<i>b</i>	1.3 – 4.5	1.87	--	0	<i>b</i>
FP-42	6/1/2009	<i>b</i>	1.3 – 4.5	0.98	--	0	<i>b</i>
Sump-1	6/1/2009	<i>b</i>	1.3 – 4.5	1.91	1.73	0.18	<i>b</i>
Sump-2	6/1/2009	<i>b</i>	1.3 – 4.5	2.91	--	0	<i>b</i>
Sump-3	6/1/2009	<i>b</i>	1.3 – 4.5	1.95	--	0	<i>b</i>
Sump-4	6/1/2009	<i>b</i>	1.3 – 4.5	2.10	2.03	0.07	<i>b</i>
Monitoring Points around 7001							
FP-10	6/1/2009	<i>b</i>	1.3 – 4.5	1.81	--	0	<i>b</i>
FP-11	6/1/2009	<i>b</i>	1.3 – 4.5	1.72	--	0	<i>b</i>
FP-12	6/1/2009	<i>b</i>	1.3 – 4.5	1.33	--	0	<i>b</i>
FP-13	6/1/2009	<i>b</i>	1.3 – 4.5	1.71	--	0	<i>b</i>
FP-14	6/1/2009	<i>b</i>	1.3 – 4.5	1.62	--	0	<i>b</i>
FP-25	6/1/2009	<i>b</i>	1.3 – 4.5	1.61	--	0	<i>b</i>
FP-26	6/1/2009	<i>b</i>	1.3 – 4.5	1.71	--	0	<i>b</i>
FP-27	6/1/2009	<i>b</i>	1.3 – 4.5	1.5	--	0	<i>b</i>
FP-28	6/1/2009	<i>b</i>	1.3 – 4.5	1.61	--	0	<i>b</i>
FP-29	6/1/2009	<i>b</i>	1.3 – 4.5	1.24	--	0	<i>b</i>
FP-30	6/1/2009	<i>b</i>	1.3 – 4.5	1.49	--	0	<i>b</i>
FP-31	6/1/2009	<i>b</i>	1.3 – 4.5	1.47	--	0	<i>b</i>
FP-32	6/1/2009	<i>b</i>	1.3 – 4.5	1.99	--	0	<i>b</i>
FP-33	6/1/2009	<i>b</i>	1.3 – 4.5	0.99	--	0	<i>b</i>
FP-34	6/1/2009	<i>b</i>	1.3 – 4.5	0.72	--	0	<i>b</i>
FP-35	6/1/2009	<i>b</i>	1.3 – 4.5	1.09	--	0	<i>b</i>
FP-36	6/1/2009	<i>b</i>	1.3 – 4.5	1.13	--	0	<i>b</i>

NOTES:

^b Elevations were not surveyed.

AMSL above mean sea level

BGS Below ground surface.

BTOC Below Top of Casing

ft feet

NM Not measured because well was in a low lying area covered in water

Table 2-2
Soil Analytical Data - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

			Sample ID Location ID Sample Date	HA09SB01 (6) 09-SB-01 6/2/2009	HA09SB03 (3) 09-SB-03 6/2/2009	HA09SB04 (3) 09-SB-04 6/2/2009	HA09SB07 (2) 09-SB-07 6/2/2009	HA09SB08 (2-3) 09-SB-08 6/2/2009	HA09SB10 (4-5) 09-SB-10 6/2/2009	HA09SB12 (4-6) 09-SB-12 6/2/2009	HA09SB15 (2-4) 09-SB-15 6/2/2009	HA09SB17 (2-4) 09-SB-17 6/2/2009	HA09SB19 (4-6) 09-SB-19 6/2/2009
Chemical Name	Analytical Method	STL*	Unit										
VOCs													
Benzene	SW8260B	5	ug/kg	< 3.2 U	< 5.6 U	< 1400 U	< 2800 U	< 3.2 U	< 6100 U	< 16000 U	< 930 U	2600	1800 J
Toluene	SW8260B	400	ug/kg	< 3.2 U	< 5.6 U	< 1400 U	< 2800 U	< 3.2 U	< 6100 U	< 16000 U	< 930 U	30000	8400 J
Ethylbenzene	SW8260B	370	ug/kg	< 3.2 U	< 5.6 U	< 1400 U	2200 J	< 3.2 U	8500	62000 J	12000	15000	7000 J
Xylenes (total)	SW8260B	20000	ug/kg	< 3.2 U	< 5.6 U	3400	18000	< 3.2 U	21000	66000 J	13000	67000	31000 J
tert-Butyl methyl ether	SW8260B	--	ug/kg										
SVOCs													
1-Methylnaphthalene	SW8270	--	ug/kg	< 82 U	< 74 U	1100	2600	< 73 U	1200	9200	8500	3600	1700
2-Methylnaphthalene	SW8270	--	ug/kg	< 82 U	< 74 U	1700	5800	< 73 U	1800	12000	11000	6200	2300
Acenaphthene	SW8270	--	ug/kg	< 82 U	< 74 U	< 74 U	< 76 U	< 73 U	< 81 U	< 83 U	< 76 U	< 80 U	55 J
Acenaphthylene	SW8270	--	ug/kg	< 82 U	< 74 U	< 74 U	< 76 U	< 73 U	< 81 U	< 83 U	< 76 U	< 80 U	27 J
Anthracene	SW8270	--	ug/kg	< 82 U	13 J	< 74 U	< 76 U	38 J	68 J	130	36 J	< 80 U	< 80 U
Benz(a)anthracene	SW8270	660	ug/kg	< 82 U	100	< 74 U	< 76 U	72 J	110	160	< 76 U	< 80 U	< 80 U
Benzo(a)pyrene	SW8270	660	ug/kg	< 82 U	96	< 74 U	< 76 U	62 J	130	140	47 J	< 80 U	< 80 U
Benzo(b)fluoranthene	SW8270	660	ug/kg	< 82 U	130	< 74 U	< 76 U	63 J	110	160	57 J	< 80 U	< 80 U
Benzo(ghi)perylene	SW8270	--	ug/kg	< 82 U	54 J	< 74 U	< 76 U	< 73 U	110	54 J	24 J	< 80 U	< 80 U
Benzo(k)fluoranthene	SW8270	660	ug/kg	< 82 U	50 J	< 74 U	< 76 U	24 J	120	70 J	20 J	< 80 U	< 80 U
Chrysene	SW8270	660	ug/kg	< 82 U	88	< 74 U	< 76 U	31 J	110	50 J	< 76 U	< 80 U	< 80 U
Dibenz(a,h)anthracene	SW8270	660	ug/kg	< 82 U	25 J	< 74 U	< 76 U	< 73 U	< 81 U	< 83 U	< 76 U	< 80 U	< 80 U
Fluoranthene	SW8270	--	ug/kg	< 82 U	120	< 74 U	< 76 U	160	110	500	140	< 80 U	< 80 U
Fluorene	SW8270	--	ug/kg	< 82 U	< 74 U	< 74 U	< 76 U	150	60 J	260	130	85	56 J
Indeno(1,2,3-cd)pyrene	SW8270	660	ug/kg	< 82 U	53 J	< 74 U	< 76 U	< 73 U	110	50 J	< 76 U	< 80 U	< 80 U
Naphthalene	SW8270	--	ug/kg	< 82 U	< 74 U	960	1600	< 73 U	680	6100	3600	2200	1000
Phenanthrene	SW8270	--	ug/kg	< 82 U	63 J	< 74 U	18 J	150	81	480	120	< 80 U	< 80 U
Pyrene	SW8270	--	ug/kg	< 82 U	140	< 74 U	< 76 U	130	110	400	110	< 80 U	< 80 U
Biogeochemical													
TPH-GRO	8015C	--	ug/kg	--	--	--	--	--	--	--	1500000	--	--
TPH-DRO	SW8015	--	ug/kg	--	--	--	--	--	--	--	2500000 J	--	--
TOC	WBLACK	--	mg/kg	--	--	--	--	--	--	--	--	--	--
Percent Solid	E160.3	--	%	80.7	90.0	89.8	87.7	89.1	82.4	79.8	86.8	81.9	82.1

Notes:

ug/kg - microgram per kilogram

mg/kg - microgram per kilogram

% - percent

J - estimated result

UJ - estimated non-detect

TPH - Total Petroleum Hydrocarbons

DRO - Diesel Range Organics

GRO - Gasoline Range Organics

(4-6) - depth of soil sample

Bold values exceed Soil Threshold Levels (STL)

* - STL based on Average or Higher Groundwater Pollution Susceptibility Area and lower of "Within 2 miles of Public Water Supply" and "Less Than 500 feet to Surface Water Body"

TOC - Total Organic Carbon

VOC - volatile organic compound

SVOC - semivolatile organic compound

Table 2-2
Soil Analytical Data - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

Chemical Name	Analytical Method	STL*	Unit	Sample ID	HA09SB21 (2-4)	HA09SB23 (2-4)	HA09SB25 (4-6)	HA09SB26 (4-6)	HA09SB28 (2-3)	HA09SB29 (4-6)	HA09SB31 (2-4)	HA09SB32 (4-6)	HA09SB33 (2-4)
				Location ID	09-SB-21	09-SB-23	09-SB-25	09-SB-26	09-SB-28	09-SB-29	09-SB-31	09-SB-32	09-SB-33
				Sample Date	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009
VOCs													
Benzene	SW8260B	5	ug/kg		5000	< 170 U	1400	11000 J	< 2.4 U	< 2.6 U	< 3.4 U	28 J	140 U
Toluene	SW8260B	400	ug/kg		2600	< 170 U	< 170 U	6000 J	< 2.4 U	< 2.6 U	< 3.4 U	< 120 UJ	< 120 U
Ethylbenzene	SW8260B	370	ug/kg		72000	550	30000	200000 J	< 2.4 U	< 2.6 U	< 3.4 U	300 J	10000
Xylenes (total)	SW8260B	20000	ug/kg		260000	4800	9300	510000 J	< 2.4 U	< 2.6 U	< 3.4 U	850 J	25000
tert-Butyl methyl ether	SW8260B	--	ug/kg		< 630 U	< 170 U	< 170 U	< 1400 U	< 2.4 U	< 2.6 U	< 3.4 U	< 120 U	< 120 U
SVOCs													
1-Methylnaphthalene	SW8270	--	ug/kg		2100 UJ	26	980 J	1600 J	14	< 4 U	< 3.9 U	150	120
2-Methylnaphthalene	SW8270	--	ug/kg		2900 J	30	1400 J	2200 J	19	< 4 U	< 3.9 U	180	170
Acenaphthene	SW8270	--	ug/kg		120 J	< 3.8 U	69 J	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	8.6	< 4.3 U
Acenaphthylene	SW8270	--	ug/kg		< 78 UJ	< 3.8 U	51 J	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	6.8	< 4.3 U
Anthracene	SW8270	--	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Benz(a)anthracene	SW8270	660	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	4.2	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Benzo(a)pyrene	SW8270	660	ug/kg		< 78 UJ	4.1	< 43 UJ	< 81 UJ	5.8	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Benzo(b)fluoranthene	SW8270	660	ug/kg		< 78 UJ	4.4	< 43 UJ	< 81 UJ	7.6	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Benzo(ghi)perylene	SW8270	--	ug/kg		< 78 UJ	10	66 J	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Benzo(k)fluoranthene	SW8270	660	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	3.2 J	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Chrysene	SW8270	660	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	4.7	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Dibenz(a,h)anthracene	SW8270	660	ug/kg		< 78 UJ	< 3.8 U	50 J	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Fluoranthene	SW8270	--	ug/kg		47 UJ	< 3.8 U	< 43 UJ	< 81 UJ	6.7	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Fluorene	SW8270	--	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	44 J	0.85 J	< 4 U	< 3.9 U	5.7	< 4.3 U
Indeno(1,2,3-cd)pyrene	SW8270	660	ug/kg		< 78 UJ	8.5	53 J	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Naphthalene	SW8270	--	ug/kg		1600 J	78	600 J	1400 J	9.1	< 4 U	< 3.9 U	110	84
Phenanthrene	SW8270	--	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	< 3.8 U	< 4 U	< 3.9 U	1.4 J	< 4.3 U
Pyrene	SW8270	--	ug/kg		< 78 UJ	< 3.8 U	< 43 UJ	< 81 UJ	16	< 4 U	< 3.9 U	< 4.2 U	< 4.3 U
Biogeochemical													
TPH-GRO	8015C	--	ug/kg		--	--	--	1200000	--	--	--	--	--
TPH-DRO	SW8015	--	ug/kg		--	--	--	220000 J	--	--	--	--	--
TOC	WBLACK	--	mg/kg		--	--	--	4800	550	--	--	--	--
Percent Solid	E160.3	--	%		83.7	85.5	76.1	81.2	83.7	80.5	84.9	78.0	75.1

Notes:

ug/kg - microgram per kilogram

mg/kg - microgram per kilogram

% - percent

J - estimated result

UJ - estimated non-detect

TPH - Total Petroleum Hydrocarbons

DRO - Diesel Range Organics

GRO - Gasoline Range Organics

(4-6) - depth of soil sample

Bold values exceed Soil Threshold Levels (STL)

* - STL based on Average or Higher Groundwater Pollution Susce

TOC - Total Organic Carbon

VOC - volatile organic compound

SVOC - semivolatile organic compound

Table 2-2
Soil Analytical Data - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

			Sample ID Location ID Sample Date	HA09SB35 (4-6)	HA09SB36 (2-4)	HA09SB38 (4-6)	HA09SB40 (4-6)	HA09SB41 (4-6)	HA09SB42 (2-4)	HA09SB43(4-6)	HA09SB44(4-6)	HA09SB45(2-4)
				09-SB-35	09-SB-36	09-SB-38	09-SB-40	09-SB-41	09-SB-42	09-SB-43	09-SB-44	09-SB-45
				6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/3/2009	6/4/2009	6/4/2009
Chemical Name	Analytical Method	STL*	Unit									
VOCs												
Benzene	SW8260B	5	ug/kg	94000	6600	1200 J	< 3 U	< 2.8 U	< 110 U	< 3.9 U	330 J	< 150 U
Toluene	SW8260B	400	ug/kg	5200 U	420 U	< 1200 UJ	< 3 U	< 2.8 U	< 110 U	< 3.9 U	< 1200 U	< 150 U
Ethylbenzene	SW8260B	370	ug/kg	380000	15000	12000 J	< 3 U	< 2.8 U	120	< 3.9 U	9400 J	1300
Xylenes (total)	SW8260B	20000	ug/kg	790000	28000	10000 J	< 3 U	< 2.8 U	960	3.3 J	38000 J	6400
tert-Butyl methyl ether	SW8260B	--	ug/kg	< 3100 U	< 150 U	< 1200 U	< 3 U	< 2.8 U	< 110 U	< 3.9 U	< 1200 U	< 150 U
SVOCs												
1-Methylnaphthalene	SW8270	--	ug/kg	3000 J	760	4300 J	4.3	< 4 U	120	< 3.8 U	1400 J	2000 J
2-Methylnaphthalene	SW8270	--	ug/kg	4300 J	1200 J	6600 J	6.6	< 4 U	170	< 3.8 U	2000 J	2700 J
Acenaphthene	SW8270	--	ug/kg	190 J	26 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	62	< 190 UJ
Acenaphthylene	SW8270	--	ug/kg	140 J	22 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	50	< 190 UJ
Anthracene	SW8270	--	ug/kg	< 100 UJ	< 4 U	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	20	< 190 UJ
Benz(a)anthracene	SW8270	660	ug/kg	< 100 UJ	7.2 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	21	< 190 UJ
Benzo(a)pyrene	SW8270	660	ug/kg	< 100 UJ	11 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	16	< 190 UJ
Benzo(b)fluoranthene	SW8270	660	ug/kg	< 100 UJ	13 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	20	< 190 UJ
Benzo(ghi)perylene	SW8270	--	ug/kg	140 J	7.4	< 200 UJ	< 4.3 U	< 4 U	1.7 J	< 3.8 U	6.3	< 190 UJ
Benzo(k)fluoranthene	SW8270	660	ug/kg	< 100 UJ	6.4 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	9.2	< 190 UJ
Chrysene	SW8270	660	ug/kg	< 100 UJ	7.8 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	18	< 190 UJ
Dibenz(a,h)anthracene	SW8270	660	ug/kg	< 100 UJ	< 4 U	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	< 4.1 U	< 190 UJ
Fluoranthene	SW8270	--	ug/kg	< 100 UJ	9.4	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	62	< 190 UJ
Fluorene	SW8270	--	ug/kg	< 100 UJ	18 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	40	< 190 UJ
Indeno(1,2,3-cd)pyrene	SW8270	660	ug/kg	110 J	6.6	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	5.8	< 190 UJ
Naphthalene	SW8270	--	ug/kg	2200 J	680 J	4300 J	5.8	< 4 U	120	< 3.8 U	1000 J	1600 J
Phenanthrene	SW8270	--	ug/kg	< 100 UJ	7.9	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	65	< 190 UJ
Pyrene	SW8270	--	ug/kg	< 100 UJ	16 J	< 200 UJ	< 4.3 U	< 4 U	< 3.8 U	< 3.8 U	96	< 190 UJ
Biogeochemical												
TPH-GRO	8015C	--	ug/kg	--	200000	--	--	--	--	--	--	--
TPH-DRO	SW8015	--	ug/kg	--	220000 J	--	--	--	--	--	--	--
TOC	WBLACK	--	mg/kg	--	--	--	5400	--	--	--	--	--
Percent Solid	E160.3	--	%	76.6	82.3	83.2	75.7	80.0	87.3	85.1	80.1	85.8

Notes:

ug/kg - microgram per kilogram

mg/kg - microgram per kilogram

% - percent

J - estimated result

UJ - estimated non-detect

TPH - Total Petroleum Hydrocarbons

DRO - Diesel Range Organics

GRO - Gasoline Range Organics

(4-6) - depth of soil sample

Bold values exceed Soil Threshold Levels (STL)

* - STL based on Average or Higher Groundwater Pollution Susce

TOC - Total Organic Carbon

VOC - volatile organic compound

SVOC - semivolatile organic compound

Table 2-2
Soil Analytical Data - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

			Sample ID Location ID Sample Date	HA09SB48(2-4) 09-SB-48 6/4/2009	HA09SB49(2-4) 09-SB-49 6/4/2009	HA09SB50(2-4) 09-SB-50 6/4/2009	HA09SB51(2-4) 09-SB-51 6/4/2009	HA09SB52(4-6) 09-SB-52 6/4/2009	HA09SB53 (2-4) 09-SB-53 6/4/2009	HA09SB54 (2-4) 09-SB-54 6/4/2009	HA09SB55 (2-4) 09-SB-55 6/5/2009
Chemical Name	Analytical Method	STL*	Unit								
VOCs											
Benzene	SW8260B	5	ug/kg	1700 J	7400 J	1200	< 2.3 U	91 J	4000 J	65 J	32
Toluene	SW8260B	400	ug/kg	23000 J	6600 J	520 J	< 2.3 U	51 J	5600 J	< 110 U	< 3 U
Ethylbenzene	SW8260B	370	ug/kg	12000 J	50000 J	6100	11	350	32000 J	2900	120
Xylenes (total)	SW8260B	20000	ug/kg	53000 J	180000 J	27000	91	1800	180000 J	980	240
tert-Butyl methyl ether	SW8260B	--	ug/kg	< 1900 UJ	< 3400 U	< 960 U	< 2.3 U	< 140 U	< 5100 U	< 110 U	--
SVOCs											
1-Methylnaphthalene	SW8270	--	ug/kg	27000 J	6300 J	910	480	4500 J	6700 J	420 J	140
2-Methylnaphthalene	SW8270	--	ug/kg	36000 J	8900 J	1200	630	6300 J	10000 J	430 J	220
Acenaphthene	SW8270	--	ug/kg	930 J	< 380 UJ	55	61	< 370 UJ	< 380 UJ	140 J	< 20 U
Acenaphthylene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	49	< 20 U	< 370 UJ	< 380 UJ	62 J	< 20 U
Anthracene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Benz(a)anthracene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Benzo(a)pyrene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Benzo(b)fluoranthene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Benzo(ghi)perylene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Benzo(k)fluoranthene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Chrysene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Dibenz(a,h)anthracene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Fluoranthene	SW8270	--	ug/kg	< 770 U	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	620 J	< 20 U
Fluorene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	46	< 20 U	< 370 UJ	< 380 UJ	96 J	< 20 U
Indeno(1,2,3-cd)pyrene	SW8270	660	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Naphthalene	SW8270	--	ug/kg	23000 J	4500 J	370	220	4100 J	6200 J	1700 J	220
Phenanthrene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	55 J	< 20 U
Pyrene	SW8270	--	ug/kg	< 770 UJ	< 380 UJ	< 39 U	< 20 U	< 370 UJ	< 380 UJ	< 40 UJ	< 20 U
Biogeochemical											
TPH-GRO	8015C	--	ug/kg	--	--	--	--	--	--	--	--
TPH-DRO	SW8015	--	ug/kg	--	--	--	--	--	--	--	--
TOC	WBLACK	--	mg/kg	--	--	--	--	--	--	--	--
Percent Solid	E160.3	--	%	84.1	85.4	84.2	83.6	85.6	85.3	83.3	83.0

Notes:

ug/kg - microgram per kilogram

mg/kg - microgram per kilogram

% - percent

J - estimated result

UJ - estimated non-detect

TPH - Total Petroleum Hydrocarbons

DRO - Diesel Range Organics

GRO - Gasoline Range Organics

(4-6) - depth of soil sample

Bold values exceed Soil Threshold Levels (STL)

* - STL based on Average or Higher Groundwater Pollution Susce

TOC - Total Organic Carbon

VOC - volatile organic compound

SVOC - semivolatile organic compound

Table 2-3
Groundwater Analytical Data - June 2009
Corrective Action Plan - Part B Addendum #1
HAA-9 Bulk Fuel Facility
Hunter Army Airfield, Georgia

Chemical Name	Analytical Method	In-Stream Water Quality Standard (IWQS) (Revised 2009)	Unit	Sample ID	HA09GW01 (6-10)	HA09GW01 (11-15)	HA09GW02(6-10)	HA09GW02(11-15)	HA09GW03(6-10)	HA09GW03(11-15)	HA09GW04(6-10)	HA09GW04(11-15)
				Location ID	09-GW-01	09-GW-01	09-GW-02	09-GW-02	09-GW-03	09-GW-03	09-GW-04	09-GW-04
				Sample Date	6/4/2009	6/4/2009	6/5/2009	6/5/2009	6/5/2009	6/5/2009	6/5/2009	6/5/2009
VOCs												
Benzene	SW8260B	51	ug/L		0.76	0.8	330 J	160 J	660 J	5.2 J	2.2 J	0.46 J
Toluene	SW8260B	5,980	ug/L		< 0.5 U	0.21 J	8 J	1.1 J	170 J	0.89 J	0.4 J	< 0.5 UJ
Ethylbenzene	SW8260B	2,100	ug/L		2.8	5	100 J	1.9 J	370 J	1.6 J	0.63 J	< 0.5 UJ
Xylenes (total) *	SW8260B	10,000	ug/L		9.5	17	420 J	69 J	1800 J	7.1 J	2.2 J	0.65 UJ
SVOCs												
1-Methylnaphthalene	SW8270D	--	ug/L		2	5.2	< 10 UJ	0.8 J	7.7 J	0.21 UJ	< 0.2 UJ	< 0.2 UJ
2-Methylnaphthalene	SW8270D	--	ug/L		2.9 J	7.3 J	17 J	0.78 J	< 10 UJ	0.27 J	< 0.2 UJ	< 0.2 UJ
Acenaphthene	SW8270D	990	ug/L		< 0.2 U	< 1 U	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Acenaphthylene	SW8270D	--	ug/L		< 0.2 U	< 1 U	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Anthracene	SW8270D	40000	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Benz(a)anthracene	SW8270D	0.018	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Benzo(a)pyrene	SW8270D	0.018	ug/L		< 0.2 U	< 1 U	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Benzo(b)fluoranthene	SW8270D	--	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Benzo(ghi)perylene	SW8270D	--	ug/L		< 0.2 UJ	0.71 J	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Benzo(k)fluoranthene	SW8270D	0.018	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Chrysene	SW8270D	0.018	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Dibenz(a,h)anthracene	SW8270D	0.018	ug/L		< 0.2 UJ	0.59 J	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Fluoranthene	SW8270D	140	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Fluorene	SW8270D	5300	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Indeno(1,2,3-cd)pyrene	SW8270D	0.018	ug/L		< 0.2 UJ	0.56 J	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ
Naphthalene **	SW8270D	6.5	ug/L		2.7 J	6.2 J	110 J	3.8 J	250 J	0.84 J	0.24 J	< 0.2 UJ
Phenanthrene	SW8270D	--	ug/L		< 0.2 U	< 1 U	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	0.46 J	< 0.2 UJ
Pyrene	SW8270D	4000	ug/L		< 0.2 UJ	< 1 UJ	< 0.2 UJ	< 0.2 UJ	< 10 UJ	< 0.2 UJ	< 0.2 UJ	< 0.2 UJ

Notes:

ug/L - microgram per Liter

J - estimated result

UJ - estimated non-detect

* - There is no IWQS for this constituent. Maximum Contaminant Limit was used for screening.

** - There is no IWQS for this constituent. USEPA Region III RBC was used for screening.

(4-6) - depth of groundwater sample (ft below ground surface)

Bold values exceed IWQS or other designated screening value.

ft -feet

U - non-detect

VOC - volatile organic compounds

Appendix C

Soil Boring Logs (June 2009)



Boring/Well HA095B01 Project/No. GP08HAFS.H09A.KG0EX Page 1 of 1

Site Hunter Army Airfield HAA-9 Drilling Started 6-2-09 Drilling Completed 6-2-09

Location Hunter Army Airfield HAA-9

Drilling Contractor Zeborg Driller Dan Helper Dan, d

Drilling Fluid Used N/A Drilling Method Direct Push

Total Depth Drilled 8 Feet Hole Diameter 1.5" Coring Device Direct Push Core Barrel

Prepared By JDF Hammer Weight N/A Hammer Drop N/A ins.

[illegible]

FID
depth

[illegible]

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

Boring/Well HA09SB10 Project/No. GP08HAFS.H09A.KG0EX Page 1 of 1

Site _____ Drilling _____
Location Hunter Army Airfield HAA-9 Started 6-2-09 Completed 6-2-09

Drilling Contractor Zebra Driller Dan Helper David

Drilling Fluid Used	N/A	Drilling Method	Direct Push
---------------------	-----	-----------------	-------------

Total Depth Drilled 8 Feet Hole Diameter 1.5" Coring Device Direct Push Core Barrel

Prepared By	JDF	Hammer Weight	N/A	Hammer Drop	N/A	ins.
-------------	-----	---------------	-----	-------------	-----	------

Sampling Data:

Sampling Data:			
Depth (Feet)	Grab/Composite	Time	Laboratory Analysis
4-5	Grab	1315	BTEX, PAH
	Grab		
	Grab		
	Grab		
	Grab		
	Grab		

Soil Characterization:

[illegible]

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

SOIL CORE / SAMPLING LOG

Boring/Well HA09SB42 Project/No. GP08HAFS.H09A.KG0EX Page 1 of 1

Site
Location Hunter Army Airfield HAA-9

Drilling
Started 6-3-09

Drilling
Completed 6-3-09

Drilling Contractor Zebra Driller Dan Helper David

Drilling Fluid Used	N/A	Drilling Method	Direct Push
---------------------	-----	-----------------	-------------

Total Depth Drilled 8 Feet Hole Diameter 1.5" Coring Device Direct Push Core Barrel

Prepared By	JDF	Hammer Weight	N/A	Hammer Drop	N/A	ins.
-------------	-----	---------------	-----	-------------	-----	------

Sampling Data:

[illegible]

Soil Characterization:

Sample/Core Depth (Feet bls)		OVM Reading (ppm)	Blow Counts per 6 Inches	Sample/Core Description
From	To			
0	1	10.0		light brown silty sand and sub angular gravel
1	2			↓
2	3	36.9		very dark brownish gray very firm clayey fine sand, slight plasticity
3	4			↓
4	5	0.0		medium brownish gray medium firm sandy clay, high plasticity
5	6			↓
6	7	0.0		medium greenish gray medium firm sandy clay, high plasticity
7	8			↓
				wet @ 6'



HA09 SB 55

SOIL CORE / SAMPLING LOG

Boring/Well ~~HA93346~~

Site
Location Hunter Army Airfield HAA-9

Drilling Started 6-4-09 Drilling Completed 6-4-09

Drilling Contractor Zebra

Driller Dan Helper Dario

Drilling Fluid Used	N/A
---------------------	-----

Drilling Method Direct Push

Total Depth Drilled 8 Feet Hole Diameter 1.5"

Coring Device Direct Push Core Barrel

Prepared By _____ JDF

Hammer		Hammer	
Weight	N/A	Drop	N/A ins.

Sampling Data:

[illegible]

Soil Characterization:

Sample/Core Depth (Feet bls)		OVM Reading (ppm)	Blow Counts per 6 Inches	Sample/Core Description
From	To			
0	1	0.0		very dark greyish brown silty fine sand, non-plastic
1	2			
2	3	56.7		
3	4			dark gray firm clay, high plasticity
4	5	25.1		medium gray clayey fine sand, moderate plasticity
5	6			
6	7	0.0		light greenish gray silty fine sand, non-plastic
7	8			
				wet @ 6'



SOIL CORE / SAMPLING LOG

Page 1 of 1

Drilling ~~6-5-89~~ Drilling ~~6-4-89~~ 5-89
Started ~~6-4-89~~ Completed ~~6-4-89~~

Driller Dan Helper David

Drilling Method Direct Push

Coring Device Direct Push Core Barrel

Hammer Weight N/A Hammer Drop N/A ins.

[illegible][illegible]

SOIL CORE / SAMPLING LOG

ZEBRA

DAILY PROJECT REPORT



Project Day & Date Tues. / 6-2-09

ZEBRA Office # 7997 Crew Base North Carolina Z# 7997 ZEBRA Unit #/Type B2/Truck

CLIENT / OFFICE Arcadis / Atlanta, GA Client Project # 6P08HAFS.H09A.HG05A

PROJECT NAME HAAF - HAA-9

PROJECT LOCATION Sav., GA

Client PM: Chuck Bertz

Client Site Contact: Chuck Bertz

ZEBRA PERSONNEL ON SITE:

Name/Company	Start	Arrive	Leave	Finish	Total Site Time	OT	Client Init.
Don Ferrell / zebra	9:00	8:00	5:00	4:30	8.5		JDF
David Brown / zebra	9:00	8:00	5:00	4:30	8.5		JDF
Other Personnel On Site:							

Description of Work (detailed):

<u>20 borings to 8'</u>

APP. DGW:

MATERIALS	QTY. USED	UNIT	EQUIPMENT
MC Liners <u>4'</u>	<u>40</u>	Liners	Drill Steel
LB Liners		Liners	Core Drill
Expendable Points		Points	Generator
" x 5' PVC Screen		PC's	GS 1000/2000 Grout Pump
" x 5' PVC Riser		PC's	Steam Genny
PVC points		Points	Rupe Pump
Flush Mount Well Box		Boxes	Water Level Indicator
			P.I.D.
<u>Bentonite Bag</u>	<u>3</u>		Trailer (Decon/Utility)
<u>Nitrile gloves Box</u>	<u>1</u>		

Probe Tools Damaged / Lost:

Number of Points	Number of Samples	Soil MC	Soil LB	GW	Wells Installed	Soil Gas	Sparge Points	Misc.

Field Verification:

ZEBRA: Don C. Ferrell

CLIENT: (Print) Josh Frizzo

(Sign) [Signature]

Project Day & Date Thurs, 16-4-09

ZEBRA Office North Carolina Crew Base _____ Z# 7997 ZEBRA Unit #/Type 32/Track

CLIENT / OFFICE Arcadis / Atlanta, GA Client Project # CDR HAFS, HOPA, KGOEX

PROJECT NAME HAAF-HAA-9

PROJECT LOCATION Sav, GA

Client PM: A Huck Dentz Client Site Contact: _____

ZEBRA PERSONNEL ON SITE:

Name/Company	Start	Arrive	Leave	Finish	Total Site Time	OT	Client Init.
David Brown / Zebra	8:30	8:00	5:30	5:00	9.0		JDF
Da Ferrell / Zebra	8:30	8:00	5:30	5:00	9.0		JDF
Other Personnel On Site:							

Description of Work (detailed):

13 Soil Borings to 8'
5 GW Points to 15'

APP. DGW:

MATERIALS	QTY. USED	UNIT	EQUIPMENT
MC Liners 4'	26	Liners	Drill Steel
LB Liners		Liners	Core Drill
1" Expendable Points		Points	Generator
" x 5' PVC Screen		PC's	GS 1000/2000 Grout Pump
" x 5' PVC Riser		PC's	Steam Genny
PVC points		Points	Rupe Pump
Flush Mount Well Box		Boxes	Water Level Indicator
			P.I.D.
Bratgite Bags	2		Trailer (Decon/Utility)
Sand Bags	4		

Probe Tools Damaged / Lost:

Number of Points	Number of Samples	Soil MC	Soil LB	GW	Wells Installed	Soil Gas	Sparge Points	Misc.

Field Verification:

ZEBRA: _____ CLIENT: (Print) Josh Fizzell

(Sign) [Signature]

ZEBRA

DAILY PROJECT REPORT

Project Day & Date Wed. 6-3-09

ZEBRA Office 7997 Crew Base NC Z# 7997 ZEBRA Unit #/Type 32/Truck

CLIENT / OFFICE Arcadis / Atlanta, GA Client Project # POPHAES-HBPA-KGDEX

PROJECT NAME HAAF-HAA-9

PROJECT LOCATION Sav, GA

Client PM: Chuck Bortz Client Site Contact: _____

ZEBRA PERSONNEL ON SITE:

Name/Company	Start	Arrive	Leave	Finish	Total Site Time	OT	Client Init.
Don Ferrell / Zebra	8:30	8:00	5:00	4:30	8.5		JDF
David Brown / Zebra	8:30	8:00	5:00	4:30	8.5		JDF
Other Personnel On Site:							

Description of Work (detailed):

<u>22 borings to 8'</u>

APP. DGW:

MATERIALS	QTY. USED	UNIT	EQUIPMENT
MC Liners <u>4'</u>	<u>44</u>	Liners	Drill Steel
LB Liners		Liners	Core Drill
Expendable Points		Points	Generator
" x 5' PVC Screen		PC's	GS 1000/2000 Grout Pump
" x 5' PVC Riser		PC's	Steam Genny
PVC points		Points	Rupe Pump
Flush Mount Well Box		Boxes	Water Level Indicator
			P.I.D.
<u>Bentonite</u>	<u>3</u>		Trailer (Decon/Utility)
<u>Nitrile Gloves</u>	<u>1</u>		

Probe Tools Damaged / Lost:

Number of Points	Number of Samples	Soil MC	Soil LB	GW	Wells Installed	Soil Gas	Sparge Points	Misc.

Field Verification:

ZEBRA: W. T. Ferrell

CLIENT: (Print) _____

(Sign) Josh Ferrell

Project Day & Date Fr. / 6-5-09

ZEBRA Office 7997 Crew Base NC Z# 7997 ZEBRA Unit #/Type 32/Truck

CLIENT / OFFICE Arcadis / Atlanta, GA Client Project # 6PDRHAFS.H09A.KGOEX

PROJECT NAME HAAF-HAA-9

PROJECT LOCATION Squ. Off

Client PM: Chuck Bertz Client Site Contact: _____

ZEBRA PERSONNEL ON SITE:

Name/Company	Start	Arrive	Leave	Finish	Total Site Time	OT	Client Init.
Don Ferrall / Zebra	8:30	8:00	3:00	2:30	6.0		JDF
David Brown / Zebra	8:30	8:00	3:00	2:30	6.0		JDF
Other Personnel On Site:							

Description of Work (detailed):

2 - GW Points to 15'
4 - Soil Borings to 8'

APP. DGW:

MATERIALS	QTY. USED	UNIT	EQUIPMENT
MC Liners <u>4'</u>	<u>8</u>	Liners	Drill Steel
LB Liners		Liners	Core Drill
<u>1"</u> Expendable Points	<u>4</u>	Points	Generator
<u>"</u> x 5' PVC Screen		PC's	GS 1000/2000 Grout Pump
<u>"</u> x 5' PVC Riser		PC's	Steam Genny
<u>PVC</u> points		Points	Rupe Pump
<u>Flush Mount Well Box</u>		Boxes	Water Level Indicator
			P.I.D.
<u>Dentrite Bags</u>	<u>2</u>		Trailer (Decon/Utility)
<u>1 300' Roll Tubing</u>	<u>1</u>		

Probe Tools Damaged / Lost:


Number of Points	Number of Samples	Soil MC	Soil LB	GW	Wells Installed	Soil Gas	Sparge Points	Misc.

Field Verification:


ZEBRA: D. C. Lutz CLIENT: (Print) Josh Fizzle
(Sign) [Signature]

Appendix D

Survey Documentation



LOCATION OF MONITORING WELLS
AND GEOPROBE POINTS
LOCATED AT THE BULK FUEL STORAGE FACILITY
ON NORTH PERIMETER ROAD
AT HUNTER ARMY AIRFIELD
SAVANNAH, CHATHAM COUNTY, GEORGIA
FOR
ARCADIS USA, INC.



FIELD AS-BUILT:
JUNE 05, 2009

DATE OF DRAWING:
JUNE 11, 2009



JAMES M. KEATON
Ga. Reg. No. 2743

CHATHAM SURVEYING SERVICES, INC.
P.O. BOX 61649
SAVANNAH, GEORGIA 31420
912-303-0302

THERE IS NO FORMERLY DELINEATED PARCEL EXISTING FOR THIS SITE.
CHATHAM SURVEYING SERVICES, INC. HAS PERFORMED A LOCATION SURVEY OF
THESE SHOWN WELLS AND GEOPROBE POINTS. THE ADJACENT FENCE
IS SHOWN FOR ORIENTATION ONLY. THE ADDITION OF ANY OTHER
FEATURES ON THIS DRAWING IS BY OTHERS.

REFERENCES: DATA SHEET FOR CHATHAM COUNTY DISK C-37

SHOWN HORIZONTAL COORDINATES ARE GEORGIA STATE PLANE (NAD '83)
AND ARE BASED ON CHATHAM COUNTY DISK C-37.
SAID COORDINATES WERE TRANSFERRED TO THE SITE BY GPS.

WELL AND GEOPROBE COORDINATES ARE BASED ON SAME SAID HORIZONTAL DATUM.

ELEVATIONS ARE NAVD 1988. ELEVATIONS BASED ON SAME AFORESAID
DISK AND GPS SESSION.

ELEVATIONS CAN BE CONVERTED TO NGVD 1929 BY ADDING A FACTOR OF
0.94' TO THE NAVD 1988 VALUES.

EQUIPMENT USED: SOKKIA SET 4110 TOTAL STATION
SOKKIA STRATUS LI GPS RECEIVER SYSTEM.
SOKKIA C320 AUTOMATIC LEVEL.

MONITORING WELL	NORTHING	EASTING	LID ELEVATION
MV 01	739501.67	973150.36	16.09
MV 02	739396.42	973129.89	15.76
MV 03	739290.06	973107.94	15.08
MV 04	739359.70	973120.30	15.54
MV 06	739433.18	973133.88	15.79
MV 07	739404.37	973093.04	15.90
MV 08	739402.23	973182.82	15.32
MV 10	739294.98	972928.12	15.46
MV 11	739267.13	972882.25	15.19
MV 12	739262.64	972919.30	14.96
MV 13	739254.58	972954.94	15.23
MV 14	739225.81	972909.63	14.81
MV 15	739458.76	973176.11	15.83
MV 16	739413.45	973201.76	15.50
MV 17	739349.56	973189.00	14.96
MV 18	739319.87	973148.64	15.17
MV 19	739329.81	973079.62	15.50
MV 20	739377.76	973049.28	15.83
MV 21	739415.38	973023.27	16.16
MV 22	739447.18	973065.53	16.57
MV 23	739474.63	973107.98	16.46
MV 24	739376.38	973231.52	15.23
MV 25	739324.40	972968.30	15.55
MV 26	739330.34	972934.27	15.58
MV 27	739337.66	972901.92	15.87
MV 28	739309.05	972855.34	15.43
MV 29	739276.75	972849.79	15.01
MV 30	739243.93	972842.64	15.03
MV 31	739201.94	972859.73	14.69
MV 32	739192.20	972901.61	14.59
MV 33	739183.90	972935.60	14.48
MV 34	739215.62	972985.79	14.67
MV 35	739246.04	972992.38	14.71
MV 36	739277.73	972998.42	15.20
MV 38	739339.85	973134.16	15.35
MV 39	739345.92	973103.04	15.47
MV 40	739390.24	973072.62	15.94
MV 41	739425.42	973079.38	16.32
MV 42	739453.75	973121.12	16.01

GEOPROBE	NORTHING	EASTING	GROUND ELEV
HA09GV-01	739316.85	973177.41	14.90
HA09GV-02	739438.76	973125.36	15.86
HA09GV-03	739257.54	972952.08	15.20
HA09GV-04	739197.00	972973.07	14.62
HA09SB-01	739383.17	973227.04	15.28
HA09SB-02	739394.86	973220.67	15.37
HA09SB-03	739405.61	973213.92	15.49
HA09SB-04	739414.46	973207.10	15.63
HA09SB-05	739424.26	973200.47	15.57
HA09SB-06	739434.49	973193.42	15.34
HA09SB-07(1)	739443.76	973185.52	15.67
HA09SB-07(2)	739327.62	973088.11	15.40
HA09SB-08	739453.77	973178.55	15.74
HA09SB-09	739464.79	973175.18	15.72
HA09SB-10	739455.76	973160.63	15.67
HA09SB-11	739448.76	973150.35	15.78
HA09SB-12	739442.91	973140.33	15.76
HA09SB-13	739436.55	973129.29	15.82
HA09SB-14	739429.21	973118.88	15.95
HA09SB-15	739422.18	973108.71	15.91
HA09SB-16	739411.04	973115.96	15.94
HA09SB-17	739400.74	973121.76	15.83
HA09SB-18	739394.36	973123.45	15.76
HA09SB-19	739389.10	973116.18	15.80
HA09SB-20	739383.54	973103.49	15.62
HA09SB-21	739374.77	973092.78	15.60
HA09SB-22	739368.16	973083.54	15.75
HA09SB-23	739361.45	973074.28	15.68
HA09SB-24	739351.86	973081.17	15.56
HA09SB-25	739342.23	973088.76	15.49
HA09SB-26	739333.22	973096.42	15.34
HA09SB-27	739323.81	973103.86	15.23
HA09SB-28	739315.12	973110.49	15.21
HA09SB-29	739305.63	973117.68	15.15
HA09SB-30	739297.21	973123.53	15.08
HA09SB-31	739305.10	973136.55	15.02
HA09SB-32	739310.18	973146.68	15.06
HA09SB-33	739317.04	973157.48	14.98
HA09SB-34	739322.50	973167.32	15.02
HA09SB-35	739328.33	973177.40	14.89
HA09SB-36	739333.59	973186.60	14.85
HA09SB-37	739342.64	973196.55	14.99
HA09SB-38	739350.55	973204.92	15.05
HA09SB-39	739360.36	973214.86	15.08
HA09SB-40	739367.83	973223.04	15.36
HA09SB-41	739385.05	973239.30	15.27
HA09SB-42	739434.16	973205.48	15.59
HA09SB-43	739463.81	973149.97	15.83
HA09SB-44	739449.35	973126.96	15.92
HA09SB-45	739431.82	973103.92	15.96
HA09SB-48	739390.93	973152.05	15.60
HA09SB-49	739342.74	973130.08	15.36
HA09SB-50	739390.94	973193.88	15.19
HA09SB-51	739259.87	972966.04	15.21
HA09SB-52	739264.72	972947.80	15.17
HA09SB-53(1)	739249.60	972944.51	15.15
HA09SB-53(2)	739243.79	972960.21	14.94
HA09SB-55	739330.65	973202.62	14.84
HA09SB-56	739306.66	973165.36	14.94
HA09SB-58	739374.05	973072.38	15.73

Appendix E

Laboratory Results (June 2009)



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. _____

Page 1 of 2

Project Number/Name 6P02HAFS.H09A.KG.OEXProject Location Hunter Army Air Field HAA-9Laboratory SlackProject Manager Chuck BartzSampler(s)/Affiliation Acadex

K Fozzard

ANALYSIS / METHOD / SIZE			Date/Time Sampled	Matrix	Lab ID	Remarks	Total
Sample ID/Location							
HA09SB01(6)	S	62-09/0922	4	1			5
HA09SB02(5)	S	62-09/0937	4	1			
HA09SB03(3)	S	62-09/1000	4	1			
HA09SB04(3)	S	62-09/1020	4	1			
HA09SB05(1)	S	62-09/1040	4	1			
HA09SB06(1)	S	62-09/1100	4	1			
HA09SB07(2)	S	62-09/1120	4	1			
HA09SB08(2-3)	S	62-09/1240	4	1			
HA09SB09(2-3)	S	62-09/1300	4	1			
HA09SB10(4-5)	S	62-09/1315	4	1			
HA09SB11(6-2)	S	62-09/1335	4	1			
HA09SB12(4-6)	S	62-09/1345	4	1			
HA09SB13(2-3)	S	62-09/1415	4	1			
HA09SB14(2-4)	S	62-09/1430	4	1			
HA09SB15(2-4)	S	62-09/1500	4	1			
Total No. of Bottles/ Containers							75

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: <u>Chuck Bartz</u>	Organization: <u>Acadex</u>	Date: <u>6/2/09</u>	Time: <u>1030</u>	Seal Intact?
Received by: <u>Chuck Bartz</u>	Organization: <u>Acadex</u>	Date: <u>6/2/09</u>	Time: <u>1030</u>	Yes No N/A
Relinquished by: <u>Chuck Bartz</u>	Organization: <u>Acadex</u>	Date: <u>6/2/09</u>	Time: <u>1030</u>	Seal Intact?
Received by: <u>Chuck Bartz</u>	Organization: <u>Acadex</u>	Date: <u>6/2/09</u>	Time: <u>1030</u>	Yes No N/A

Special Instructions/Remarks: _____

Delivery Method: ☐ In Person☒ Common Carrier☐ Lab Courier☐ Other

SPECIFY

SPECIFY

AG 05-12/01

ARCADIS

Laboratory Task Order No./P.O. No.

CHAIN-OF-CUSTODY RECORD

Page 2 of 2

Project Number/Name GPO8HAFS. H09A.KG-0EX

Project Location Hunter Army Airfield HAA-9

Laboratory Shealy

Project Manager Chuck Bertz

Sampler(s)/Affiliation Arcadis

KF03048

ANALYSIS / METHOD / SIZE

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
HA09SB16(2-4)	S	6-2-09/1515	4		5
HA09SB17(2-4)	S	6-2-09/1545	4		5
HA09SB18(2-4)	S	6-2-09/1600	4		5
HA09SB19(4-6)	S	6-2-09/1615	4		5
HA09SB20(2-4)	S	6-2-09/1640	4		5

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: [Signature] Organization: Arcadis Date: 6/2/09 Time: 1830 Seal Intact? (Yes) No N/A

Received by: [Signature] Organization: [Signature] Date: 6/3/09 Time: 0930 Seal Intact? (Yes) No N/A

Relinquished by: [Signature] Organization: [Signature] Date: 6/3/09 Time: 0930 Seal Intact? (Yes) No N/A

Received by: [Signature] Organization: [Signature] Date: 6/3/09 Time: 0930 Seal Intact? (Yes) No N/A

Special Instructions/Remarks:

Total No. of Bottles/Containers 25

Delivery Method: ☐ In Person

☒ Common Carrier

☐ Lab Courier

☐ Other

T-2-6, 4.0



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD

Page _____

Project Number/Name GPO8HAFS.H09A.KGOEXProject Location Hunter Army A Field HMA-9Laboratory SealyProject Manager Chuck BertzSampler(s)/Affiliation Josh F. 2211/Arcadis

ANALYSIS / METHOD / SIZE			
PAH	TCIP VOC	TCIP VOC	TCIP VOC
BTX			

KF06028

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
HA095655(2-4)	S	6-5-09/1035			
HA09IDW 01	S	6-5-09/1500			
HA09IDW 02	L	6-5-09/1505			
HA1321DW 01	L	6-5-09/1520			
HA1321DW 02	L	6-5-09/1520			
HA1321DW 03	L	6-5-09/1520			
HA1321DW 04	L	6-5-09/1520			
HA1321DW 05	L	6-5-09/1520			
HA1321DW 06	L	6-5-09/1520			
HA1321DW 07	L	6-5-09/1520			
HA1321DW 08	L	6-5-09/1520			
HA1321DW 09	L	6-5-09/1520			
HA1321DW 10	L	6-5-09/1520			
HA1321DW 11	L	6-5-09/1520			
HA1321DW 12	L	6-5-09/1520			
HA1321DW 13	L	6-5-09/1520			
HA1321DW 14	L	6-5-09/1520			
HA1321DW 15	L	6-5-09/1520			
HA1321DW 16	L	6-5-09/1520			
HA1321DW 17	L	6-5-09/1520			
HA1321DW 18	L	6-5-09/1520			
HA1321DW 19	L	6-5-09/1520			
HA1321DW 20	L	6-5-09/1520			
HA1321DW 21	L	6-5-09/1520			
HA1321DW 22	L	6-5-09/1520			
HA1321DW 23	L	6-5-09/1520			
HA1321DW 24	L	6-5-09/1520			
HA1321DW 25	L	6-5-09/1520			
HA1321DW 26	L	6-5-09/1520			
HA1321DW 27	L	6-5-09/1520			
HA1321DW 28	L	6-5-09/1520			
HA1321DW 29	L	6-5-09/1520			
HA1321DW 30	L	6-5-09/1520			
HA1321DW 31	L	6-5-09/1520			
HA1321DW 32	L	6-5-09/1520			
HA1321DW 33	L	6-5-09/1520			
HA1321DW 34	L	6-5-09/1520			
HA1321DW 35	L	6-5-09/1520			
HA1321DW 36	L	6-5-09/1520			
HA1321DW 37	L	6-5-09/1520			
HA1321DW 38	L	6-5-09/1520			
HA1321DW 39	L	6-5-09/1520			
HA1321DW 40	L	6-5-09/1520			
HA1321DW 41	L	6-5-09/1520			
HA1321DW 42	L	6-5-09/1520			
HA1321DW 43	L	6-5-09/1520			
HA1321DW 44	L	6-5-09/1520			
HA1321DW 45	L	6-5-09/1520			
HA1321DW 46	L	6-5-09/1520			
HA1321DW 47	L	6-5-09/1520			
HA1321DW 48	L	6-5-09/1520			
HA1321DW 49	L	6-5-09/1520			
HA1321DW 50	L	6-5-09/1520			
HA1321DW 51	L	6-5-09/1520			
HA1321DW 52	L	6-5-09/1520			
HA1321DW 53	L	6-5-09/1520			
HA1321DW 54	L	6-5-09/1520			
HA1321DW 55	L	6-5-09/1520			
HA1321DW 56	L	6-5-09/1520			
HA1321DW 57	L	6-5-09/1520			
HA1321DW 58	L	6-5-09/1520			
HA1321DW 59	L	6-5-09/1520			
HA1321DW 60	L	6-5-09/1520			
HA1321DW 61	L	6-5-09/1520			
HA1321DW 62	L	6-5-09/1520			
HA1321DW 63	L	6-5-09/1520			
HA1321DW 64	L	6-5-09/1520			
HA1321DW 65	L	6-5-09/1520			
HA1321DW 66	L	6-5-09/1520			
HA1321DW 67	L	6-5-09/1520			
HA1321DW 68	L	6-5-09/1520			
HA1321DW 69	L	6-5-09/1520			
HA1321DW 70	L	6-5-09/1520			
HA1321DW 71	L	6-5-09/1520			
HA1321DW 72	L	6-5-09/1520			
HA1321DW 73	L	6-5-09/1520			
HA1321DW 74	L	6-5-09/1520			
HA1321DW 75	L	6-5-09/1520			
HA1321DW 76	L	6-5-09/1520			
HA1321DW 77	L	6-5-09/1520			
HA1321DW 78	L	6-5-09/1520			
HA1321DW 79	L	6-5-09/1520			
HA1321DW 80	L	6-5-09/1520			
HA1321DW 81	L	6-5-09/1520			
HA1321DW 82	L	6-5-09/1520			
HA1321DW 83	L	6-5-09/1520			
HA1321DW 84	L	6-5-09/1520			
HA1321DW 85	L	6-5-09/1520			
HA1321DW 86	L	6-5-09/1520			
HA1321DW 87	L	6-5-09/1520			
HA1321DW 88	L	6-5-09/1520			
HA1321DW 89	L	6-5-09/1520			
HA1321DW 90	L	6-5-09/1520			
HA1321DW 91	L	6-5-09/1520			
HA1321DW 92	L	6-5-09/1520			
HA1321DW 93	L	6-5-09/1520			
HA1321DW 94	L	6-5-09/1520			
HA1321DW 95	L	6-5-09/1520			
HA1321DW 96	L	6-5-09/1520			
HA1321DW 97	L	6-5-09/1520			
HA1321DW 98	L	6-5-09/1520			
HA1321DW 99	L	6-5-09/1520			
HA1321DW 100	L	6-5-09/1520			

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: <u>Josh F. 2211</u>	Organization: <u>Arcadis</u>	Date: <u>6/5/09</u>	Time: <u>1800</u>	Seal Intact? <u>Yes</u>
Received by: <u>Josh F. 2211</u>	Organization: <u>Arcadis</u>	Date: <u>6/5/09</u>	Time: <u>1800</u>	Seal Intact? <u>Yes</u>
Relinquished by: <u>Josh F. 2211</u>	Organization: <u>Arcadis</u>	Date: <u>6/5/09</u>	Time: <u>1800</u>	Seal Intact? <u>Yes</u>
Received by: <u>Josh F. 2211</u>	Organization: <u>Arcadis</u>	Date: <u>6/5/09</u>	Time: <u>1800</u>	Seal Intact? <u>Yes</u>
Special Instructions/Remarks:				

Delivery Method: ☐ In Person☒ Common CarrierSPECIFY Fast EX☐ Lab Courier☐ Other

CDE/11/11



Laboratory Task Order No./P.O. No.

Project Number/Name:

608-455-6031

Project Location:

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

Laboratory:

Project Manager

Week 34 + 2

Sampler(s)/Affiliation:

2000

[illegible]

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: _____

1947

Organization:

Received by:-

by: _____

Organization:

Received by:

1000

Organization:

Special Instructions/Remarks:

Delivery Method:

☐ In Person

☐ Common Carrier

SPECIES FD-54

☐ Lab Courier☐ Other: _____

Project Number/Name: 600/h/s 1stA ked X

Project Location

Laboratory Shady

Project Manager Chuck Bantz

Sampler(s)/Affiliation _____

[illegible]

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: [Signature] 10/1/10 Oral

Organization: U.S. Coast Guard

Received by: _____
Organization: _____

Relinquished by: _____

Received by: _____
Organization: _____

Special Instructions/Remarks: _____
 _____, _____ Organization: _____

Delivery Method: ☐ In Person

☐ Common Carrier

1000

1000



CHAIN-OF-CUSTODY RECORD

Page 1 of 2

Laboratory Task Order No./P.O. No. _____

Project Number/Name 6P08HAFS.1109A KGOEX


Project Location Hunter Army Air Field HAA-9

Laboratory Shealy

Project Manager Chuck Bertz

Sampler(s)/Affiliation Accadis

KF04029



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
11A09SB27(2-4)	S	6-3-09/0815	4		5
11A09SB22(4-6)	S	6-3-09/0902	4		5
11A09SB23(2-4)	S	6-3-09/0915	4		5
11A09SB24(6-7)	S	6-3-09/0945	4		5
11A09SB25(4-6)	S	6-3-09/1000	4		5
11A09SB26(4-6)	S	6-3-09/1020	4		5
11A09SB27(4-6)	S	6-3-09/1035	4		5
11A09SB28(2-3)	S	6-3-09/1050	4		5
11A09SB29(4-6)	S	6-3-09/1100	4		5
11A09SB30(2-4)	S	6-3-09/1110	4		5
11A09SB31(2-4)	S	6-3-09/1120	4		5
11A09SB32(4-6)	S	6-3-09/1130	4		5
11A09SB33(2-4)	S	6-3-09/1300	4		5
11A09SB34(4-6)	S	6-3-09/1320	4		5
11A09SB35(4-6)	S	6-3-09/1345	4		5
Total No. of Bottles/Containers					74

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: [Signature] Date: 6/3/09 Time: 1300 Seal Intact? Yes No N/A

Received by: [Signature] Date: 6/4/09 Time: 0940 Seal Intact? Yes No N/A

Relinquished by: [Signature] Date: 6/4/09 Time: 0940 Seal Intact? Yes No N/A

Received by: [Signature] Date: 6/4/09 Time: 0940 Seal Intact? Yes No N/A

Special Instructions/Remarks: 1-46 3.9



CHAIN-OF-CUSTODY RECORD

Page

Laboratory Task Order No./P.O. No.

Project Number/Name GPOBIAFS.H9A.K60EX

Project Location Hunter Army Airfield HAA-9

Laboratory Shealy

Project Manager Chuck Bandy

Sampler(s)/Affiliation Josh Fennell/L. Craig Madala

KFOSOLD

BTX
DAX

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
HA096W01(6-10)	L	6-4-09/1600	3			5
HA096W01(11-15)	L	6-4-09/1615	3			
HA09SB54(2-4)	S	6-4-09/1530	4		As Per Jane	
HA09SB53(2-4)	S	6-4-09/1515	4		Kennedy	
HA09SB52(4-6)	S	6-4-09/1505	4		Bar H	
HA09SB51(2-4)	S	6-4-09/1500	4		analysis	
HA09SB45(2-4)	S	6-4-09/1450	4			
HA09SB44(4-6)	S	6-4-09/1415	4			
HA09SB43(4-6)	S	6-4-09/1405	4			
HA09SB50(2-4)	S	6-4-09/1400	4			
HA09SB49(2-4)	S	6-4-09/1350	4			
HA09SB48(2-4)	S	6-4-09/1340	4			
trip Blank	L	6-4-09	2			
Total No. of Bottles/Containers						62

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: <u>Josh Fennell</u>	Organization: <u>Shealy Environmental</u>	Date: <u>6/4/09</u>	Time: <u>1800</u>	Seal Intact? Yes No N/A
Received by: <u>Josh Fennell</u>	Organization: <u>Shealy Environmental</u>	Date: <u>6/4/09</u>	Time: <u>1800</u>	Seal Intact? Yes No N/A
Relinquished by: <u>FEDEx</u>	Organization: <u>FEDEx</u>	Date: <u>6/15/09</u>	Time: <u>1930</u>	Seal Intact? Yes No N/A
Received by: <u>Shealy Environmental</u>	Organization: <u>Shealy Environmental</u>	Date: <u>6/15/09</u>	Time: <u>1940</u>	Seal Intact? Yes No N/A

Special Instructions/Remarks:

first sample received at 5:00 PM
second sample received at 5:00 PM

Delivery Method: ☐ In Person ☐ Lab Courier ☐ Other

Common Carrier Fed Ex

SPECIFY

Report of Analysis

ARCADIS U.S., Inc.
30 Patewood Drive
Suite 155
Greenville, SC 29615
Attention: Janet Christy

Project Name: **Hunter Army Airfield HAA-9**

Project Number: **GP08HAFS.H09A.KG0EX**

Lot Number: **KF03048**

Date Completed: **06/18/2009**



Nisreen Saikaly
Project Manager



This report shall not be reproduced, except in its entirety, without the written approval of Shealy Environmental Services, Inc.

The following non-paginated documents are considered part of this report: Chain of Custody Record and Sample Receipt Checklist.

*** K F 0 3 0 4 8 ***

SHEALY ENVIRONMENTAL SERVICES, INC.

SC DHEC No: 32010

NELAC No: E87653

NC DEHNR No: 329

Case Narrative ARCADIS U.S., Inc. Lot Number: KF03048

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved NELAC standards, the Shealy Environmental Services, Inc. ("Shealy") Quality Assurance Management Plan (QAMP), standard operating procedures (SOPs), and Shealy policies. Any exceptions to the NELAC standards, the QAMP, SOPs or policies are qualified on the results page or discussed below.

If you have any questions regarding this report please contact the Shealy Project Manager listed on the cover page.

Volatile Organic Compounds

The surrogate recovery for sample -012 and -019 were outside the acceptance limit. These samples were diluted. The dilution impacted the surrogate recoveries, thus negating their usefulness concerning quality control. The sample results are reported and no corrective action is required.

DRO

Sample -015 has an unknown fuel pattern associated with the DRO analysis.

Semivolatile Organic Compounds

The RPD for MS/MSD exceeded method control limits in batch 11848; however, all other QA/QC criteria for the LCS/LCSD and the MS/MSD were within acceptance criteria and method control limits. The associated sample results were reported and no corrective action was required.

The MS/MSD recoveries for various analytes in batch 12352 were outside acceptance criteria. The RPD for MS/MSD exceeded method control limits. The surrogate recovery was outside the acceptance limit. All other QA/QC criteria for the batch were within acceptance criteria and method control limits. The MS/MSD recovery results are attributed to matrix interference. The associated sample results were reported and no corrective action was required.

SHEALY ENVIRONMENTAL SERVICES, INC.

Sample Summary ARCADIS U.S., Inc. Lot Number: KF03048

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	HA09SB01 (6)	Solid	06/02/2009 0922	06/03/2009
002	HA09SB02 (5)	Solid	06/02/2009 0937	06/03/2009
003	HA09SB03 (3)	Solid	06/02/2009 1000	06/03/2009
004	HA09SB04 (3)	Solid	06/02/2009 1020	06/03/2009
005	HA09SB05 (1)	Solid	06/02/2009 1040	06/03/2009
006	HA09SB06 (1)	Solid	06/02/2009 1100	06/03/2009
007	HA09SB07 (2)	Solid	06/02/2009 1120	06/03/2009
008	HA09SB08 (2-3)	Solid	06/02/2009 1245	06/03/2009
009	HA09SB09 (2-3)	Solid	06/02/2009 1300	06/03/2009
010	HA09SB10 (4-5)	Solid	06/02/2009 1315	06/03/2009
011	HA09SB11 (0-2)	Solid	06/02/2009 1335	06/03/2009
012	HA09SB12 (4-6)	Solid	06/02/2009 1347	06/03/2009
013	HA09SB13 (2-3)	Solid	06/02/2009 1415	06/03/2009
014	HA09SB14 (2-4)	Solid	06/02/2009 1435	06/03/2009
015	HA09SB15 (2-4)	Solid	06/02/2009 1500	06/03/2009
016	HA09SB16 (2-4)	Solid	06/02/2009 1515	06/03/2009
017	HA09SB17 (2-4)	Solid	06/02/2009 1545	06/03/2009
018	HA09SB18 (2-4)	Solid	06/02/2009 1600	06/03/2009
019	HA09SB19 (4-6)	Solid	06/02/2009 1615	06/03/2009
020	HA09SB20 (2-4)	Solid	06/02/2009 1640	06/03/2009

(20 samples)

SHEALY ENVIRONMENTAL SERVICES, INC.

Executive Summary

ARCADIS U.S., Inc.

Lot Number: KF03048

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
003	HA09SB03 (3)	Solid	Anthracene	8270D	13	J	ug/kg	10
003	HA09SB03 (3)	Solid	Benzo(a)anthracene	8270D	100		ug/kg	10
003	HA09SB03 (3)	Solid	Benzo(a)pyrene	8270D	96		ug/kg	10
003	HA09SB03 (3)	Solid	Benzo(b)fluoranthene	8270D	130		ug/kg	10
003	HA09SB03 (3)	Solid	Benzo(g,h,i)perylene	8270D	54	J	ug/kg	10
003	HA09SB03 (3)	Solid	Benzo(k)fluoranthene	8270D	50	J	ug/kg	10
003	HA09SB03 (3)	Solid	Chrysene	8270D	88		ug/kg	10
003	HA09SB03 (3)	Solid	Dibenzo(a,h)anthracene	8270D	25	J	ug/kg	10
003	HA09SB03 (3)	Solid	Fluoranthene	8270D	120		ug/kg	10
003	HA09SB03 (3)	Solid	Indeno(1,2,3-c,d)pyrene	8270D	53	J	ug/kg	10
003	HA09SB03 (3)	Solid	Phenanthrene	8270D	63	J	ug/kg	10
003	HA09SB03 (3)	Solid	Pyrene	8270D	140		ug/kg	10
004	HA09SB04 (3)	Solid	Xylenes (total)	8260B	3400		ug/kg	11
004	HA09SB04 (3)	Solid	1-Methylnaphthalene	8270D	1100		ug/kg	12
004	HA09SB04 (3)	Solid	2-Methylnaphthalene	8270D	1700		ug/kg	12
004	HA09SB04 (3)	Solid	Naphthalene	8270D	960		ug/kg	12
007	HA09SB07 (2)	Solid	Ethylbenzene	8260B	2200	J	ug/kg	13
007	HA09SB07 (2)	Solid	Xylenes (total)	8260B	18000		ug/kg	13
007	HA09SB07 (2)	Solid	1-Methylnaphthalene	8270D	2600		ug/kg	14
007	HA09SB07 (2)	Solid	2-Methylnaphthalene	8270D	5800		ug/kg	14
007	HA09SB07 (2)	Solid	Naphthalene	8270D	1600		ug/kg	14
007	HA09SB07 (2)	Solid	Phenanthrene	8270D	18	J	ug/kg	14
008	HA09SB08 (2-3)	Solid	Anthracene	8270D	38	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Benzo(a)anthracene	8270D	72	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Benzo(a)pyrene	8270D	62	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Benzo(b)fluoranthene	8270D	63	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Benzo(k)fluoranthene	8270D	24	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Chrysene	8270D	31	J	ug/kg	16
008	HA09SB08 (2-3)	Solid	Fluoranthene	8270D	160		ug/kg	16
008	HA09SB08 (2-3)	Solid	Fluorene	8270D	150		ug/kg	16
008	HA09SB08 (2-3)	Solid	Phenanthrene	8270D	150		ug/kg	16
008	HA09SB08 (2-3)	Solid	Pyrene	8270D	130		ug/kg	16
010	HA09SB10 (4-5)	Solid	Ethylbenzene	8260B	8500		ug/kg	17
010	HA09SB10 (4-5)	Solid	Xylenes (total)	8260B	21000		ug/kg	17
010	HA09SB10 (4-5)	Solid	Anthracene	8270D	68	J	ug/kg	18
010	HA09SB10 (4-5)	Solid	Benzo(a)anthracene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	Benzo(a)pyrene	8270D	130		ug/kg	18
010	HA09SB10 (4-5)	Solid	Benzo(b)fluoranthene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	Benzo(g,h,i)perylene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	Benzo(k)fluoranthene	8270D	120		ug/kg	18
010	HA09SB10 (4-5)	Solid	Chrysene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	Fluoranthene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	Fluorene	8270D	60	J	ug/kg	18
010	HA09SB10 (4-5)	Solid	Indeno(1,2,3-c,d)pyrene	8270D	110		ug/kg	18
010	HA09SB10 (4-5)	Solid	1-Methylnaphthalene	8270D	1200		ug/kg	18

Executive Summary (Continued)

Lot Number: KF03048

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
010	HA09SB10 (4-5)	Solid	2-Methylnaphthalene	8270D	1800		ug/kg	18
010	HA09SB10 (4-5)	Solid	Naphthalene	8270D	680		ug/kg	18
010	HA09SB10 (4-5)	Solid	Phenanthrene	8270D	81		ug/kg	18
010	HA09SB10 (4-5)	Solid	Pyrene	8270D	110		ug/kg	18
012	HA09SB12 (4-6)	Solid	Ethylbenzene	8260B	62000		ug/kg	19
012	HA09SB12 (4-6)	Solid	Xylenes (total)	8260B	66000		ug/kg	19
012	HA09SB12 (4-6)	Solid	Anthracene	8270D	130		ug/kg	20
012	HA09SB12 (4-6)	Solid	Benzo(a)anthracene	8270D	160		ug/kg	20
012	HA09SB12 (4-6)	Solid	Benzo(a)pyrene	8270D	140		ug/kg	20
012	HA09SB12 (4-6)	Solid	Benzo(b)fluoranthene	8270D	160		ug/kg	20
012	HA09SB12 (4-6)	Solid	Benzo(g,h,i)perylene	8270D	54	J	ug/kg	20
012	HA09SB12 (4-6)	Solid	Benzo(k)fluoranthene	8270D	70	J	ug/kg	20
012	HA09SB12 (4-6)	Solid	Chrysene	8270D	50	J	ug/kg	20
012	HA09SB12 (4-6)	Solid	Fluoranthene	8270D	500		ug/kg	20
012	HA09SB12 (4-6)	Solid	Fluorene	8270D	260		ug/kg	20
012	HA09SB12 (4-6)	Solid	Indeno(1,2,3-c,d)pyrene	8270D	50	J	ug/kg	20
012	HA09SB12 (4-6)	Solid	1-Methylnaphthalene	8270D	9200		ug/kg	20
012	HA09SB12 (4-6)	Solid	2-Methylnaphthalene	8270D	12000		ug/kg	20
012	HA09SB12 (4-6)	Solid	Naphthalene	8270D	6100		ug/kg	20
012	HA09SB12 (4-6)	Solid	Phenanthrene	8270D	480		ug/kg	20
012	HA09SB12 (4-6)	Solid	Pyrene	8270D	400		ug/kg	20
015	HA09SB15 (2-4)	Solid	Ethylbenzene	8260B	12000		ug/kg	21
015	HA09SB15 (2-4)	Solid	Xylenes (total)	8260B	13000		ug/kg	21
015	HA09SB15 (2-4)	Solid	Anthracene	8270D	36	J	ug/kg	22
015	HA09SB15 (2-4)	Solid	Benzo(a)pyrene	8270D	47	J	ug/kg	22
015	HA09SB15 (2-4)	Solid	Benzo(b)fluoranthene	8270D	57	J	ug/kg	22
015	HA09SB15 (2-4)	Solid	Benzo(g,h,i)perylene	8270D	24	J	ug/kg	22
015	HA09SB15 (2-4)	Solid	Benzo(k)fluoranthene	8270D	20	J	ug/kg	22
015	HA09SB15 (2-4)	Solid	Fluoranthene	8270D	140		ug/kg	22
015	HA09SB15 (2-4)	Solid	Fluorene	8270D	130		ug/kg	22
015	HA09SB15 (2-4)	Solid	1-Methylnaphthalene	8270D	8500		ug/kg	22
015	HA09SB15 (2-4)	Solid	2-Methylnaphthalene	8270D	11000		ug/kg	22
015	HA09SB15 (2-4)	Solid	Naphthalene	8270D	3600		ug/kg	22
015	HA09SB15 (2-4)	Solid	Phenanthrene	8270D	120		ug/kg	22
015	HA09SB15 (2-4)	Solid	Pyrene	8270D	110		ug/kg	22
015	HA09SB15 (2-4)	Solid	TPH-DRO	8015B	2500000	B	ug/kg	23
015	HA09SB15 (2-4)	Solid	TPH-GRO	8015C	1500000	B	ug/kg	24
017	HA09SB17 (2-4)	Solid	Benzene	8260B	2600		ug/kg	25
017	HA09SB17 (2-4)	Solid	Ethylbenzene	8260B	15000		ug/kg	25
017	HA09SB17 (2-4)	Solid	Toluene	8260B	30000		ug/kg	25
017	HA09SB17 (2-4)	Solid	Xylenes (total)	8260B	67000		ug/kg	25
017	HA09SB17 (2-4)	Solid	Fluorene	8270D	85		ug/kg	26
017	HA09SB17 (2-4)	Solid	1-Methylnaphthalene	8270D	3600		ug/kg	26
017	HA09SB17 (2-4)	Solid	2-Methylnaphthalene	8270D	6200		ug/kg	26
017	HA09SB17 (2-4)	Solid	Naphthalene	8270D	2200		ug/kg	26
019	HA09SB19 (4-6)	Solid	Benzene	8260B	1800		ug/kg	27
019	HA09SB19 (4-6)	Solid	Ethylbenzene	8260B	7000		ug/kg	27
019	HA09SB19 (4-6)	Solid	Toluene	8260B	8400		ug/kg	27

Executive Summary (Continued)

Lot Number: KF03048

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
019	HA09SB19 (4-6)	Solid	Xylenes (total)	8260B	31000		ug/kg	27
019	HA09SB19 (4-6)	Solid	Acenaphthene	8270D	55	J	ug/kg	28
019	HA09SB19 (4-6)	Solid	Acenaphthylene	8270D	27	J	ug/kg	28
019	HA09SB19 (4-6)	Solid	Fluorene	8270D	56	J	ug/kg	28
019	HA09SB19 (4-6)	Solid	1-Methylnaphthalene	8270D	1700		ug/kg	28
019	HA09SB19 (4-6)	Solid	2-Methylnaphthalene	8270D	2300		ug/kg	28
019	HA09SB19 (4-6)	Solid	Naphthalene	8270D	1000		ug/kg	28

(100 detections)

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-001
Description: HA09SB01 (6)	Matrix: Solid
Date Sampled: 06/02/2009 0922	% Solids: 80.7 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)	
2	5035	8260B	1	06/08/2009 1455	DLB		12087	9.51	

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		3.2	0.72	ug/kg	2
Ethylbenzene	100-41-4	8260B	ND		3.2	1.1	ug/kg	2
Toluene	108-88-3	8260B	ND		3.2	1.1	ug/kg	2
Xylenes (total)	1330-20-7	8260B	ND		3.2	1.9	ug/kg	2

Surrogate	Q	Run 2 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		73	53-142
Bromofluorobenzene		95	47-138
Toluene-d8		81	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 7 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF03048-001			
Description: HA09SB01 (6)				Matrix: Solid			
Date Sampled: 06/02/2009 0922				% Solids: 80.7 06/04/2009 0059			
Date Received: 06/03/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/05/2009 1526	DC	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		82	13	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		82	13	ug/kg	1
Anthracene	120-12-7	8270D	ND		82	9.0	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	ND		82	11	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	ND		82	11	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	ND		82	12	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	ND		82	14	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	ND		82	12	ug/kg	1
Chrysene	218-01-9	8270D	ND		82	14	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		82	11	ug/kg	1
Fluoranthene	206-44-0	8270D	ND		82	13	ug/kg	1
Fluorene	86-73-7	8270D	ND		82	11	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		82	12	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	ND		82	12	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D	ND		82	12	ug/kg	1
Naphthalene	91-20-3	8270D	ND		82	12	ug/kg	1
Phenanthrene	85-01-8	8270D	ND		82	11	ug/kg	1
Pyrene	129-00-0	8270D	ND		82	16	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Fluorobiphenyl		47	33-102
Nitrobenzene-d5		43	22-109
Terphenyl-d14		64	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-003
Description: HA09SB03 (3)	Matrix: Solid
Date Sampled: 06/02/2009 1000	% Solids: 90.0 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/04/2009 1511	DLB		11883	4.93

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		5.6	1.2	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		5.6	1.9	ug/kg	1
Toluene	108-88-3	8260B	ND		5.6	1.9	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		5.6	3.3	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		80	53-142
Bromofluorobenzene		65	47-138
Toluene-d8		76	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 9 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-003**Description: **HA09SB03 (3)**Matrix: **Solid**Date Sampled: **06/02/2009 1000**% Solids: **90.0 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
2	3550C	8270D	1	06/15/2009 2257	GLR	06/12/2009 1730	12352

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		74	12	ug/kg	2
Acenaphthylene	208-96-8	8270D	ND		74	11	ug/kg	2
Anthracene	120-12-7	8270D	13	J	74	8.1	ug/kg	2
Benzo(a)anthracene	56-55-3	8270D	100		74	9.7	ug/kg	2
Benzo(a)pyrene	50-32-8	8270D	96		74	10	ug/kg	2
Benzo(b)fluoranthene	205-99-2	8270D	130		74	10	ug/kg	2
Benzo(g,h,i)perylene	191-24-2	8270D	54	J	74	13	ug/kg	2
Benzo(k)fluoranthene	207-08-9	8270D	50	J	74	10	ug/kg	2
Chrysene	218-01-9	8270D	88		74	12	ug/kg	2
Dibenzo(a,h)anthracene	53-70-3	8270D	25	J	74	10	ug/kg	2
Fluoranthene	206-44-0	8270D	120		74	12	ug/kg	2
Fluorene	86-73-7	8270D	ND		74	9.9	ug/kg	2
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	53	J	74	11	ug/kg	2
1-Methylnaphthalene	90-12-0	8270D	ND		74	11	ug/kg	2
2-Methylnaphthalene	91-57-6	8270D	ND		74	11	ug/kg	2
Naphthalene	91-20-3	8270D	ND		74	11	ug/kg	2
Phenanthrene	85-01-8	8270D	63	J	74	9.9	ug/kg	2
Pyrene	129-00-0	8270D	140		74	14	ug/kg	2

Surrogate	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		76	33-102
Nitrobenzene-d5		67	22-109
Terphenyl-d14		79	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-004
Description: HA09SB04 (3)	Matrix: Solid
Date Sampled: 06/02/2009 1020	% Solids: 89.8 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	50	06/04/2009 1712	DLB		11884	1.00

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		1400	310	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		1400	470	ug/kg	1
Toluene	108-88-3	8260B	ND		1400	470	ug/kg	1
Xylenes (total)	1330-20-7	8260B	3400		1400	810	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		97	53-142
Bromofluorobenzene		96	47-138
Toluene-d8		94	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 11 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-004**Description: **HA09SB04 (3)**Matrix: **Solid**Date Sampled: **06/02/2009 1020**% Solids: **89.8 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/11/2009 1253	GLR	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		74	12	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		74	11	ug/kg	1
Anthracene	120-12-7	8270D	ND		74	8.1	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	ND		74	9.7	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	ND		74	10	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	ND		74	10	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	ND		74	13	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	ND		74	10	ug/kg	1
Chrysene	218-01-9	8270D	ND		74	12	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		74	10	ug/kg	1
Fluoranthene	206-44-0	8270D	ND		74	12	ug/kg	1
Fluorene	86-73-7	8270D	ND		74	9.9	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		74	11	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	1100		74	11	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D	1700		74	11	ug/kg	1
Naphthalene	91-20-3	8270D	960		74	11	ug/kg	1
Phenanthrene	85-01-8	8270D	ND		74	9.8	ug/kg	1
Pyrene	129-00-0	8270D	ND		74	14	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Fluorobiphenyl		74	33-102
Nitrobenzene-d5		65	22-109
Terphenyl-d14		90	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-007
Description: HA09SB07 (2)	Matrix: Solid
Date Sampled: 06/02/2009 1120	% Solids: 87.7 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	100	06/04/2009 1805	DLB		11884	1.00

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		2800	630	ug/kg	1
Ethylbenzene	100-41-4	8260B	2200	J	2800	970	ug/kg	1
Toluene	108-88-3	8260B	ND		2800	970	ug/kg	1
Xylenes (total)	1330-20-7	8260B	18000		2800	1600	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		98	53-142
Bromofluorobenzene		97	47-138
Toluene-d8		92	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 13 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF03048-007			
Description: HA09SB07 (2)				Matrix: Solid			
Date Sampled: 06/02/2009 1120				% Solids: 87.7 06/04/2009 0059			
Date Received: 06/03/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/05/2009 1704	DC	06/04/2009 1742	11848
2	3550C	8270D	2	06/12/2009 1928	DC	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		76	12	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		76	12	ug/kg	1
Anthracene	120-12-7	8270D	ND		76	8.4	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	ND		76	10	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	ND		76	10	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	ND		76	11	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	ND		76	13	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	ND		76	11	ug/kg	1
Chrysene	218-01-9	8270D	ND		76	12	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		76	10	ug/kg	1
Fluoranthene	206-44-0	8270D	ND		76	12	ug/kg	1
Fluorene	86-73-7	8270D	ND		76	10	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		76	11	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	2600		76	11	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D	5800		150	22	ug/kg	2
Naphthalene	91-20-3	8270D	1600		76	12	ug/kg	1
Phenanthrene	85-01-8	8270D	18	J	76	10	ug/kg	1
Pyrene	129-00-0	8270D	ND		76	15	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		53	33-102		76	33-102
Nitrobenzene-d5		50	22-109		73	22-109
Terphenyl-d14		57	41-120		81	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-008
Description: HA09SB08 (2-3)	Matrix: Solid
Date Sampled: 06/02/2009 1245	% Solids: 89.1 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/04/2009 1226	DLB		11883	8.61

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		3.2	0.72	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		3.2	1.1	ug/kg	1
Toluene	108-88-3	8260B	ND		3.2	1.1	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		3.2	1.9	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		88	53-142
Bromofluorobenzene		84	47-138
Toluene-d8		82	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 15 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-008**Description: **HA09SB08 (2-3)**Matrix: **Solid**Date Sampled: **06/02/2009 1245**% Solids: **89.1 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/11/2009 1441	GLR	06/04/2009 1742	11848
2	3550C	8270D	1	06/15/2009 2318	GLR	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		73	12	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		73	11	ug/kg	1
Anthracene	120-12-7	8270D	38	J	73	8.1	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	72	J	73	9.6	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	62	J	73	10	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	63	J	73	10	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	ND		73	13	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	24	J	73	10	ug/kg	1
Chrysene	218-01-9	8270D	31	J	73	12	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		73	9.9	ug/kg	1
Fluoranthene	206-44-0	8270D	160		73	12	ug/kg	1
Fluorene	86-73-7	8270D	150		73	9.8	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		73	11	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	ND		73	11	ug/kg	2
2-Methylnaphthalene	91-57-6	8270D	ND		73	11	ug/kg	2
Naphthalene	91-20-3	8270D	ND		73	11	ug/kg	2
Phenanthrene	85-01-8	8270D	150		73	9.8	ug/kg	1
Pyrene	129-00-0	8270D	130		73	14	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		78	33-102		60	33-102
Nitrobenzene-d5		70	22-109		51	22-109
Terphenyl-d14		74	41-120		68	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-010
Description: HA09SB10 (4-5)	Matrix: Solid
Date Sampled: 06/02/2009 1315	% Solids: 82.4 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	200	06/04/2009 1828	DLB		11884	1.00

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		6100	1300	ug/kg	1
Ethylbenzene	100-41-4	8260B	8500		6100	2100	ug/kg	1
Toluene	108-88-3	8260B	ND		6100	2100	ug/kg	1
Xylenes (total)	1330-20-7	8260B	21000		6100	3500	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		114	53-142
Bromofluorobenzene		112	47-138
Toluene-d8		106	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 17 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-010**Description: **HA09SB10 (4-5)**Matrix: **Solid**Date Sampled: **06/02/2009 1315**% Solids: **82.4 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch		
1	3550C	8270D	1	06/14/2009 0827	GLR	06/12/2009 1730	12352		

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		81	13	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		81	12	ug/kg	1
Anthracene	120-12-7	8270D	68	J	81	8.9	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	110		81	11	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	130		81	11	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	110		81	12	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	110		81	14	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	120		81	12	ug/kg	1
Chrysene	218-01-9	8270D	110		81	13	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		81	11	ug/kg	1
Fluoranthene	206-44-0	8270D	110		81	13	ug/kg	1
Fluorene	86-73-7	8270D	60	J	81	11	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	110		81	12	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	1200		81	12	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D	1800		81	12	ug/kg	1
Naphthalene	91-20-3	8270D	680		81	12	ug/kg	1
Phenanthrene	85-01-8	8270D	81		81	11	ug/kg	1
Pyrene	129-00-0	8270D	110		81	16	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Fluorobiphenyl		79	33-102
Nitrobenzene-d5		65	22-109
Terphenyl-d14		84	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-012
Description: HA09SB12 (4-6)	Matrix: Solid
Date Sampled: 06/02/2009 1347	% Solids: 79.8 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	500	06/04/2009 1852	DLB		11884	1.00

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		16000	3400	ug/kg	1
Ethylbenzene	100-41-4	8260B	62000		16000	5300	ug/kg	1
Toluene	108-88-3	8260B	ND		16000	5300	ug/kg	1
Xylenes (total)	1330-20-7	8260B	66000		16000	9100	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4	N	152	53-142
Bromofluorobenzene		112	47-138
Toluene-d8		106	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 19 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-012**Description: **HA09SB12 (4-6)**Matrix: **Solid**Date Sampled: **06/02/2009 1347**% Solids: **79.8 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/14/2009 0848	GLR	06/12/2009 1730	12352
2	3550C	8270D	5	06/18/2009 1604	DC	06/12/2009 1730	12352

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		83	13	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		83	13	ug/kg	1
Anthracene	120-12-7	8270D	130		83	9.1	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	160		83	11	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	140		83	12	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	160		83	12	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	54	J	83	14	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	70	J	83	12	ug/kg	1
Chrysene	218-01-9	8270D	50	J	83	14	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		83	11	ug/kg	1
Fluoranthene	206-44-0	8270D	500		83	13	ug/kg	1
Fluorene	86-73-7	8270D	260		83	11	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	50	J	83	12	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	9200		410	62	ug/kg	2
2-Methylnaphthalene	91-57-6	8270D	12000		410	61	ug/kg	2
Naphthalene	91-20-3	8270D	6100		410	63	ug/kg	2
Phenanthrene	85-01-8	8270D	480		83	11	ug/kg	1
Pyrene	129-00-0	8270D	400		83	16	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		90	33-102		74	33-102
Nitrobenzene-d5		76	22-109		50	22-109
Terphenyl-d14		78	41-120		65	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-015
Description: HA09SB15 (2-4)	Matrix: Solid
Date Sampled: 06/02/2009 1500	% Solids: 86.8 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	200	06/08/2009 1629	DLB		12085	6.20

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		930	200	ug/kg	1
Ethylbenzene	100-41-4	8260B	12000		930	320	ug/kg	1
Toluene	108-88-3	8260B	ND		930	320	ug/kg	1
Xylenes (total)	1330-20-7	8260B	13000		930	540	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		99	53-142
Bromofluorobenzene		95	47-138
Toluene-d8		85	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 21 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-015**Description: **HA09SB15 (2-4)**Matrix: **Solid**Date Sampled: **06/02/2009 1500**% Solids: **86.8 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/05/2009 1802	DC	06/04/2009 1742	11848
2	3550C	8270D	5	06/12/2009 1949	DC	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		76	12	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		76	12	ug/kg	1
Anthracene	120-12-7	8270D	36	J	76	8.4	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	ND		76	10	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	47	J	76	10	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	57	J	76	11	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	24	J	76	13	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	20	J	76	11	ug/kg	1
Chrysene	218-01-9	8270D	ND		76	12	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		76	10	ug/kg	1
Fluoranthene	206-44-0	8270D	140		76	12	ug/kg	1
Fluorene	86-73-7	8270D	130		76	10	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		76	11	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	8500		380	57	ug/kg	2
2-Methylnaphthalene	91-57-6	8270D	11000		380	56	ug/kg	2
Naphthalene	91-20-3	8270D	3600		76	12	ug/kg	1
Phenanthrene	85-01-8	8270D	120		76	10	ug/kg	1
Pyrene	129-00-0	8270D	110		76	15	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		58	33-102		83	33-102
Nitrobenzene-d5		69	22-109		104	22-109
Terphenyl-d14		56	41-120		86	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

TPH - DRO

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-015
Description: HA09SB15 (2-4)	Matrix: Solid
Date Sampled: 06/02/2009 1500	% Solids: 86.8 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	3550B	8015B	1	06/13/2009 0714	ASB	06/10/2009 1145	12158			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-DRO		8015B	2500000	B	7600	1400	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
o - Terphenyl		70	55-120

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and $\geq$ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

TPH - GRO

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-015
Description: HA09SB15 (2-4)	Matrix: Solid
Date Sampled: 06/02/2009 1500	% Solids: 86.8 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	5030B	8015C	10	06/16/2009 1459	IVC		12560			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-GRO		8015C	1500000	B	56000	6900	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		127	45-132

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-017
Description: HA09SB17 (2-4)	Matrix: Solid
Date Sampled: 06/02/2009 1545	% Solids: 81.9 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	500	06/08/2009 1716	DLB		12085	7.64

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	2600		2000	440	ug/kg	1
Ethylbenzene	100-41-4	8260B	15000		2000	680	ug/kg	1
Toluene	108-88-3	8260B	30000		2000	680	ug/kg	1
Xylenes (total)	1330-20-7	8260B	67000		2000	1200	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		92	53-142
Bromofluorobenzene		86	47-138
Toluene-d8		80	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 25 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF03048-017			
Description: HA09SB17 (2-4)				Matrix: Solid			
Date Sampled: 06/02/2009 1545				% Solids: 81.9 06/04/2009 0059			
Date Received: 06/03/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D	1	06/05/2009 1842	DC	06/04/2009 1742	11848
2	3550C	8270D	2	06/11/2009 1546	GLR	06/04/2009 1742	11848

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D	ND		80	13	ug/kg	1
Acenaphthylene	208-96-8	8270D	ND		80	12	ug/kg	1
Anthracene	120-12-7	8270D	ND		80	8.9	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D	ND		80	10	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D	ND		80	11	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D	ND		80	12	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D	ND		80	14	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D	ND		80	11	ug/kg	1
Chrysene	218-01-9	8270D	ND		80	13	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		80	11	ug/kg	1
Fluoranthene	206-44-0	8270D	ND		80	13	ug/kg	1
Fluorene	86-73-7	8270D	85		80	11	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		80	12	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D	3600		80	12	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D	6200		160	24	ug/kg	2
Naphthalene	91-20-3	8270D	2200		80	12	ug/kg	1
Phenanthrene	85-01-8	8270D	ND		80	11	ug/kg	1
Pyrene	129-00-0	8270D	ND		80	16	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		66	33-102		91	33-102
Nitrobenzene-d5		76	22-109		71	22-109
Terphenyl-d14		69	41-120		85	41-120

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF03048-019
Description: HA09SB19 (4-6)	Matrix: Solid
Date Sampled: 06/02/2009 1615	% Solids: 82.1 06/04/2009 0059
Date Received: 06/03/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	500	06/08/2009 1852	DLB		12085	10.82

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	1800		1400	310	ug/kg	1
Ethylbenzene	100-41-4	8260B	7000		1400	480	ug/kg	1
Toluene	108-88-3	8260B	8400		1400	480	ug/kg	1
Xylenes (total)	1330-20-7	8260B	31000		1400	820	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		70	53-142
Bromofluorobenzene		77	47-138
Toluene-d8	N	59	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 27 of 54

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: **ARCADIS U.S., Inc.**Laboratory ID: **KF03048-019**Description: **HA09SB19 (4-6)**Matrix: **Solid**Date Sampled: **06/02/2009 1615**% Solids: **82.1 06/04/2009 0059**Date Received: **06/03/2009**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch		
1	3550C	8270D	1	06/05/2009 1921	DC	06/04/2009 1742	11848		
Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene	83-32-9	8270D	55	J	80	13	ug/kg	1	
Acenaphthylene	208-96-8	8270D	27	J	80	12	ug/kg	1	
Anthracene	120-12-7	8270D	ND		80	8.9	ug/kg	1	
Benzo(a)anthracene	56-55-3	8270D	ND		80	10	ug/kg	1	
Benzo(a)pyrene	50-32-8	8270D	ND		80	11	ug/kg	1	
Benzo(b)fluoranthene	205-99-2	8270D	ND		80	12	ug/kg	1	
Benzo(g,h,i)perylene	191-24-2	8270D	ND		80	14	ug/kg	1	
Benzo(k)fluoranthene	207-08-9	8270D	ND		80	11	ug/kg	1	
Chrysene	218-01-9	8270D	ND		80	13	ug/kg	1	
Dibenzo(a,h)anthracene	53-70-3	8270D	ND		80	11	ug/kg	1	
Fluoranthene	206-44-0	8270D	ND		80	13	ug/kg	1	
Fluorene	86-73-7	8270D	56	J	80	11	ug/kg	1	
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D	ND		80	12	ug/kg	1	
1-Methylnaphthalene	90-12-0	8270D	1700		80	12	ug/kg	1	
2-Methylnaphthalene	91-57-6	8270D	2300		80	12	ug/kg	1	
Naphthalene	91-20-3	8270D	1000		80	12	ug/kg	1	
Phenanthrene	85-01-8	8270D	ND		80	11	ug/kg	1	
Pyrene	129-00-0	8270D	ND		80	16	ug/kg	1	
Surrogate	Q	Run 1 % Recovery	Acceptance Limits						
2-Fluorobiphenyl		42	33-102						
Nitrobenzene-d5		30	22-109						
Terphenyl-d14		58	41-120						

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

QC Summary

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ11883-001

Matrix: Solid

Batch: 11883

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		1	5.0	1.1	ug/kg	06/04/2009 1022
Ethylbenzene	ND		1	5.0	1.7	ug/kg	06/04/2009 1022
Toluene	ND		1	5.0	1.7	ug/kg	06/04/2009 1022
Xylenes (total)	ND		1	5.0	2.9	ug/kg	06/04/2009 1022
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		95	47-138				
1,2-Dichloroethane-d4		80	53-142				
Toluene-d8		85	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ11883-002

Matrix: Solid

Batch: 11883

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	50	48		1	96	69-123	06/04/2009 0912
Ethylbenzene	50	47		1	95	59-128	06/04/2009 0912
Toluene	50	46		1	92	61-129	06/04/2009 0912
Xylenes (total)	100	91		1	91	58-128	06/04/2009 0912
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		99	47-138				
1,2-Dichloroethane-d4		85	53-142				
Toluene-d8		88	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ11883-003

Matrix: Solid

Batch: 11883

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	50	47		1	94	2.1	69-123	20	06/04/2009 0935
Ethylbenzene	50	46		1	93	1.9	59-128	20	06/04/2009 0935
Toluene	50	45		1	90	2.4	61-129	20	06/04/2009 0935
Xylenes (total)	100	91		1	91	0.64	58-128	20	06/04/2009 0935
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		98	47-138						
1,2-Dichloroethane-d4		83	53-142						
Toluene-d8		87	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ11884-001

Matrix: Solid

Batch: 11884

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		50	250	55	ug/kg	06/04/2009 1621
Ethylbenzene	ND		50	250	85	ug/kg	06/04/2009 1621
Toluene	ND		50	250	85	ug/kg	06/04/2009 1621
Xylenes (total)	ND		50	250	140	ug/kg	06/04/2009 1621
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		78	47-138				
1,2-Dichloroethane-d4		78	53-142				
Toluene-d8		76	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ11884-002

Matrix: Solid

Batch: 11884

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	2500	1800		50	73	69-123	06/04/2009 1534
Ethylbenzene	2500	1900		50	75	59-128	06/04/2009 1534
Toluene	2500	1800		50	71	61-129	06/04/2009 1534
Xylenes (total)	5000	3600		50	73	58-128	06/04/2009 1534
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		80	47-138				
1,2-Dichloroethane-d4		77	53-142				
Toluene-d8		75	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ11884-003

Matrix: Solid

Batch: 11884

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	2500	1800		50	74	0.63	69-123	20	06/04/2009 1558
Ethylbenzene	2500	1900		50	74	0.92	59-128	20	06/04/2009 1558
Toluene	2500	1800		50	71	0.092	61-129	20	06/04/2009 1558
Xylenes (total)	5000	3600		50	72	1.0	58-128	20	06/04/2009 1558
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		78	47-138						
1,2-Dichloroethane-d4		79	53-142						
Toluene-d8		76	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ12085-001

Matrix: Solid

Batch: 12085

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		50	250	55	ug/kg	06/04/2009 1621
Ethylbenzene	ND		50	250	85	ug/kg	06/04/2009 1621
Toluene	ND		50	250	85	ug/kg	06/04/2009 1621
Xylenes (total)	ND		50	250	140	ug/kg	06/04/2009 1621
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		78	47-138				
1,2-Dichloroethane-d4		78	53-142				
Toluene-d8		76	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12085-002

Matrix: Solid

Batch: 12085

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	2500	1800		50	73	69-123	06/04/2009 1534
Ethylbenzene	2500	1900		50	75	59-128	06/04/2009 1534
Toluene	2500	1800		50	71	61-129	06/04/2009 1534
Xylenes (total)	5000	3600		50	73	58-128	06/04/2009 1534
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		80	47-138				
1,2-Dichloroethane-d4		77	53-142				
Toluene-d8		75	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ12085-003

Matrix: Solid

Batch: 12085

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	2500	1800		50	74	0.63	69-123	20	06/04/2009 1558
Ethylbenzene	2500	1900		50	74	0.92	59-128	20	06/04/2009 1558
Toluene	2500	1800		50	71	0.092	61-129	20	06/04/2009 1558
Xylenes (total)	5000	3600		50	72	1.0	58-128	20	06/04/2009 1558
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		78	47-138						
1,2-Dichloroethane-d4		79	53-142						
Toluene-d8		76	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ12087-001

Matrix: Solid

Batch: 12087

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		1	5.0	1.1	ug/kg	06/08/2009 1411
Ethylbenzene	ND		1	5.0	1.7	ug/kg	06/08/2009 1411
Toluene	ND		1	5.0	1.7	ug/kg	06/08/2009 1411
Xylenes (total)	ND		1	5.0	2.9	ug/kg	06/08/2009 1411
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		99	47-138				
1,2-Dichloroethane-d4		73	53-142				
Toluene-d8		81	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12087-002

Matrix: Solid

Batch: 12087

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	50	46		1	93	69-123	06/08/2009 1300
Ethylbenzene	50	48		1	96	59-128	06/08/2009 1300
Toluene	50	46		1	92	61-129	06/08/2009 1300
Xylenes (total)	100	93		1	93	58-128	06/08/2009 1300
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		99	47-138				
1,2-Dichloroethane-d4		72	53-142				
Toluene-d8		81	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ12087-003

Matrix: Solid

Batch: 12087

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	50	45		1	90	3.1	69-123	20	06/08/2009 1324
Ethylbenzene	50	47		1	93	3.3	59-128	20	06/08/2009 1324
Toluene	50	45		1	90	2.4	61-129	20	06/08/2009 1324
Xylenes (total)	100	90		1	90	3.5	58-128	20	06/08/2009 1324
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		100	47-138						
1,2-Dichloroethane-d4		73	53-142						
Toluene-d8		81	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MB

Sample ID: KQ11848-001

Matrix: Solid

Batch: 11848

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/04/2009 1742

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
1-Methylnaphthalene	ND		1	67	10	ug/kg	06/08/2009 1632
2-Methylnaphthalene	ND		1	67	9.9	ug/kg	06/08/2009 1632
Acenaphthene	ND		1	67	11	ug/kg	06/08/2009 1632
Acenaphthylene	ND		1	67	10	ug/kg	06/08/2009 1632
Anthracene	ND		1	67	7.4	ug/kg	06/08/2009 1632
Benzo(a)anthracene	ND		1	67	8.8	ug/kg	06/08/2009 1632
Benzo(a)pyrene	ND		1	67	9.3	ug/kg	06/08/2009 1632
Benzo(b)fluoranthene	ND		1	67	9.6	ug/kg	06/08/2009 1632
Benzo(g,h,i)perylene	ND		1	67	12	ug/kg	06/08/2009 1632
Benzo(k)fluoranthene	ND		1	67	9.5	ug/kg	06/08/2009 1632
Chrysene	ND		1	67	11	ug/kg	06/08/2009 1632
Dibenzo(a,h)anthracene	ND		1	67	9.1	ug/kg	06/08/2009 1632
Fluoranthene	ND		1	67	10	ug/kg	06/08/2009 1632
Fluorene	ND		1	67	9.0	ug/kg	06/08/2009 1632
Indeno(1,2,3-c,d)pyrene	ND		1	67	9.7	ug/kg	06/08/2009 1632
Naphthalene	ND		1	67	10	ug/kg	06/08/2009 1632
Phenanthrene	ND		1	67	9.0	ug/kg	06/08/2009 1632
Pyrene	ND		1	67	13	ug/kg	06/08/2009 1632
Surrogate	Q	% Rec	Acceptance Limit				
2-Fluorobiphenyl		58	33-102				
Nitrobenzene-d5		52	22-109				
Terphenyl-d14		60	41-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - LCS

Sample ID: KQ11848-002

Matrix: Solid

Batch: 11848

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/04/2009 1742

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
2-Methylnaphthalene	1300	890		1	66	30-130	06/05/2009 1507
Acenaphthene	1300	920		1	69	30-130	06/05/2009 1507
Acenaphthylene	1300	1100		1	85	30-130	06/05/2009 1507
Anthracene	1300	1000		1	78	30-130	06/05/2009 1507
Benzo(a)anthracene	1300	1100		1	81	30-130	06/05/2009 1507
Benzo(a)pyrene	1300	1300		1	97	30-130	06/05/2009 1507
Benzo(b)fluoranthene	1300	1100		1	80	30-130	06/05/2009 1507
Benzo(g,h,i)perylene	1300	1000		1	78	30-130	06/05/2009 1507
Benzo(k)fluoranthene	1300	1100		1	80	30-130	06/05/2009 1507
Chrysene	1300	1100		1	80	30-130	06/05/2009 1507
Dibenzo(a,h)anthracene	1300	1000		1	76	30-130	06/05/2009 1507
Fluoranthene	1300	1000		1	80	30-130	06/05/2009 1507
Fluorene	1300	960		1	72	30-130	06/05/2009 1507
Indeno(1,2,3-c,d)pyrene	1300	1100		1	82	30-130	06/05/2009 1507
Naphthalene	1300	840		1	63	30-130	06/05/2009 1507
Phenanthrene	1300	1000		1	77	30-130	06/05/2009 1507
Pyrene	1300	1000		1	79	30-130	06/05/2009 1507
Surrogate	Q	% Rec	Acceptance Limit				
2-Fluorobiphenyl		72	33-102				
Nitrobenzene-d5		66	22-109				
Terphenyl-d14		75	41-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MS

Sample ID: KF03048-001MS

Matrix: Solid

Batch: 11848

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/04/2009 1742

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Acenaphthene	ND	1600	910		1	55	30-130	06/05/2009 1546
Acenaphthylene	ND	1600	1100		1	69	30-130	06/05/2009 1546
Anthracene	ND	1600	1000		1	63	30-130	06/05/2009 1546
Benzo(a)anthracene	ND	1600	1100		1	67	30-130	06/05/2009 1546
Benzo(a)pyrene	ND	1600	1300		1	82	30-130	06/05/2009 1546
Benzo(b)fluoranthene	ND	1600	1100		1	65	30-130	06/05/2009 1546
Benzo(g,h,i)perylene	ND	1600	1000		1	63	30-130	06/05/2009 1546
Benzo(k)fluoranthene	ND	1600	1100		1	66	30-130	06/05/2009 1546
Chrysene	ND	1600	1100		1	66	30-130	06/05/2009 1546
Dibenzo(a,h)anthracene	ND	1600	1100		1	67	30-130	06/05/2009 1546
Fluoranthene	ND	1600	1100		1	66	30-130	06/05/2009 1546
Fluorene	ND	1600	980		1	59	30-130	06/05/2009 1546
Indeno(1,2,3-c,d)pyrene	ND	1600	1100		1	68	30-130	06/05/2009 1546
2-Methylnaphthalene	ND	1600	850		1	52	30-130	06/05/2009 1546
Naphthalene	ND	1600	820		1	50	30-130	06/05/2009 1546
Phenanthrene	ND	1600	1000		1	63	30-130	06/05/2009 1546
Pyrene	ND	1600	1100		1	65	30-130	06/05/2009 1546
Surrogate	Q	% Rec	Acceptance Limit					
2-Fluorobiphenyl		60	33-102					
Nitrobenzene-d5		54	22-109					
Terphenyl-d14		63	41-120					

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MSD

Sample ID: KF03048-001MD

Matrix: Solid

Batch: 11848

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/04/2009 1742

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Acenaphthene	ND	1600	690	+	1	43	27	30-130	20	06/05/2009 1605
Acenaphthylene	ND	1600	870	+	1	54	26	30-130	20	06/05/2009 1605
Anthracene	ND	1600	1100		1	66	3.3	30-130	20	06/05/2009 1605
Benzo(a)anthracene	ND	1600	1200		1	77	12	30-130	20	06/05/2009 1605
Benzo(a)pyrene	ND	1600	1600		1	97	16	30-130	20	06/05/2009 1605
Benzo(b)fluoranthene	ND	1600	1200		1	74	10	30-130	20	06/05/2009 1605
Benzo(g,h,i)perylene	ND	1600	1200		1	73	12	30-130	20	06/05/2009 1605
Benzo(k)fluoranthene	ND	1600	1300		1	78	14	30-130	20	06/05/2009 1605
Chrysene	ND	1600	1300		1	78	15	30-130	20	06/05/2009 1605
Dibenzo(a,h)anthracene	ND	1600	1300		1	78	14	30-130	20	06/05/2009 1605
Fluoranthene	ND	1600	1200		1	72	6.8	30-130	20	06/05/2009 1605
Fluorene	ND	1600	770	+	1	48	23	30-130	20	06/05/2009 1605
Indeno(1,2,3-c,d)pyrene	ND	1600	1300		1	78	12	30-130	20	06/05/2009 1605
2-Methylnaphthalene	ND	1600	680	+	1	42	22	30-130	20	06/05/2009 1605
Naphthalene	ND	1600	630	+	1	39	26	30-130	20	06/05/2009 1605
Phenanthrene	ND	1600	1100		1	66	2.5	30-130	20	06/05/2009 1605
Pyrene	ND	1600	1200		1	78	16	30-130	20	06/05/2009 1605
Surrogate	Q	% Rec	Acceptance Limit							
2-Fluorobiphenyl		44	33-102							
Nitrobenzene-d5		42	22-109							
Terphenyl-d14		69	41-120							

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MB

Sample ID: KQ12352-001

Matrix: Solid

Batch: 12352

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/12/2009 1730

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
1-Methylnaphthalene	ND		1	67	10	ug/kg	06/15/2009 0411
2-Methylnaphthalene	ND		1	67	9.9	ug/kg	06/15/2009 0411
Acenaphthene	ND		1	67	11	ug/kg	06/15/2009 0411
Acenaphthylene	ND		1	67	10	ug/kg	06/15/2009 0411
Anthracene	ND		1	67	7.4	ug/kg	06/15/2009 0411
Benzo(a)anthracene	ND		1	67	8.8	ug/kg	06/15/2009 0411
Benzo(a)pyrene	ND		1	67	9.3	ug/kg	06/15/2009 0411
Benzo(b)fluoranthene	ND		1	67	9.6	ug/kg	06/15/2009 0411
Benzo(g,h,i)perylene	ND		1	67	12	ug/kg	06/15/2009 0411
Benzo(k)fluoranthene	ND		1	67	9.5	ug/kg	06/15/2009 0411
Chrysene	ND		1	67	11	ug/kg	06/15/2009 0411
Dibenzo(a,h)anthracene	ND		1	67	9.1	ug/kg	06/15/2009 0411
Fluoranthene	ND		1	67	10	ug/kg	06/15/2009 0411
Fluorene	ND		1	67	9.0	ug/kg	06/15/2009 0411
Indeno(1,2,3-c,d)pyrene	ND		1	67	9.7	ug/kg	06/15/2009 0411
Naphthalene	ND		1	67	10	ug/kg	06/15/2009 0411
Phenanthrene	ND		1	67	9.0	ug/kg	06/15/2009 0411
Pyrene	ND		1	67	13	ug/kg	06/15/2009 0411
Surrogate	Q	% Rec	Acceptance Limit				
2-Fluorobiphenyl		75	33-102				
Nitrobenzene-d5		74	22-109				
Terphenyl-d14		85	41-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12352-002

Matrix: Solid

Batch: 12352

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/12/2009 1730

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
2-Methylnaphthalene	1300	1200		1	88	30-130	06/14/2009 0744
Acenaphthene	1300	1200		1	90	30-130	06/14/2009 0744
Acenaphthylene	1300	1700		1	128	30-130	06/14/2009 0744
Anthracene	1300	1200		1	93	30-130	06/14/2009 0744
Benzo(a)anthracene	1300	1300		1	99	30-130	06/14/2009 0744
Benzo(a)pyrene	1300	1700		1	126	30-130	06/14/2009 0744
Benzo(b)fluoranthene	1300	1300		1	100	30-130	06/14/2009 0744
Benzo(g,h,i)perylene	1300	1300		1	100	30-130	06/14/2009 0744
Benzo(k)fluoranthene	1300	1400		1	102	30-130	06/14/2009 0744
Chrysene	1300	1400		1	102	30-130	06/14/2009 0744
Dibenzo(a,h)anthracene	1300	1400		1	102	30-130	06/14/2009 0744
Fluoranthene	1300	1200		1	94	30-130	06/14/2009 0744
Fluorene	1300	1300		1	96	30-130	06/14/2009 0744
Indeno(1,2,3-c,d)pyrene	1300	1300		1	100	30-130	06/14/2009 0744
Naphthalene	1300	1100		1	84	30-130	06/14/2009 0744
Phenanthrene	1300	1300		1	96	30-130	06/14/2009 0744
Pyrene	1300	1300		1	100	30-130	06/14/2009 0744
Surrogate	Q	% Rec	Acceptance Limit				
2-Fluorobiphenyl		93	33-102				
Nitrobenzene-d5		90	22-109				
Terphenyl-d14		92	41-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MS

Sample ID: KF03048-012MS

Matrix: Solid

Batch: 12352

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/12/2009 1730

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Acenaphthene	ND	1600	2100		1	128	30-130	06/15/2009 0535
Acenaphthylene	ND	1600	2400	N	1	146	30-130	06/15/2009 0535
Anthracene	130	1600	1800		1	101	30-130	06/15/2009 0535
Benzo(a)anthracene	160	1600	1800		1	98	30-130	06/15/2009 0535
Benzo(a)pyrene	140	1600	2200		1	124	30-130	06/15/2009 0535
Benzo(b)fluoranthene	160	1600	1800		1	100	30-130	06/15/2009 0535
Benzo(g,h,i)perylene	54	1600	1600		1	94	30-130	06/15/2009 0535
Benzo(k)fluoranthene	70	1600	1600		1	95	30-130	06/15/2009 0535
Chrysene	50	1600	1700		1	100	30-130	06/15/2009 0535
Dibenzo(a,h)anthracene	ND	1600	1600		1	95	30-130	06/15/2009 0535
Fluoranthene	500	1600	2600		1	126	30-130	06/15/2009 0535
Fluorene	260	1600	2000		1	106	30-130	06/15/2009 0535
Indeno(1,2,3-c,d)pyrene	50	1600	1600		1	94	30-130	06/15/2009 0535
2-Methylnaphthalene	12000	1600	26000	N	1	870	30-130	06/15/2009 0535
Naphthalene	6100	1600	14000	N	1	469	30-130	06/15/2009 0535
Phenanthrene	480	1600	2500		1	124	30-130	06/15/2009 0535
Pyrene	400	1600	2400		1	120	30-130	06/15/2009 0535
Surrogate	Q	% Rec	Acceptance Limit					
2-Fluorobiphenyl	N	114	33-102					
Nitrobenzene-d5	N	136	22-109					
Terphenyl-d14		89	41-120					

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Semivolatile Organic Compounds by GC/MS - MSD

Sample ID: KF03048-012MD

Matrix: Solid

Batch: 12352

Prep Method: 3550C

Analytical Method: 8270D

Prep Date: 06/12/2009 1730

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Acenaphthene	ND	1600	1600	+	1	98	28	30-130	20	06/14/2009 0931
Acenaphthylene	ND	1600	2300	N	1	140	5.8	30-130	20	06/14/2009 0931
Anthracene	130	1600	1700		1	97	5.0	30-130	20	06/14/2009 0931
Benzo(a)anthracene	160	1600	1800		1	100	0.93	30-130	20	06/14/2009 0931
Benzo(a)pyrene	140	1600	2200		1	125	0.11	30-130	20	06/14/2009 0931
Benzo(b)fluoranthene	160	1600	1700		1	96	4.7	30-130	20	06/14/2009 0931
Benzo(g,h,i)perylene	54	1600	1600		1	93	1.9	30-130	20	06/14/2009 0931
Benzo(k)fluoranthene	70	1600	1700		1	100	4.1	30-130	20	06/14/2009 0931
Chrysene	50	1600	1700		1	98	3.0	30-130	20	06/14/2009 0931
Dibenzo(a,h)anthracene	ND	1600	1600		1	95	0.85	30-130	20	06/14/2009 0931
Fluoranthene	500	1600	2500		1	120	5.1	30-130	20	06/14/2009 0931
Fluorene	260	1600	1900		1	98	7.8	30-130	20	06/14/2009 0931
Indeno(1,2,3-c,d)pyrene	50	1600	1600		1	94	1.3	30-130	20	06/14/2009 0931
2-Methylnaphthalene	12000	1600	28000	N	1	984	6.2	30-130	20	06/14/2009 0931
Naphthalene	6100	1600	15000	N	1	566	10	30-130	20	06/14/2009 0931
Phenanthrene	480	1600	2500		1	120	3.0	30-130	20	06/14/2009 0931
Pyrene	400	1600	2400		1	120	0.95	30-130	20	06/14/2009 0931
Surrogate	Q	% Rec	Acceptance Limit							
2-Fluorobiphenyl	N	109	33-102							
Nitrobenzene-d5	N	126	22-109							
Terphenyl-d14		87	41-120							

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

TPH - DRO - MB

Sample ID: KQ12158-001

Batch: 12158

Analytical Method: 8015B

Matrix: Solid

Prep Method: 3550B

Prep Date: 06/10/2009 1145

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
TPH-DRO	3900	J	1	6700	1200	ug/kg	06/13/2009 0635
Surrogate	Q	% Rec	Acceptance Limit				
o - Terphenyl		72	55-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

TPH - DRO - LCS

Sample ID: KQ12158-002

Matrix: Solid

Batch: 12158

Prep Method: 3550B

Analytical Method: 8015B

Prep Date: 06/10/2009 1145

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
TPH-DRO	83000	70000		1	84	50-130	06/13/2009 0655
Surrogate	Q	% Rec	Acceptance Limit				
o - Terphenyl		77	55-120				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

TPH - GRO - MB

Sample ID: KQ12560-001

Matrix: Solid

Batch: 12560

Prep Method: 5030B

Analytical Method: 8015C

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
TPH-GRO	650	J	1	5000	620	ug/kg	06/16/2009 1059
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		126	45-132				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

TPH - GRO - LCS

Sample ID: KQ12560-002

Matrix: Solid

Batch: 12560

Prep Method: 5030B

Analytical Method: 8015C

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
TPH-GRO	50000	62000		1	124	70-130	06/16/2009 1639
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		97	45-132				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

TPH - GRO - LCSD

Sample ID: KQ12560-003

Matrix: Solid

Batch: 12560

Prep Method: 5030B

Analytical Method: 8015C

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
TPH-GRO	50000	54000		1	108	13	70-130	20	06/16/2009 1704
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		94	45-132						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Laboratory Task Order No./P.O. No.:

CHAIN-OF-CUSTODY RECORD

Page 5 of 8

Project Number/Name GPO8H4FS.H09A.KGdEX

Project Location Hunter Army Airfield H4A-9

Laboratory Shealy

Project Manager Chuck Bertz

Sampler(s)/Affiliation
Areadis

ANALYSIS / METHOD / SIZE

BTEX
DATA

87050-J7

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID							Remarks	Total
HA09SB16(2-4)	S	6-2-09/1515		4	1						5
HA09SB17(2-4)	S	6-2-09/1545		4	1						5
HA09SB18(2-4)											
HA09SB18(2-4)	S	6-2-09/1600		4	1						5
HA09SB19(4-6)	S	6-2-09/1615		4	1						5
HA09SB20(2-4)	S	6-2-09/1640		4	1						5

Total No. of Bottles/ Containers	25
-------------------------------------	----

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: 	Organization: <u>Arcadis</u>	Date <u>6/20/09</u>	Time <u>1830</u>	Seal Intact? ☒ Yes ☐ No ☐ N/A
Received by: _____	Organization: _____	Date <u>1/1</u>	Time _____	

Received by:	Organization:	Date	Time	Seal Intact?
Relinquished by: <i>F. J. D. 164</i>	Organization: <i>F. J. D. 164</i>	Date <i>6-13-69</i>	Time <i>0930</i>	Seal Intact? <i>Yes</i>
Received by: <i>G. Lane</i>	Organization: <i>Shady Grove</i>	Date <i>6-13-69</i>	Time <i>0930</i>	Seal Intact? <i>N/A</i>

Special Instructions/Remarks:

T-26, 4.0

Delivery Method: ☐ In Person ☒ Common Carrier Fed Ex SPECIM ☐ Lab Courier ☐ Other SPECIM AG 25-1251



Laboratory Task Order No./P.O. No. CHAIN-OF-CUSTODY RECORD Page 1 of 2

Project Number/Name SP08HAFS-H09A.KG-0EX

Project Location Hunter Army Airfield H4A-9

Laboratory Shealy

Project Manager Chuck Bartz

Sampler(s)/Affiliation Arcadis

ANALYSIS / METHOD / SIZE

KF03048

BTX PAH

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
HA09SB01(6)	S	6-2-09/0922		4 1	5
HA09SB02(5)	S	6-2-09/0937		4 1	1
HA09SB03(3)	S	6-2-09/1000		4 1	
HA09SB04(3)	S	6-2-09/1020		4 1	
HA09SB05(1)	S	6-2-09/1040		4 1	
HA09SB06(1)	S	6-2-09/1100		4 1	
HA09SB07(2)	S	6-2-09/1120		4 1	
HA09SB08(2-3)	S	6-2-09/1245		4 1	
HA09SB09(2-3)	S	6-2-09/1300		4 1	
HA09SB10(4-5)	S	6-2-09/1315		4 1	
HA09SB11(6-2)	S	6-2-09/1335		4 1	
HA09SB12(4-6)	S	6-2-09/1347		4 1	
HA09SB13(2-3)	S	6-2-09/1415		4 1	
HA09SB14(2-4)	S	6-2-09/1435		4 1	
HA09SB15(2-4)	S	6-2-09/1500		4 1	75

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: John P. [Signature] Organization: Arcadis Date: 6-2-09 Time: 1030 Seal Intact? Yes No N/A

Received by: Organization: Date: Time: Seal Intact? Yes No N/A

Relinquished by: Organization: Date: 6-13-09 Time: 0930 Seal Intact? Yes No N/A

Received by: Organization: Date: 6-13-09 Time: 0930 Seal Intact? Yes No N/A

Special Instructions/Remarks:

T=2.6,4.0

Delivery Method: ☐ In Person☐ Lab Courier☐ OtherCommon Carrier Fed Ex

SPECIFY AS US '001

SHEALY ENVIRONMENTAL SERVICES, INC.

Shealy Environmental Services, Inc.
Document Number: F-AD-016
Revision Number: 6

Page 1 of 1
Replaces Date: 09/22/06
Effective Date: 05/29/07

Sample Receipt Checklist (SRC)

Client: Arcadis Cooler Inspected by/date: DMP/4/3/09 Lot #: KF03048

Means of receipt: ☐ SESI ☐ Client ☐ UPS ☒ FedEx ☐ Airborne Exp ☐ Other		
Yes ☒	No ☐	NA ☐
1. Were custody seals present on the cooler?		
Yes ☒	No ☐	NA ☐
2. If custody seals were present, were they intact and unbroken?		
Cooler ID/temperature upon receipt <u>2/4</u> °C <u>40</u> °C <u>/</u> °C <u>/</u> °C		
<u>/</u> °C <u>/</u> °C <u>/</u> °C <u>/</u> °C		
Method: ☐ Temperature Blank ☒ Against Bottles		
Method of coolant: ☒ Wet Ice ☐ Blue Ice ☐ Dry Ice ☐ None		
If response is No (or Yes for 14, 15, 16), an explanation/resolution must be provided.		
Yes ☐	No ☐	NA ☒
3. If temperature of any cooler exceeded 6.0°C, was Project Manager notified? PM notified by SRC, phone, note (circle one), other: _____ (For coolers received via commercial courier, PMs are to be notified immediately.)		
Yes ☒	No ☐	NA ☐
4. Is the commercial courier's packing slip attached to this form?		
Yes ☐	No ☒	NA ☐
5. Were proper custody procedures (relinquished/received) followed?		
Yes ☒	No ☐	NA ☐
6. Were sample IDs listed?		
Yes ☒	No ☐	NA ☐
7. Was collection date & time listed?		
Yes ☒	No ☐	NA ☐
8. Were tests to be performed listed on the COC or was quote # provided?		
Yes ☒	No ☐	NA ☐
9. Did all samples arrive in the proper containers for each test?		
Yes ☒	No ☐	NA ☐
10. Did all container label information (ID, date, time) agree with COC?		
Yes ☒	No ☐	NA ☐
11. Did all containers arrive in good condition (unbroken, lids on, etc.)?		
Yes ☒	No ☐	NA ☐
12. Was adequate sample volume available?		
Yes ☒	No ☐	NA ☐
13. Were all samples received within 1/2 the holding time or 48 hours, whichever comes first?		
Yes ☐	No ☒	NA ☐
14. Were any samples containers missing?		
Yes ☐	No ☒	NA ☐
15. Were there any excess samples not listed on COC?		
Yes ☐	No ☐	NA ☒
16. Were bubbles present >"pea-size" (1/4" or 6mm in diameter) in any VOA vials?		
Yes ☐	No ☐	NA ☒
17. Were all metals/O&G/HEM/nutrient samples received at a pH of <2?		
Yes ☐	No ☐	NA ☒
18. Were all cyanide and/or sulfide samples received at a pH >12?		
Yes ☐	No ☐	NA ☒
19. Were all applicable NH3/TKN/cyanide/phenol/BNA/pest/PCB/herb (<0.2mg/L) and toxicity (<0.1mg/L) samples free of residual chlorine?		
Yes ☐	No ☐	NA ☒
20. Were collection temperatures documented on the COC for NC samples?		
Yes ☐	No ☐	NA ☒
Sample Preservation (Must be completed for any sample(s) incorrectly preserved or with headspace.)		
Sample(s) _____ were received incorrectly preserved and were adjusted accordingly in sample receiving with _____ (H ₂ SO ₄ , HNO ₃ , HCl, NaOH) with the SR # (number) _____		
Sample(s) _____ were received with bubbles >6 mm in diameter.		
Sample(s) _____ were received with TRC >0.2 mg/L for NH3/TKN/cyanide/BNA/pest/PCB/herb.		
Toxicity sample(s) _____ were received with TRC >0.1 mg/L and were analyzed by method 330.5.		

Corrective Action taken, if necessary:

Was client notified: Yes ☐ No ☐

SESI employee: _____

Comments: _____

Did client respond: Yes ☐ No ☐

Date of response: _____

Report of Analysis

ARCADIS U.S., Inc.
30 Patewood Drive
Suite 155
Greenville, SC 29615
Attention: Janet Christy

Project Name: Hunter Army Airfield HAA-9

Project Number: GP08HAFS.H09A.KG0EX

Lot Number: KF04029

Date Completed: 06/16/2009

Date Revised: 06/29/2009



Nisreen Saikaly
Project Manager



This report shall not be reproduced, except in its entirety, without the written approval of Shealy Environmental Services, Inc.

The following non-paginated documents are considered part of this report: Chain of Custody Record and Sample Receipt Checklist.

* KF04029 *

SHEALY ENVIRONMENTAL SERVICES, INC.

SC DHEC No: 32010

NELAC No: E87653

NC DEHNR No: 329

Case Narrative ARCADIS U.S., Inc. Lot Number: KF04029

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved NELAC standards, the Shealy Environmental Services, Inc. ("Shealy") Quality Assurance Management Plan (QAMP), standard operating procedures (SOPs), and Shealy policies. Any exceptions to the NELAC standards, the QAMP, SOPs or policies are qualified on the results page or discussed below.

If you have any questions regarding this report please contact the Shealy Project Manager listed on the cover page.

Semivolatile Organic Compounds by GC/MS (SIM)

The surrogate recovery samples -001, -005, -006, 015 and -018 were outside the acceptance limit. This sample was diluted. The dilution impacted the surrogate recoveries, thus negating their usefulness concerning quality control. The sample results are reported and no corrective action is required.

The MS/MSD recoveries for many analytes in batch 12156 were outside acceptance criteria. All other QA/QC criteria for the batch were within acceptance criteria and method control limits. The MS/MSD recovery results are attributed to matrix interference. The associated sample results were reported and no corrective action was required.

Volatile Organic Compounds by GC/MS

The surrogate recovery samples -006, -012 and -018 were outside the acceptance limit. This sample was diluted. The dilution impacted the surrogate recoveries, thus negating their usefulness concerning quality control. The sample results are reported and no corrective action is required.

The LCS/LCSD recovery associated with samples -001, 003, -005, -006, -011, -012, -013, -015, -016, -018 and -022 for MTBE was outside acceptance criteria. This test was added after the results had been mailed.

DRO

Sample -006, -016 has an unknown fuel pattern associated with the DRO analysis.

The MS/MSD recoveries in batch 12158 were outside acceptance criteria. All other QA/QC criteria for the batch were within acceptance criteria and method control limits. The MS/MSD recovery results are attributed to matrix interference. The associated sample results were reported and no corrective action was required.

SHEALY ENVIRONMENTAL SERVICES, INC.

Sample Summary ARCADIS U.S., Inc. Lot Number: KF04029

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	HA09SB21 (2-4)	Solid	06/03/2009 0845	06/04/2009
002	HA09SB22 (4-6)	Solid	06/03/2009 0900	06/04/2009
003	HA09SB23 (2-4)	Solid	06/03/2009 0915	06/04/2009
004	HA09SB24 (6-7)	Solid	06/03/2009 0945	06/04/2009
005	HA09SB25 (4-6)	Solid	06/03/2009 1000	06/04/2009
006	HA09SB26 (4-6)	Solid	06/03/2009 1020	06/04/2009
007	HA09SB27 (4-6)	Solid	06/03/2009 1035	06/04/2009
008	HA09SB28 (2-3)	Solid	06/03/2009 1050	06/04/2009
009	HA09SB29 (4-6)	Solid	06/03/2009 1100	06/04/2009
010	HA09SB30 (2-4)	Solid	06/03/2009 1110	06/04/2009
011	HA09SB31 (2-4)	Solid	06/03/2009 1120	06/04/2009
012	HA09SB32 (4-6)	Solid	06/03/2009 1130	06/04/2009
013	HA09SB33 (2-4)	Solid	06/03/2009 1300	06/04/2009
014	HA09SB34 (4-6)	Solid	06/03/2009 1330	06/04/2009
015	HA09SB35 (4-6)	Solid	06/03/2009 1345	06/04/2009
016	HA09SB36 (2-4)	Solid	06/03/2009 1410	06/04/2009
017	HA09SB37 (2-4)	Solid	06/03/2009 1425	06/04/2009
018	HA09SB38 (4-6)	Solid	06/03/2009 1500	06/04/2009
019	HA09SB39 (4-6)	Solid	06/03/2009 1515	06/04/2009
020	HA09SB40 (4-6)	Solid	06/03/2009 1530	06/04/2009
021	HA09SB41 (4-6)	Solid	06/03/2009 1600	06/04/2009
022	HA09SB42 (2-4)	Solid	06/03/2009 1630	06/04/2009

(22 samples)

SHEALY ENVIRONMENTAL SERVICES, INC.

Executive Summary

ARCADIS U.S., Inc.

Lot Number: KF04029

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	HA09SB21 (2-4)	Solid	Benzene	8260B	5000		ug/kg	7
001	HA09SB21 (2-4)	Solid	Ethylbenzene	8260B	72000		ug/kg	7
001	HA09SB21 (2-4)	Solid	Toluene	8260B	2600		ug/kg	7
001	HA09SB21 (2-4)	Solid	Xylenes (total)	8260B	260000		ug/kg	7
001	HA09SB21 (2-4)	Solid	Acenaphthene	8270D (SIM)	120		ug/kg	8
001	HA09SB21 (2-4)	Solid	Fluoranthene	8270D (SIM)	47	J	ug/kg	8
001	HA09SB21 (2-4)	Solid	1-Methylnaphthalene	8270D (SIM)	2100		ug/kg	8
001	HA09SB21 (2-4)	Solid	2-Methylnaphthalene	8270D (SIM)	2900		ug/kg	8
001	HA09SB21 (2-4)	Solid	Naphthalene	8270D (SIM)	1600		ug/kg	8
003	HA09SB23 (2-4)	Solid	Ethylbenzene	8260B	550		ug/kg	9
003	HA09SB23 (2-4)	Solid	Xylenes (total)	8260B	4800		ug/kg	9
003	HA09SB23 (2-4)	Solid	Benzo(a)pyrene	8270D (SIM)	4.1		ug/kg	10
003	HA09SB23 (2-4)	Solid	Benzo(b)fluoranthene	8270D (SIM)	4.4		ug/kg	10
003	HA09SB23 (2-4)	Solid	Benzo(g,h,i)perylene	8270D (SIM)	10		ug/kg	10
003	HA09SB23 (2-4)	Solid	Indeno(1,2,3-c,d)pyrene	8270D (SIM)	8.5		ug/kg	10
003	HA09SB23 (2-4)	Solid	1-Methylnaphthalene	8270D (SIM)	26		ug/kg	10
003	HA09SB23 (2-4)	Solid	2-Methylnaphthalene	8270D (SIM)	30		ug/kg	10
003	HA09SB23 (2-4)	Solid	Naphthalene	8270D (SIM)	78		ug/kg	10
005	HA09SB25 (4-6)	Solid	Benzene	8260B	1400		ug/kg	11
005	HA09SB25 (4-6)	Solid	Ethylbenzene	8260B	30000		ug/kg	11
005	HA09SB25 (4-6)	Solid	Xylenes (total)	8260B	9300		ug/kg	11
005	HA09SB25 (4-6)	Solid	Acenaphthene	8270D (SIM)	69		ug/kg	12
005	HA09SB25 (4-6)	Solid	Acenaphthylene	8270D (SIM)	51		ug/kg	12
005	HA09SB25 (4-6)	Solid	Benzo(g,h,i)perylene	8270D (SIM)	66		ug/kg	12
005	HA09SB25 (4-6)	Solid	Dibenzo(a,h)anthracene	8270D (SIM)	50		ug/kg	12
005	HA09SB25 (4-6)	Solid	Indeno(1,2,3-c,d)pyrene	8270D (SIM)	53		ug/kg	12
005	HA09SB25 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	980		ug/kg	12
005	HA09SB25 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	1400		ug/kg	12
005	HA09SB25 (4-6)	Solid	Naphthalene	8270D (SIM)	600		ug/kg	12
006	HA09SB26 (4-6)	Solid	Benzene	8260B	11000		ug/kg	13
006	HA09SB26 (4-6)	Solid	Ethylbenzene	8260B	200000		ug/kg	13
006	HA09SB26 (4-6)	Solid	Toluene	8260B	6000		ug/kg	13
006	HA09SB26 (4-6)	Solid	Xylenes (total)	8260B	510000		ug/kg	13
006	HA09SB26 (4-6)	Solid	Fluorene	8270D (SIM)	44	J	ug/kg	14
006	HA09SB26 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	1600		ug/kg	14
006	HA09SB26 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	2200		ug/kg	14
006	HA09SB26 (4-6)	Solid	Naphthalene	8270D (SIM)	1400		ug/kg	14
006	HA09SB26 (4-6)	Solid	TPH-DRO	8015B	220000	B	ug/kg	15
006	HA09SB26 (4-6)	Solid	TPH-GRO	8015C	1200000	B	ug/kg	16
008	HA09SB28 (2-3)	Solid	TOC	Walkley-Black	4800		mg/kg	17
008	HA09SB28 (2-3)	Solid	Benzo(a)anthracene	8270D (SIM)	4.2		ug/kg	19
008	HA09SB28 (2-3)	Solid	Benzo(a)pyrene	8270D (SIM)	5.8		ug/kg	19
008	HA09SB28 (2-3)	Solid	Benzo(b)fluoranthene	8270D (SIM)	7.6		ug/kg	19
008	HA09SB28 (2-3)	Solid	Benzo(k)fluoranthene	8270D (SIM)	3.2	J	ug/kg	19
008	HA09SB28 (2-3)	Solid	Chrysene	8270D (SIM)	4.7		ug/kg	19

Executive Summary (Continued)

Lot Number: KF04029

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
008	HA09SB28 (2-3)	Solid	Fluoranthene	8270D (SIM)	6.7		ug/kg	19
008	HA09SB28 (2-3)	Solid	Fluorene	8270D (SIM)	0.85	J	ug/kg	19
008	HA09SB28 (2-3)	Solid	1-Methylnaphthalene	8270D (SIM)	14		ug/kg	19
008	HA09SB28 (2-3)	Solid	2-Methylnaphthalene	8270D (SIM)	19		ug/kg	19
008	HA09SB28 (2-3)	Solid	Naphthalene	8270D (SIM)	9.1		ug/kg	19
008	HA09SB28 (2-3)	Solid	Pyrene	8270D (SIM)	16		ug/kg	19
009	HA09SB29 (4-6)	Solid	TOC	Walkley-Black	550		mg/kg	20
012	HA09SB32 (4-6)	Solid	Benzene	8260B	28	J	ug/kg	25
012	HA09SB32 (4-6)	Solid	Ethylbenzene	8260B	300		ug/kg	25
012	HA09SB32 (4-6)	Solid	Xylenes (total)	8260B	850		ug/kg	25
012	HA09SB32 (4-6)	Solid	Acenaphthene	8270D (SIM)	8.6		ug/kg	26
012	HA09SB32 (4-6)	Solid	Acenaphthylene	8270D (SIM)	6.8		ug/kg	26
012	HA09SB32 (4-6)	Solid	Fluorene	8270D (SIM)	5.7		ug/kg	26
012	HA09SB32 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	150		ug/kg	26
012	HA09SB32 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	180		ug/kg	26
012	HA09SB32 (4-6)	Solid	Naphthalene	8270D (SIM)	110		ug/kg	26
012	HA09SB32 (4-6)	Solid	Phenanthrene	8270D (SIM)	1.4	J	ug/kg	26
013	HA09SB33 (2-4)	Solid	Benzene	8260B	140		ug/kg	27
013	HA09SB33 (2-4)	Solid	Ethylbenzene	8260B	10000		ug/kg	27
013	HA09SB33 (2-4)	Solid	Xylenes (total)	8260B	25000		ug/kg	27
013	HA09SB33 (2-4)	Solid	1-Methylnaphthalene	8270D (SIM)	120		ug/kg	28
013	HA09SB33 (2-4)	Solid	2-Methylnaphthalene	8270D (SIM)	170		ug/kg	28
013	HA09SB33 (2-4)	Solid	Naphthalene	8270D (SIM)	84		ug/kg	28
015	HA09SB35 (4-6)	Solid	Benzene	8260B	94000		ug/kg	29
015	HA09SB35 (4-6)	Solid	Ethylbenzene	8260B	380000		ug/kg	29
015	HA09SB35 (4-6)	Solid	Toluene	8260B	5200		ug/kg	29
015	HA09SB35 (4-6)	Solid	Xylenes (total)	8260B	790000		ug/kg	29
015	HA09SB35 (4-6)	Solid	Acenaphthene	8270D (SIM)	190		ug/kg	30
015	HA09SB35 (4-6)	Solid	Acenaphthylene	8270D (SIM)	140		ug/kg	30
015	HA09SB35 (4-6)	Solid	Benzo(g,h,i)perylene	8270D (SIM)	140		ug/kg	30
015	HA09SB35 (4-6)	Solid	Indeno(1,2,3-c,d)pyrene	8270D (SIM)	110		ug/kg	30
015	HA09SB35 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	3000		ug/kg	30
015	HA09SB35 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	4300		ug/kg	30
015	HA09SB35 (4-6)	Solid	Naphthalene	8270D (SIM)	2200		ug/kg	30
016	HA09SB36 (2-4)	Solid	Benzene	8260B	6600		ug/kg	31
016	HA09SB36 (2-4)	Solid	Ethylbenzene	8260B	15000		ug/kg	31
016	HA09SB36 (2-4)	Solid	Toluene	8260B	420		ug/kg	31
016	HA09SB36 (2-4)	Solid	Xylenes (total)	8260B	28000		ug/kg	31
016	HA09SB36 (2-4)	Solid	Acenaphthene	8270D (SIM)	26		ug/kg	32
016	HA09SB36 (2-4)	Solid	Acenaphthylene	8270D (SIM)	22		ug/kg	32
016	HA09SB36 (2-4)	Solid	Benzo(a)anthracene	8270D (SIM)	7.2		ug/kg	32
016	HA09SB36 (2-4)	Solid	Benzo(a)pyrene	8270D (SIM)	11		ug/kg	32
016	HA09SB36 (2-4)	Solid	Benzo(b)fluoranthene	8270D (SIM)	13		ug/kg	32
016	HA09SB36 (2-4)	Solid	Benzo(g,h,i)perylene	8270D (SIM)	7.4		ug/kg	32
016	HA09SB36 (2-4)	Solid	Benzo(k)fluoranthene	8270D (SIM)	6.4		ug/kg	32
016	HA09SB36 (2-4)	Solid	Chrysene	8270D (SIM)	7.8		ug/kg	32
016	HA09SB36 (2-4)	Solid	Fluoranthene	8270D (SIM)	9.4		ug/kg	32
016	HA09SB36 (2-4)	Solid	Fluorene	8270D (SIM)	18		ug/kg	32

Executive Summary (Continued)

Lot Number: KF04029

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
016	HA09SB36 (2-4)	Solid	Indeno(1,2,3-c,d)pyrene	8270D (SIM)	6.6		ug/kg	32
016	HA09SB36 (2-4)	Solid	1-Methylnaphthalene	8270D (SIM)	760		ug/kg	32
016	HA09SB36 (2-4)	Solid	2-Methylnaphthalene	8270D (SIM)	1200		ug/kg	32
016	HA09SB36 (2-4)	Solid	Naphthalene	8270D (SIM)	680		ug/kg	32
016	HA09SB36 (2-4)	Solid	Phenanthrene	8270D (SIM)	7.9		ug/kg	32
016	HA09SB36 (2-4)	Solid	Pyrene	8270D (SIM)	16		ug/kg	32
016	HA09SB36 (2-4)	Solid	TPH-DRO	8015B	220000	B	ug/kg	33
016	HA09SB36 (2-4)	Solid	TPH-GRO	8015C	200000	B	ug/kg	34
018	HA09SB38 (4-6)	Solid	Benzene	8260B	1200		ug/kg	35
018	HA09SB38 (4-6)	Solid	Ethylbenzene	8260B	12000		ug/kg	35
018	HA09SB38 (4-6)	Solid	Xylenes (total)	8260B	10000		ug/kg	35
018	HA09SB38 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	4300		ug/kg	36
018	HA09SB38 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	6600		ug/kg	36
018	HA09SB38 (4-6)	Solid	Naphthalene	8270D (SIM)	4300		ug/kg	36
020	HA09SB40 (4-6)	Solid	TOC	Walkley-Black	5400		mg/kg	37
020	HA09SB40 (4-6)	Solid	1-Methylnaphthalene	8270D (SIM)	4.3		ug/kg	39
020	HA09SB40 (4-6)	Solid	2-Methylnaphthalene	8270D (SIM)	6.6		ug/kg	39
020	HA09SB40 (4-6)	Solid	Naphthalene	8270D (SIM)	5.8		ug/kg	39
022	HA09SB42 (2-4)	Solid	Ethylbenzene	8260B	120		ug/kg	42
022	HA09SB42 (2-4)	Solid	Xylenes (total)	8260B	960		ug/kg	42
022	HA09SB42 (2-4)	Solid	Benzo(g,h,i)perylene	8270D (SIM)	1.7	J	ug/kg	43
022	HA09SB42 (2-4)	Solid	1-Methylnaphthalene	8270D (SIM)	120		ug/kg	43
022	HA09SB42 (2-4)	Solid	2-Methylnaphthalene	8270D (SIM)	170		ug/kg	43
022	HA09SB42 (2-4)	Solid	Naphthalene	8270D (SIM)	120		ug/kg	43

(117 detections)

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-001
Description: HA09SB21 (2-4)	Matrix: Solid
Date Sampled: 06/03/2009 0845	% Solids: 83.7 06/04/2009 2114
Date Received: 06/04/2009	

Run 1	Prep Method 5035	Analytical Method 8260B	Dilution 200	Analysis Date 06/10/2009 1259	Analyst DLB	Prep Date	Batch 12172	Sample Wt.(g) 9.44
----------	---------------------	----------------------------	-----------------	----------------------------------	----------------	-----------	----------------	-----------------------

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	5000		630	140	ug/kg	1
Ethylbenzene	100-41-4	8260B	72000		630	220	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		630	51	ug/kg	1
Toluene	108-88-3	8260B	2600		630	220	ug/kg	1
Xylenes (total)	1330-20-7	8260B	260000		630	370	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		124	53-142
Bromofluorobenzene		111	47-138
Toluene-d8		111	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 7 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-001

Description: HA09SB21 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 0845

% Solids: 83.7 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 20	Analysis Date 06/14/2009 1521	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter		CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene		83-32-9	8270D (SIM)	120		78	20	ug/kg	1	
Acenaphthylene		208-96-8	8270D (SIM)	ND		78	23	ug/kg	1	
Anthracene		120-12-7	8270D (SIM)	ND		78	12	ug/kg	1	
Benzo(a)anthracene		56-55-3	8270D (SIM)	ND		78	14	ug/kg	1	
Benzo(a)pyrene		50-32-8	8270D (SIM)	ND		78	16	ug/kg	1	
Benzo(b)fluoranthene		205-99-2	8270D (SIM)	ND		78	12	ug/kg	1	
Benzo(g,h,i)perylene		191-24-2	8270D (SIM)	ND		78	15	ug/kg	1	
Benzo(k)fluoranthene		207-08-9	8270D (SIM)	ND		78	11	ug/kg	1	
Chrysene		218-01-9	8270D (SIM)	ND		78	11	ug/kg	1	
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	ND		78	12	ug/kg	1	
Fluoranthene		206-44-0	8270D (SIM)	47	J	78	10	ug/kg	1	
Fluorene		86-73-7	8270D (SIM)	ND		78	14	ug/kg	1	
Indeno(1,2,3-c,d)pyrene		193-39-5	8270D (SIM)	ND		78	24	ug/kg	1	
1-Methylnaphthalene		90-12-0	8270D (SIM)	2100		78	23	ug/kg	1	
2-Methylnaphthalene		91-57-6	8270D (SIM)	2900		78	24	ug/kg	1	
Naphthalene		91-20-3	8270D (SIM)	1600		78	23	ug/kg	1	
Phenanthrene		85-01-8	8270D (SIM)	ND		78	17	ug/kg	1	
Pyrene		129-00-0	8270D (SIM)	ND		78	12	ug/kg	1	
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
Fluoranthene-d10	N	0.0	20-150							
2-Methylnaphthalene-d10	N	0.0	20-150							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 8 of 72

Level 1 Report v2.1

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-003
Description: HA09SB23 (2-4)	Matrix: Solid
Date Sampled: 06/03/2009 0915	% Solids: 85.5 06/04/2009 2114
Date Received: 06/04/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	50	06/10/2009 1323	DLB		12172	8.36

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		170	38	ug/kg	1
Ethylbenzene	100-41-4	8260B	550		170	59	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		170	14	ug/kg	1
Toluene	108-88-3	8260B	ND		170	59	ug/kg	1
Xylenes (total)	1330-20-7	8260B	4800		170	100	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		128	53-142
Bromofluorobenzene		128	47-138
Toluene-d8		124	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 9 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-003

Description: HA09SB23 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 0915

% Solids: 85.5 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/14/2009 1615	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156									
								CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene								83-32-9	8270D (SIM)	ND		3.8	0.96	ug/kg	1	
Acenaphthylene								208-96-8	8270D (SIM)	ND		3.8	1.1	ug/kg	1	
Anthracene								120-12-7	8270D (SIM)	ND		3.8	0.59	ug/kg	1	
Benzo(a)anthracene								56-55-3	8270D (SIM)	ND		3.8	0.68	ug/kg	1	
Benzo(a)pyrene								50-32-8	8270D (SIM)	4.1		3.8	0.76	ug/kg	1	
Benzo(b)fluoranthene								205-99-2	8270D (SIM)	4.4		3.8	0.58	ug/kg	1	
Benzo(g,h,i)perylene								191-24-2	8270D (SIM)	10		3.8	0.75	ug/kg	1	
Benzo(k)fluoranthene								207-08-9	8270D (SIM)	ND		3.8	0.56	ug/kg	1	
Chrysene								218-01-9	8270D (SIM)	ND		3.8	0.52	ug/kg	1	
Dibenzo(a,h)anthracene								53-70-3	8270D (SIM)	ND		3.8	0.59	ug/kg	1	
Fluoranthene								206-44-0	8270D (SIM)	ND		3.8	0.49	ug/kg	1	
Fluorene								86-73-7	8270D (SIM)	ND		3.8	0.66	ug/kg	1	
Indeno(1,2,3-c,d)pyrene								193-39-5	8270D (SIM)	8.5		3.8	1.2	ug/kg	1	
1-Methylnaphthalene								90-12-0	8270D (SIM)	26		3.8	1.1	ug/kg	1	
2-Methylnaphthalene								91-57-6	8270D (SIM)	30		3.8	1.1	ug/kg	1	
Naphthalene								91-20-3	8270D (SIM)	78		3.8	1.1	ug/kg	1	
Phenanthrene								85-01-8	8270D (SIM)	ND		3.8	0.83	ug/kg	1	
Pyrene								129-00-0	8270D (SIM)	ND		3.8	0.58	ug/kg	1	
Surrogate								Q	Run 1 % Recovery	Acceptance Limits						
Fluoranthene-d10									54	20-150						
2-Methylnaphthalene-d10									41	20-150						

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-005
Description: HA09SB25 (4-6)	Matrix: Solid
Date Sampled: 06/03/2009 1000	% Solids: 76.1 06/04/2009 2114
Date Received: 06/04/2009	

Run 1	Prep Method 5035	Analytical Method 8260B	Dilution 50	Analysis Date 06/10/2009 1346	Analyst DLB	Prep Date	Batch 12172	Sample Wt.(g) 9.73
----------	---------------------	----------------------------	----------------	----------------------------------	----------------	-----------	----------------	-----------------------

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	1400		170	37	ug/kg	1
Ethylbenzene	100-41-4	8260B	30000		170	57	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		170	13	ug/kg	1
Toluene	108-88-3	8260B	ND		170	57	ug/kg	1
Xylenes (total)	1330-20-7	8260B	9300		170	98	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		90	53-142
Bromofluorobenzene		83	47-138
Toluene-d8		81	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-005

Description: HA09SB25 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1000

% Solids: 76.1 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D (SIM)	10	06/14/2009 1642	DC	06/10/2009 1159	12156

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D (SIM)	69		43	11	ug/kg	1
Acenaphthylene	208-96-8	8270D (SIM)	51		43	12	ug/kg	1
Anthracene	120-12-7	8270D (SIM)	ND		43	6.6	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		43	7.7	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		43	8.6	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		43	6.5	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	66		43	8.4	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		43	6.2	ug/kg	1
Chrysene	218-01-9	8270D (SIM)	ND		43	5.8	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	50		43	6.6	ug/kg	1
Fluoranthene	206-44-0	8270D (SIM)	ND		43	5.5	ug/kg	1
Fluorene	86-73-7	8270D (SIM)	ND		43	7.4	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	53		43	13	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D (SIM)	980		43	13	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D (SIM)	1400		43	13	ug/kg	1
Naphthalene	91-20-3	8270D (SIM)	600		43	13	ug/kg	1
Phenanthrene	85-01-8	8270D (SIM)	ND		43	9.4	ug/kg	1
Pyrene	129-00-0	8270D (SIM)	ND		43	6.5	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Fluoranthene-d10	N	0.0	20-150
2-Methylnaphthalene-d10	N	0.0	20-150

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 12 of 72

Level 1 Report v2.1

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-006	
Description: HA09SB26 (4-6)		Matrix: Solid	
Date Sampled: 06/03/2009 1020		% Solids: 81.2 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	500	06/10/2009 1410	DLB		12172	10.64

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	11000		1400	320	ug/kg	1
Ethylbenzene	100-41-4	8260B	200000		1400	490	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		1400	120	ug/kg	1
Toluene	108-88-3	8260B	6000		1400	490	ug/kg	1
Xylenes (total)	1330-20-7	8260B	510000		1400	840	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4	N	266	53-142
Bromofluorobenzene	N	218	47-138
Toluene-d8	N	224	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 13 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-006

Description: HA09SB26 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1020

% Solids: 81.2 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 20	Analysis Date 06/15/2009 1746	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter		CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene		83-32-9	8270D (SIM)	ND		81	20	ug/kg	1	
Acenaphthylene		208-96-8	8270D (SIM)	ND		81	23	ug/kg	1	
Anthracene		120-12-7	8270D (SIM)	ND		81	12	ug/kg	1	
Benzo(a)anthracene		56-55-3	8270D (SIM)	ND		81	14	ug/kg	1	
Benzo(a)pyrene		50-32-8	8270D (SIM)	ND		81	16	ug/kg	1	
Benzo(b)fluoranthene		205-99-2	8270D (SIM)	ND		81	12	ug/kg	1	
Benzo(g,h,i)perylene		191-24-2	8270D (SIM)	ND		81	16	ug/kg	1	
Benzo(k)fluoranthene		207-08-9	8270D (SIM)	ND		81	12	ug/kg	1	
Chrysene		218-01-9	8270D (SIM)	ND		81	11	ug/kg	1	
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	ND		81	12	ug/kg	1	
Fluoranthene		206-44-0	8270D (SIM)	ND		81	10	ug/kg	1	
Fluorene		86-73-7	8270D (SIM)	44	J	81	14	ug/kg	1	
Indeno(1,2,3-c,d)pyrene		193-39-5	8270D (SIM)	ND		81	24	ug/kg	1	
1-Methylnaphthalene		90-12-0	8270D (SIM)	1600		81	24	ug/kg	1	
2-Methylnaphthalene		91-57-6	8270D (SIM)	2200		81	24	ug/kg	1	
Naphthalene		91-20-3	8270D (SIM)	1400		81	24	ug/kg	1	
Phenanthrene		85-01-8	8270D (SIM)	ND		81	18	ug/kg	1	
Pyrene		129-00-0	8270D (SIM)	ND		81	12	ug/kg	1	
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
Fluoranthene-d10	N	0.0	20-150							
2-Methylnaphthalene-d10	N	0.0	20-150							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

TPH - DRO

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-006
Description: HA09SB26 (4-6)	Matrix: Solid
Date Sampled:06/03/2009 1020	% Solids: 81.2 06/04/2009 2114
Date Received: 06/04/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	3550B	8015B	1	06/13/2009 0752	ASB	06/10/2009 1145	12158			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-DRO		8015B	220000	B	8100	1500	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
o - Terphenyl		68	55-120

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

TPH - GRO

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-006
Description: HA09SB26 (4-6)	Matrix: Solid
Date Sampled:06/03/2009 1020	% Solids: 81.2 06/04/2009 2114
Date Received: 06/04/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	5030B	8015C	10	06/16/2009 1524	IVC		12560			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-GRO		8015C	1200000	B	60000	7600	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		113	45-132

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

Inorganic non-metals

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-008			
Description: HA09SB28 (2-3)				Matrix: Solid			
Date Sampled: 06/03/2009 1050				% Solids: 83.7 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1		(TOC) Walkley-Black	1	06/16/2009 1651	PMM		12555			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TOC		Walkley-Black	4800		1800	280	mg/kg	1

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 17 of 72

Level 1 Report v2.1

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-008
Description: HA09SB28 (2-3)	Matrix: Solid
Date Sampled: 06/03/2009 1050	% Solids: 83.7 06/04/2009 2114
Date Received: 06/04/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/15/2009 1452	MAW		13409	12.29

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		2.4	0.53	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		2.4	0.83	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		2.4	0.19	ug/kg	1
Toluene	108-88-3	8260B	ND		2.4	0.83	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		2.4	1.4	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		75	53-142
Bromofluorobenzene		72	47-138
Toluene-d8		70	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 18 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-008

Description: HA09SB28 (2-3)

Matrix: Solid

Date Sampled: 06/03/2009 1050

% Solids: 83.7 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/13/2009 0925	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run		
Acenaphthene	83-32-9	8270D (SIM)	ND		3.8	0.97	ug/kg	1		
Acenaphthylene	208-96-8	8270D (SIM)	ND		3.8	1.1	ug/kg	1		
Anthracene	120-12-7	8270D (SIM)	ND		3.8	0.60	ug/kg	1		
Benzo(a)anthracene	56-55-3	8270D (SIM)	4.2		3.8	0.69	ug/kg	1		
Benzo(a)pyrene	50-32-8	8270D (SIM)	5.8		3.8	0.77	ug/kg	1		
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	7.6		3.8	0.58	ug/kg	1		
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	ND		3.8	0.76	ug/kg	1		
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	3.2	J	3.8	0.56	ug/kg	1		
Chrysene	218-01-9	8270D (SIM)	4.7		3.8	0.52	ug/kg	1		
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		3.8	0.60	ug/kg	1		
Fluoranthene	206-44-0	8270D (SIM)	6.7		3.8	0.49	ug/kg	1		
Fluorene	86-73-7	8270D (SIM)	0.85	J	3.8	0.66	ug/kg	1		
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	ND		3.8	1.2	ug/kg	1		
1-Methylnaphthalene	90-12-0	8270D (SIM)	14		3.8	1.1	ug/kg	1		
2-Methylnaphthalene	91-57-6	8270D (SIM)	19		3.8	1.2	ug/kg	1		
Naphthalene	91-20-3	8270D (SIM)	9.1		3.8	1.1	ug/kg	1		
Phenanthrene	85-01-8	8270D (SIM)	ND		3.8	0.84	ug/kg	1		
Pyrene	129-00-0	8270D (SIM)	16		3.8	0.58	ug/kg	1		
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
Fluoranthene-d10		51	20-150							
2-Methylnaphthalene-d10		53	20-150							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Inorganic non-metals

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-009			
Description: HA09SB29 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1100				% Solids: 80.5 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1		(TOC) Walkley-Black	1	06/16/2009 1651	PMM		12555			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TOC		Walkley-Black	550		200	31	mg/kg	1

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-009			
Description: HA09SB29 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1100				% Solids: 80.5 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/15/2009 1516	MAW		13409	12.14

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		2.6	0.56	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		2.6	0.87	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		2.6	0.20	ug/kg	1
Toluene	108-88-3	8260B	ND		2.6	0.87	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		2.6	1.5	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		92	53-142
Bromofluorobenzene		94	47-138
Toluene-d8		83	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 21 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-009

Description: HA09SB29 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1100

% Solids: 80.5 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/13/2009 0951	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run		
Acenaphthene	83-32-9	8270D (SIM)	ND		4.0	1.0	ug/kg	1		
Acenaphthylene	208-96-8	8270D (SIM)	ND		4.0	1.1	ug/kg	1		
Anthracene	120-12-7	8270D (SIM)	ND		4.0	0.62	ug/kg	1		
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		4.0	0.71	ug/kg	1		
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		4.0	0.80	ug/kg	1		
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		4.0	0.60	ug/kg	1		
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	ND		4.0	0.79	ug/kg	1		
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		4.0	0.58	ug/kg	1		
Chrysene	218-01-9	8270D (SIM)	ND		4.0	0.54	ug/kg	1		
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		4.0	0.62	ug/kg	1		
Fluoranthene	206-44-0	8270D (SIM)	ND		4.0	0.51	ug/kg	1		
Fluorene	86-73-7	8270D (SIM)	ND		4.0	0.69	ug/kg	1		
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	ND		4.0	1.2	ug/kg	1		
1-Methylnaphthalene	90-12-0	8270D (SIM)	ND		4.0	1.2	ug/kg	1		
2-Methylnaphthalene	91-57-6	8270D (SIM)	ND		4.0	1.2	ug/kg	1		
Naphthalene	91-20-3	8270D (SIM)	ND		4.0	1.2	ug/kg	1		
Phenanthrene	85-01-8	8270D (SIM)	ND		4.0	0.87	ug/kg	1		
Pyrene	129-00-0	8270D (SIM)	ND		4.0	0.60	ug/kg	1		
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
Fluoranthene-d10		64	20-150							
2-Methylnaphthalene-d10		42	20-150							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-011	
Description: HA09SB31 (2-4)		Matrix: Solid	
Date Sampled: 06/03/2009 1120		% Solids: 84.9 06/04/2009 2114	
Date Received: 06/04/2009			

Run 2	Prep Method 5035	Analytical Method 8260B	Dilution 1	Analysis Date 06/15/2009 1539	Analyst MAW	Prep Date	Batch 13409	Sample Wt.(g) 8.77
----------	---------------------	----------------------------	---------------	----------------------------------	----------------	-----------	----------------	-----------------------

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		3.4	0.74	ug/kg	2
Ethylbenzene	100-41-4	8260B	ND		3.4	1.1	ug/kg	2
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		3.4	0.27	ug/kg	2
Toluene	108-88-3	8260B	ND		3.4	1.1	ug/kg	2
Xylenes (total)	1330-20-7	8260B	ND		3.4	1.9	ug/kg	2

Surrogate	Q	Run 2 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		82	53-142
Bromofluorobenzene		68	47-138
Toluene-d8		74	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-011

Description: HA09SB31 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 1120

% Solids: 84.9 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/13/2009 1018	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter		CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene		83-32-9	8270D (SIM)	ND		3.9	0.97	ug/kg	1	
Acenaphthylene		208-96-8	8270D (SIM)	ND		3.9	1.1	ug/kg	1	
Anthracene		120-12-7	8270D (SIM)	ND		3.9	0.60	ug/kg	1	
Benzo(a)anthracene		56-55-3	8270D (SIM)	ND		3.9	0.69	ug/kg	1	
Benzo(a)pyrene		50-32-8	8270D (SIM)	ND		3.9	0.78	ug/kg	1	
Benzo(b)fluoranthene		205-99-2	8270D (SIM)	ND		3.9	0.59	ug/kg	1	
Benzo(g,h,i)perylene		191-24-2	8270D (SIM)	ND		3.9	0.76	ug/kg	1	
Benzo(k)fluoranthene		207-08-9	8270D (SIM)	ND		3.9	0.56	ug/kg	1	
Chrysene		218-01-9	8270D (SIM)	ND		3.9	0.53	ug/kg	1	
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	ND		3.9	0.60	ug/kg	1	
Fluoranthene		206-44-0	8270D (SIM)	ND		3.9	0.49	ug/kg	1	
Fluorene		86-73-7	8270D (SIM)	ND		3.9	0.67	ug/kg	1	
Indeno(1,2,3-c,d)pyrene		193-39-5	8270D (SIM)	ND		3.9	1.2	ug/kg	1	
1-Methylnaphthalene		90-12-0	8270D (SIM)	ND		3.9	1.2	ug/kg	1	
2-Methylnaphthalene		91-57-6	8270D (SIM)	ND		3.9	1.2	ug/kg	1	
Naphthalene		91-20-3	8270D (SIM)	ND		3.9	1.1	ug/kg	1	
Phenanthrene		85-01-8	8270D (SIM)	ND		3.9	0.84	ug/kg	1	
Pyrene		129-00-0	8270D (SIM)	ND		3.9	0.59	ug/kg	1	
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
Fluoranthene-d10		52	20-150							
2-Methylnaphthalene-d10		44	20-150							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-012	
Description: HA09SB32 (4-6)		Matrix: Solid	
Date Sampled: 06/03/2009 1130		% Solids: 78.0 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	50	06/15/2009 1846	DLB		12518	12.98

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	28	J	120	27	ug/kg	1
Ethylbenzene	100-41-4	8260B	300		120	42	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		120	9.9	ug/kg	1
Toluene	108-88-3	8260B	ND		120	42	ug/kg	1
Xylenes (total)	1330-20-7	8260B	850		120	72	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		59	53-142
Bromofluorobenzene	N	19	47-138
Toluene-d8	N	16	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-012

Description: HA09SB32 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1130

% Solids: 78.0 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D (SIM)	1	06/13/2009 1044	DC	06/10/2009 1159	12156
2	3550C	8270D (SIM)	2	06/15/2009 1814	DC	06/10/2009 1159	12156

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D (SIM)	8.6		4.2	1.0	ug/kg	1
Acenaphthylene	208-96-8	8270D (SIM)	6.8		4.2	1.2	ug/kg	1
Anthracene	120-12-7	8270D (SIM)	ND		4.2	0.64	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		4.2	0.74	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		4.2	0.83	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		4.2	0.63	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	ND		4.2	0.82	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		4.2	0.61	ug/kg	1
Chrysene	218-01-9	8270D (SIM)	ND		4.2	0.57	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		4.2	0.64	ug/kg	1
Fluoranthene	206-44-0	8270D (SIM)	ND		4.2	0.53	ug/kg	1
Fluorene	86-73-7	8270D (SIM)	5.7		4.2	0.72	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	ND		4.2	1.3	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D (SIM)	150		4.2	1.2	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D (SIM)	180		8.3	2.5	ug/kg	2
Naphthalene	91-20-3	8270D (SIM)	110		4.2	1.2	ug/kg	1
Phenanthrene	85-01-8	8270D (SIM)	1.4	J	4.2	0.91	ug/kg	1
Pyrene	129-00-0	8270D (SIM)	ND		4.2	0.63	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
Fluoranthene-d10		69	20-150		69	20-150
2-Methylnaphthalene-d10		58	20-150		54	20-150

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-013	
Description: HA09SB33 (2-4)		Matrix: Solid	
Date Sampled: 06/03/2009 1300		% Solids: 75.1 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)	
1	5035	8260B	50	06/10/2009 1502	DLB		12172	13.81	

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	140		120	26	ug/kg	1
Ethylbenzene	100-41-4	8260B	10000		120	41	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		120	9.6	ug/kg	1
Toluene	108-88-3	8260B	ND		120	41	ug/kg	1
Xylenes (total)	1330-20-7	8260B	25000		120	70	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		81	53-142
Bromofluorobenzene		84	47-138
Toluene-d8		80	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 27 of 72

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-013

Description: HA09SB33 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 1300

% Solids: 75.1 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/13/2009 1111	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter			CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene			83-32-9	8270D (SIM)	ND		4.3	1.1	ug/kg	1
Acenaphthylene			208-96-8	8270D (SIM)	ND		4.3	1.2	ug/kg	1
Anthracene			120-12-7	8270D (SIM)	ND		4.3	0.67	ug/kg	1
Benzo(a)anthracene			56-55-3	8270D (SIM)	ND		4.3	0.77	ug/kg	1
Benzo(a)pyrene			50-32-8	8270D (SIM)	ND		4.3	0.86	ug/kg	1
Benzo(b)fluoranthene			205-99-2	8270D (SIM)	ND		4.3	0.65	ug/kg	1
Benzo(g,h,i)perylene			191-24-2	8270D (SIM)	ND		4.3	0.85	ug/kg	1
Benzo(k)fluoranthene			207-08-9	8270D (SIM)	ND		4.3	0.63	ug/kg	1
Chrysene			218-01-9	8270D (SIM)	ND		4.3	0.59	ug/kg	1
Dibenzo(a,h)anthracene			53-70-3	8270D (SIM)	ND		4.3	0.67	ug/kg	1
Fluoranthene			206-44-0	8270D (SIM)	ND		4.3	0.55	ug/kg	1
Fluorene			86-73-7	8270D (SIM)	ND		4.3	0.75	ug/kg	1
Indeno(1,2,3-c,d)pyrene			193-39-5	8270D (SIM)	ND		4.3	1.3	ug/kg	1
1-Methylnaphthalene			90-12-0	8270D (SIM)	120		4.3	1.3	ug/kg	1
2-Methylnaphthalene			91-57-6	8270D (SIM)	170		4.3	1.3	ug/kg	1
Naphthalene			91-20-3	8270D (SIM)	84		4.3	1.3	ug/kg	1
Phenanthrene			85-01-8	8270D (SIM)	ND		4.3	0.94	ug/kg	1
Pyrene			129-00-0	8270D (SIM)	ND		4.3	0.65	ug/kg	1
Surrogate			Q	Run 1 % Recovery	Acceptance Limits					
Fluoranthene-d10				49	20-150					
2-Methylnaphthalene-d10				49	20-150					

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-015			
Description: HA09SB35 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1345				% Solids: 76.6 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1000	06/10/2009 1525	DLB		12172	10.65

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	94000		3100	670	ug/kg	1
Ethylbenzene	100-41-4	8260B	380000		3100	1000	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		3100	240	ug/kg	1
Toluene	108-88-3	8260B	5200		3100	1000	ug/kg	1
Xylenes (total)	1330-20-7	8260B	790000		3100	1800	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		131	53-142
Bromofluorobenzene		79	47-138
Toluene-d8		93	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-015

Description: HA09SB35 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1345

% Solids: 76.6 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D (SIM)	25	06/14/2009 1802	DC	06/10/2009 1159	12156

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D (SIM)	190		100	27	ug/kg	1
Acenaphthylene	208-96-8	8270D (SIM)	140		100	30	ug/kg	1
Anthracene	120-12-7	8270D (SIM)	ND		100	16	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		100	19	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		100	21	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		100	16	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	140		100	21	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		100	15	ug/kg	1
Chrysene	218-01-9	8270D (SIM)	ND		100	14	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		100	16	ug/kg	1
Fluoranthene	206-44-0	8270D (SIM)	ND		100	13	ug/kg	1
Fluorene	86-73-7	8270D (SIM)	ND		100	18	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	110		100	32	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D (SIM)	3000		100	31	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D (SIM)	4300		100	32	ug/kg	1
Naphthalene	91-20-3	8270D (SIM)	2200		100	31	ug/kg	1
Phenanthrene	85-01-8	8270D (SIM)	ND		100	23	ug/kg	1
Pyrene	129-00-0	8270D (SIM)	ND		100	16	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Fluoranthene-d10	N	0.0	20-150
2-Methylnaphthalene-d10	N	0.0	20-150

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.			Laboratory ID: KF04029-016		
Description: HA09SB36 (2-4)			Matrix: Solid		
Date Sampled: 06/03/2009 1410			% Solids: 82.3 06/04/2009 2114		
Date Received: 06/04/2009					

Run 1	Prep Method 5035	Analytical Method 8260B	Dilution 50	Analysis Date 06/10/2009 1731	Analyst DLB	Prep Date	Batch 12172	Sample Wt.(g) 10.03
----------	---------------------	----------------------------	----------------	----------------------------------	----------------	-----------	----------------	------------------------

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	6600		150	33	ug/kg	1
Ethylbenzene	100-41-4	8260B	15000		150	52	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		150	12	ug/kg	1
Toluene	108-88-3	8260B	420		150	52	ug/kg	1
Xylenes (total)	1330-20-7	8260B	28000		150	88	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		102	53-142
Bromofluorobenzene		106	47-138
Toluene-d8		98	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-016

Description: HA09SB36 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 1410

% Solids: 82.3 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D (SIM)	1	06/13/2009 1204	DC	06/10/2009 1159	12156
2	3550C	8270D (SIM)	10	06/15/2009 1841	DC	06/10/2009 1159	12156

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D (SIM)	26		4.0	1.0	ug/kg	1
Acenaphthylene	208-96-8	8270D (SIM)	22		4.0	1.1	ug/kg	1
Anthracene	120-12-7	8270D (SIM)	ND		4.0	0.61	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D (SIM)	7.2		4.0	0.71	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D (SIM)	11		4.0	0.79	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	13		4.0	0.60	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	7.4		4.0	0.78	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	6.4		4.0	0.58	ug/kg	1
Chrysene	218-01-9	8270D (SIM)	7.8		4.0	0.54	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		4.0	0.61	ug/kg	1
Fluoranthene	206-44-0	8270D (SIM)	9.4		4.0	0.50	ug/kg	1
Fluorene	86-73-7	8270D (SIM)	18		4.0	0.68	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	6.6		4.0	1.2	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D (SIM)	760		40	12	ug/kg	2
2-Methylnaphthalene	91-57-6	8270D (SIM)	1200		40	12	ug/kg	2
Naphthalene	91-20-3	8270D (SIM)	680		40	12	ug/kg	2
Phenanthrene	85-01-8	8270D (SIM)	7.9		4.0	0.86	ug/kg	1
Pyrene	129-00-0	8270D (SIM)	16		4.0	0.60	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
Fluoranthene-d10		58	20-150		61	20-150
2-Methylnaphthalene-d10		85	20-150		97	20-150

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

TPH - DRO

Client: ARCADIS U.S., Inc.	Laboratory ID: KF04029-016
Description: HA09SB36 (2-4)	Matrix: Solid
Date Sampled: 06/03/2009 1410	% Solids: 82.3 06/04/2009 2114
Date Received: 06/04/2009	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	3550B	8015B	1	06/13/2009 0850	ASB	06/10/2009 1145	12158			
Parameter			CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-DRO				8015B	220000	B	8100	1500	ug/kg	1
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
o - Terphenyl		77	55-120							

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

TPH - GRO

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-016	
Description: HA09SB36 (2-4)		Matrix: Solid	
Date Sampled: 06/03/2009 1410		% Solids: 82.3 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	5030B	8015C	2	06/16/2009 1549	IVC		12560			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TPH-GRO		8015C	200000	B	12000	1500	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		117	45-132

PQL = Practical quantitation limit

ND = Not detected at or above the MDL

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank

J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-018	
Description: HA09SB38 (4-6)		Matrix: Solid	
Date Sampled: 06/03/2009 1500		% Solids: 83.2 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	500	06/15/2009 1909	DLB		12518	12.56

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	1200		1200	260	ug/kg	1
Ethylbenzene	100-41-4	8260B	12000		1200	410	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		1200	96	ug/kg	1
Toluene	108-88-3	8260B	ND		1200	410	ug/kg	1
Xylenes (total)	1330-20-7	8260B	10000		1200	690	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		81	53-142
Bromofluorobenzene		54	47-138
Toluene-d8	N	56	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-018

Description: HA09SB38 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1500

% Solids: 83.2 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3550C	8270D (SIM)	50	06/15/2009 1908	DC	06/10/2009 1159	12156

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene	83-32-9	8270D (SIM)	ND		200	50	ug/kg	1
Acenaphthylene	208-96-8	8270D (SIM)	ND		200	57	ug/kg	1
Anthracene	120-12-7	8270D (SIM)	ND		200	30	ug/kg	1
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		200	35	ug/kg	1
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		200	40	ug/kg	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		200	30	ug/kg	1
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	ND		200	39	ug/kg	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		200	29	ug/kg	1
Chrysene	218-01-9	8270D (SIM)	ND		200	27	ug/kg	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		200	30	ug/kg	1
Fluoranthene	206-44-0	8270D (SIM)	ND		200	25	ug/kg	1
Fluorene	86-73-7	8270D (SIM)	ND		200	34	ug/kg	1
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	ND		200	60	ug/kg	1
1-Methylnaphthalene	90-12-0	8270D (SIM)	4300		200	59	ug/kg	1
2-Methylnaphthalene	91-57-6	8270D (SIM)	6600		200	59	ug/kg	1
Naphthalene	91-20-3	8270D (SIM)	4300		200	58	ug/kg	1
Phenanthrene	85-01-8	8270D (SIM)	ND		200	43	ug/kg	1
Pyrene	129-00-0	8270D (SIM)	ND		200	30	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Fluoranthene-d10	N	0.0	20-150
2-Methylnaphthalene-d10	N	0.0	20-150

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Inorganic non-metals

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-020			
Description: HA09SB40 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1530				% Solids: 75.7 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1		(TOC) Walkley-Black	1	06/16/2009 1651	PMM		12555			

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
TOC		Walkley-Black	5400		1900	300	mg/kg	1

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Page: 37 of 72

Level 1 Report v2.1

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-020			
Description: HA09SB40 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1530				% Solids: 75.7 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/15/2009 1602	MAW		13409	11.00

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		3.0	0.66	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		3.0	1.0	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		3.0	0.24	ug/kg	1
Toluene	108-88-3	8260B	ND		3.0	1.0	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		3.0	1.7	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		89	53-142
Bromofluorobenzene		80	47-138
Toluene-d8		78	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-020

Description: HA09SB40 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1530

% Solids: 75.7 06/04/2009 2114

Date Received: 06/04/2009

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch		
1	3550C	8270D (SIM)	1	06/15/2009 1935	DC	06/10/2009 1159	12156		
Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run	
Acenaphthene	83-32-9	8270D (SIM)	ND		4.3	1.1	ug/kg	1	
Acenaphthylene	208-96-8	8270D (SIM)	ND		4.3	1.2	ug/kg	1	
Anthracene	120-12-7	8270D (SIM)	ND		4.3	0.66	ug/kg	1	
Benzo(a)anthracene	56-55-3	8270D (SIM)	ND		4.3	0.76	ug/kg	1	
Benzo(a)pyrene	50-32-8	8270D (SIM)	ND		4.3	0.85	ug/kg	1	
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	ND		4.3	0.65	ug/kg	1	
Benzo(g,h,i)perylene	191-24-2	8270D (SIM)	ND		4.3	0.84	ug/kg	1	
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	ND		4.3	0.62	ug/kg	1	
Chrysene	218-01-9	8270D (SIM)	ND		4.3	0.58	ug/kg	1	
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	ND		4.3	0.66	ug/kg	1	
Fluoranthene	206-44-0	8270D (SIM)	ND		4.3	0.54	ug/kg	1	
Fluorene	86-73-7	8270D (SIM)	ND		4.3	0.74	ug/kg	1	
Indeno(1,2,3-c,d)pyrene	193-39-5	8270D (SIM)	ND		4.3	1.3	ug/kg	1	
1-Methylnaphthalene	90-12-0	8270D (SIM)	4.3		4.3	1.3	ug/kg	1	
2-Methylnaphthalene	91-57-6	8270D (SIM)	6.6		4.3	1.3	ug/kg	1	
Naphthalene	91-20-3	8270D (SIM)	5.8		4.3	1.2	ug/kg	1	
Phenanthrene	85-01-8	8270D (SIM)	ND		4.3	0.93	ug/kg	1	
Pyrene	129-00-0	8270D (SIM)	ND		4.3	0.65	ug/kg	1	
Surrogate	Q	Run 1 % Recovery	Acceptance Limits						
Fluoranthene-d10		64	20-150						
2-Methylnaphthalene-d10		52	20-150						

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.				Laboratory ID: KF04029-021			
Description: HA09SB41 (4-6)				Matrix: Solid			
Date Sampled: 06/03/2009 1600				% Solids: 80.0 06/04/2009 2114			
Date Received: 06/04/2009							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)
1	5035	8260B	1	06/15/2009 1625	MAW		13409	11.30

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		2.8	0.61	ug/kg	1
Ethylbenzene	100-41-4	8260B	ND		2.8	0.94	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		2.8	0.22	ug/kg	1
Toluene	108-88-3	8260B	ND		2.8	0.94	ug/kg	1
Xylenes (total)	1330-20-7	8260B	ND		2.8	1.6	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		84	53-142
Bromofluorobenzene		83	47-138
Toluene-d8		78	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-021

Description: HA09SB41 (4-6)

Matrix: Solid

Date Sampled: 06/03/2009 1600

% Solids: 80.0 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/14/2009 1948	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter			CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene			83-32-9	8270D (SIM)	ND		4.0	1.0	ug/kg	1
Acenaphthylene			208-96-8	8270D (SIM)	ND		4.0	1.2	ug/kg	1
Anthracene			120-12-7	8270D (SIM)	ND		4.0	0.62	ug/kg	1
Benzo(a)anthracene			56-55-3	8270D (SIM)	ND		4.0	0.72	ug/kg	1
Benzo(a)pyrene			50-32-8	8270D (SIM)	ND		4.0	0.80	ug/kg	1
Benzo(b)fluoranthene			205-99-2	8270D (SIM)	ND		4.0	0.61	ug/kg	1
Benzo(g,h,i)perylene			191-24-2	8270D (SIM)	ND		4.0	0.79	ug/kg	1
Benzo(k)fluoranthene			207-08-9	8270D (SIM)	ND		4.0	0.59	ug/kg	1
Chrysene			218-01-9	8270D (SIM)	ND		4.0	0.55	ug/kg	1
Dibenzo(a,h)anthracene			53-70-3	8270D (SIM)	ND		4.0	0.62	ug/kg	1
Fluoranthene			206-44-0	8270D (SIM)	ND		4.0	0.51	ug/kg	1
Fluorene			86-73-7	8270D (SIM)	ND		4.0	0.70	ug/kg	1
Indeno(1,2,3-c,d)pyrene			193-39-5	8270D (SIM)	ND		4.0	1.2	ug/kg	1
1-Methylnaphthalene			90-12-0	8270D (SIM)	ND		4.0	1.2	ug/kg	1
2-Methylnaphthalene			91-57-6	8270D (SIM)	ND		4.0	1.2	ug/kg	1
Naphthalene			91-20-3	8270D (SIM)	ND		4.0	1.2	ug/kg	1
Phenanthrene			85-01-8	8270D (SIM)	ND		4.0	0.88	ug/kg	1
Pyrene			129-00-0	8270D (SIM)	ND		4.0	0.61	ug/kg	1
Surrogate			Q	Run 1 % Recovery	Acceptance Limits					
Fluoranthene-d10				58	20-150					
2-Methylnaphthalene-d10				32	20-150					

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Volatile Organic Compounds by GC/MS

Client: ARCADIS U.S., Inc.		Laboratory ID: KF04029-022	
Description: HA09SB42 (2-4)		Matrix: Solid	
Date Sampled: 06/03/2009 1630		% Solids: 87.3 06/04/2009 2114	
Date Received: 06/04/2009			

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch	Sample Wt.(g)	
1	5035	8260B	50	06/16/2009 1400	DLB		12497	12.55	

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Benzene	71-43-2	8260B	ND		110	25	ug/kg	1
Ethylbenzene	100-41-4	8260B	120		110	39	ug/kg	1
Methyl tertiary butyl ether (MTBE)	1634-04-4	8260B	ND		110	9.1	ug/kg	1
Toluene	108-88-3	8260B	ND		110	39	ug/kg	1
Xylenes (total)	1330-20-7	8260B	960		110	66	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		88	53-142
Bromofluorobenzene		81	47-138
Toluene-d8		80	68-124

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

Semivolatile Organic Compounds by GC/MS (SIM)

Client: ARCADIS U.S., Inc.

Laboratory ID: KF04029-022

Description: HA09SB42 (2-4)

Matrix: Solid

Date Sampled: 06/03/2009 1630

% Solids: 87.3 06/04/2009 2114

Date Received: 06/04/2009

Run 1	Prep Method 3550C	Analytical Method 8270D (SIM)	Dilution 1	Analysis Date 06/14/2009 2015	Analyst DC	Prep Date 06/10/2009 1159	Batch 12156			
Parameter			CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acenaphthene			83-32-9	8270D (SIM)	ND		3.8	0.95	ug/kg	1
Acenaphthylene			208-96-8	8270D (SIM)	ND		3.8	1.1	ug/kg	1
Anthracene			120-12-7	8270D (SIM)	ND		3.8	0.58	ug/kg	1
Benzo(a)anthracene			56-55-3	8270D (SIM)	ND		3.8	0.67	ug/kg	1
Benzo(a)pyrene			50-32-8	8270D (SIM)	ND		3.8	0.75	ug/kg	1
Benzo(b)fluoranthene			205-99-2	8270D (SIM)	ND		3.8	0.57	ug/kg	1
Benzo(g,h,i)perylene			191-24-2	8270D (SIM)	1.7	J	3.8	0.74	ug/kg	1
Benzo(k)fluoranthene			207-08-9	8270D (SIM)	ND		3.8	0.55	ug/kg	1
Chrysene			218-01-9	8270D (SIM)	ND		3.8	0.51	ug/kg	1
Dibenzo(a,h)anthracene			53-70-3	8270D (SIM)	ND		3.8	0.58	ug/kg	1
Fluoranthene			206-44-0	8270D (SIM)	ND		3.8	0.48	ug/kg	1
Fluorene			86-73-7	8270D (SIM)	ND		3.8	0.65	ug/kg	1
Indeno(1,2,3-c,d)pyrene			193-39-5	8270D (SIM)	ND		3.8	1.1	ug/kg	1
1-Methylnaphthalene			90-12-0	8270D (SIM)	120		3.8	1.1	ug/kg	1
2-Methylnaphthalene			91-57-6	8270D (SIM)	170		3.8	1.1	ug/kg	1
Naphthalene			91-20-3	8270D (SIM)	120		3.8	1.1	ug/kg	1
Phenanthrene			85-01-8	8270D (SIM)	ND		3.8	0.82	ug/kg	1
Pyrene			129-00-0	8270D (SIM)	ND		3.8	0.57	ug/kg	1
Surrogate			Q	Run 1 % Recovery	Acceptance Limits					
Fluoranthene-d10				53	20-150					
2-Methylnaphthalene-d10				45	20-150					

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

N = Recovery is out of criteria

H = Out of holding time

QC Summary

Inorganic non-metals - MB

Sample ID: KQ12555-001

Matrix: Solid

Batch: 12555

Analytical Method: Walkley-Black

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
TOC	ND		1	200	31	mg/kg	06/16/2009 1651

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - LCS

Sample ID: KQ12555-002

Matrix: Solid

Batch: 12555

Analytical Method: Walkley-Black

Parameter	Spike Amount (mg/kg)	Result (mg/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
TOC	1000	1100		1	110	80-120	06/16/2009 1651

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - LCSD

Sample ID: KQ12555-003

Matrix: Solid

Batch: 12555

Analytical Method: Walkley-Black

Parameter	Spike Amount (mg/kg)	Result (mg/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
TOC	1000	1100		1	110	0.0	80-120	20	06/16/2009 1651

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - MS

Sample ID: KF04029-009MS

Matrix: Solid

Batch: 12555

Analytical Method: Walkley-Black

Parameter	Sample Amount (mg/kg)	Spike Amount (mg/kg)	Result (mg/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
TOC	550	990	1300		1	78	70-130	06/16/2009 1651

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Inorganic non-metals - MSD

Sample ID: KF04029-009MD

Matrix: Solid

Batch: 12555

Analytical Method: Walkley-Black

Parameter	Sample Amount (mg/kg)	Spike Amount (mg/kg)	Result (mg/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
TOC	550	990	1500		1	93	11	70-130	20	06/16/2009 1651

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ12172-001

Matrix: Solid

Batch: 12172

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		50	250	55	ug/kg	06/10/2009 1208
Ethylbenzene	ND		50	250	85	ug/kg	06/10/2009 1208
Methyl tertiary butyl ether (MTBE)	ND		50	250	20	ug/kg	06/10/2009 1208
Toluene	ND		50	250	85	ug/kg	06/10/2009 1208
Xylenes (total)	ND		50	250	140	ug/kg	06/10/2009 1208
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		91	47-138				
1,2-Dichloroethane-d4		96	53-142				
Toluene-d8		89	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12172-002

Matrix: Solid

Batch: 12172

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	2500	1900		50	76	69-123	06/10/2009 1057
Ethylbenzene	2500	2000		50	78	59-128	06/10/2009 1057
Methyl tertiary butyl ether (MTBE)	2500	1600	N	50	65	72-122	06/10/2009 1057
Toluene	2500	1900		50	74	61-129	06/10/2009 1057
Xylenes (total)	5000	3700		50	75	58-128	06/10/2009 1057
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		72	47-138				
1,2-Dichloroethane-d4		71	53-142				
Toluene-d8		70	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ12172-003

Matrix: Solid

Batch: 12172

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	2500	1900		50	74	2.4	69-123	20	06/10/2009 1121
Ethylbenzene	2500	1900		50	76	2.5	59-128	20	06/10/2009 1121
Methyl tertiary butyl ether (MTBE)	2500	1600	N	50	63	3.0	72-122	20	06/10/2009 1121
Toluene	2500	1800		50	72	3.1	61-129	20	06/10/2009 1121
Xylenes (total)	5000	3700		50	74	2.0	58-128	20	06/10/2009 1121
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		75	47-138						
1,2-Dichloroethane-d4		74	53-142						
Toluene-d8		71	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ12497-001

Matrix: Solid

Batch: 12497

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		50	250	55	ug/kg	06/16/2009 1312
Ethylbenzene	ND		50	250	85	ug/kg	06/16/2009 1312
Methyl tertiary butyl ether (MTBE)	ND		50	250	20	ug/kg	06/16/2009 1312
Toluene	ND		50	250	85	ug/kg	06/16/2009 1312
Xylenes (total)	ND		50	250	140	ug/kg	06/16/2009 1312
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		84	47-138				
1,2-Dichloroethane-d4		96	53-142				
Toluene-d8		86	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12497-002

Matrix: Solid

Batch: 12497

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	2500	1900		50	77	69-123	06/16/2009 1225
Ethylbenzene	2500	1900		50	76	59-128	06/16/2009 1225
Methyl tertiary butyl ether (MTBE)	2500	1700	N	50	69	72-122	06/16/2009 1225
Toluene	2500	1900		50	76	61-129	06/16/2009 1225
Xylenes (total)	5000	3700		50	73	58-128	06/16/2009 1225
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		72	47-138				
1,2-Dichloroethane-d4		79	53-142				
Toluene-d8		72	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ12497-003

Matrix: Solid

Batch: 12497

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	2500	1800		50	74	3.2	69-123	20	06/16/2009 1248
Ethylbenzene	2500	1800		50	74	3.4	59-128	20	06/16/2009 1248
Methyl tertiary butyl ether (MTBE)	2500	1800	N	50	70	0.92	72-122	20	06/16/2009 1248
Toluene	2500	1800		50	74	3.2	61-129	20	06/16/2009 1248
Xylenes (total)	5000	3600		50	72	2.0	58-128	20	06/16/2009 1248
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		76	47-138						
1,2-Dichloroethane-d4		91	53-142						
Toluene-d8		76	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ12518-001

Matrix: Solid

Batch: 12518

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		50	250	55	ug/kg	06/10/2009 1208
Ethylbenzene	ND		50	250	85	ug/kg	06/10/2009 1208
Methyl tertiary butyl ether (MTBE)	ND		50	250	20	ug/kg	06/10/2009 1208
Toluene	ND		50	250	85	ug/kg	06/10/2009 1208
Xylenes (total)	ND		50	250	140	ug/kg	06/10/2009 1208
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		91	47-138				
1,2-Dichloroethane-d4		96	53-142				
Toluene-d8		89	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ12518-002

Matrix: Solid

Batch: 12518

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	2500	1900		50	76	69-123	06/10/2009 1057
Ethylbenzene	2500	2000		50	78	59-128	06/10/2009 1057
Methyl tertiary butyl ether (MTBE)	2500	1600	N	50	65	72-122	06/10/2009 1057
Toluene	2500	1900		50	74	61-129	06/10/2009 1057
Xylenes (total)	5000	3700		50	75	58-128	06/10/2009 1057
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		72	47-138				
1,2-Dichloroethane-d4		71	53-142				
Toluene-d8		70	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ12518-003

Matrix: Solid

Batch: 12518

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	2500	1900		50	74	2.4	69-123	20	06/10/2009 1121
Ethylbenzene	2500	1900		50	76	2.5	59-128	20	06/10/2009 1121
Methyl tertiary butyl ether (MTBE)	2500	1600	N	50	63	3.0	72-122	20	06/10/2009 1121
Toluene	2500	1800		50	72	3.1	61-129	20	06/10/2009 1121
Xylenes (total)	5000	3700		50	74	2.0	58-128	20	06/10/2009 1121
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		75	47-138						
1,2-Dichloroethane-d4		74	53-142						
Toluene-d8		71	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - MB

Sample ID: KQ13409-001

Matrix: Solid

Batch: 13409

Prep Method: 5035

Analytical Method: 8260B

Parameter	Result	Q	Dil	PQL	MDL	Units	Analysis Date
Benzene	ND		1	5.0	1.1	ug/kg	06/15/2009 1145
Ethylbenzene	ND		1	5.0	1.7	ug/kg	06/15/2009 1145
Methyl tertiary butyl ether (MTBE)	ND		1	5.0	0.40	ug/kg	06/15/2009 1145
Toluene	ND		1	5.0	1.7	ug/kg	06/15/2009 1145
Xylenes (total)	ND		1	5.0	2.9	ug/kg	06/15/2009 1145
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		95	47-138				
1,2-Dichloroethane-d4		89	53-142				
Toluene-d8		88	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCS

Sample ID: KQ13409-002

Matrix: Solid

Batch: 13409

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% Rec Limit	Analysis Date
Benzene	50	51		1	102	69-123	06/15/2009 1035
Ethylbenzene	50	48		1	96	59-128	06/15/2009 1035
Methyl tertiary butyl ether (MTBE)	50	49		1	99	72-122	06/15/2009 1035
Toluene	50	48		1	97	61-129	06/15/2009 1035
Xylenes (total)	100	92		1	92	58-128	06/15/2009 1035
Surrogate	Q	% Rec	Acceptance Limit				
Bromofluorobenzene		99	47-138				
1,2-Dichloroethane-d4		93	53-142				
Toluene-d8		92	68-124				

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Volatile Organic Compounds by GC/MS - LCSD

Sample ID: KQ13409-003

Matrix: Solid

Batch: 13409

Prep Method: 5035

Analytical Method: 8260B

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	% Rec Limit	% RPD Limit	Analysis Date
Benzene	50	54		1	109	6.9	69-123	20	06/15/2009 1058
Ethylbenzene	50	51		1	102	6.8	59-128	20	06/15/2009 1058
Methyl tertiary butyl ether (MTBE)	50	51		1	102	3.3	72-122	20	06/15/2009 1058
Toluene	50	52		1	104	7.7	61-129	20	06/15/2009 1058
Xylenes (total)	100	98		1	98	6.2	58-128	20	06/15/2009 1058
Surrogate	Q	% Rec	Acceptance Limit						
Bromofluorobenzene		96	47-138						
1,2-Dichloroethane-d4		89	53-142						
Toluene-d8		91	68-124						

PQL = Practical quantitation limit

P = The RPD between two GC columns exceeds 40%

N - Recovery is out of criteria

ND = Not detected at or above the MDL

J = Estimated result < PQL and $\geq$ MDL

+ - RPD is out of criteria

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Note: Calculations are performed before rounding to avoid round-off errors in calculated results