

Two
faxed 10/5/01

ENRD

Georgia Department of Natural Resources

Environmental Protection Division

Underground Storage Tank Management Program

4244 International Parkway, Suite 104, Atlanta, Georgia 30354

Lonice Barrett, Commissioner

Harold F. Reheis, Director

(404) 362-2687

September 12, 2001

Colonel Gregory V. Stanley
Directorate of Public Works Bldg 1137
HQS 3D IN DIV (MECH) and FT. Stewart
1550 Frank Cochran Drive
Fort Stewart, Georgia 31314-4927

SUBJECT: **Corrective Action Plan (CAP)-Part A Addendum**

No Further Action Required:

Fort Stewart, Former UST # 123, Building 933
West 1st Street and McFarland Avenue
Fort Stewart, Liberty County, GA
Facility ID: 9089092*1

Dear Colonel Stanley:

The Georgia Underground Storage Tank Management Program (USTMP) has received your consultant's letter, dated Feb 23, 2000, that forwarded a CAP-Part A Addendum. The report was prepared by Science Applications International Corporation (SAIC).

Based on current requirements of the Georgia Underground Storage Tank Act, the Georgia Rules for Underground Storage Tank Management (GUST Rules) and the data submitted, the USTMP has determined that **no further action is required for the referenced release.**

However, further corrective action may be required if mandated through more stringent State or Federal statutory or regulatory changes. Additional measures may also be required if existing or future drinking water systems or surface water bodies within two miles of the site are impacted by any dissolved contamination resulting from this release, or if previously unidentified soil contamination, dissolved contamination or free product are identified as originating from this site.

If you have any technical questions, please contact me at (404) 362-2687.

Sincerely,

Ronald J. Walker for LLL

Lisa L. Lewis
Unit Coordinator
Corrective Action Unit II

WEL:

S:/land/landdocs/williaml/pending01/9089092.34

cc: Patricia A. Stoll, P.E., SAIC

Larry Rogers, GAEPD Coastal District,

William E. Logan, GAEPD

File (CA): Liberty, 9089092