

FINAL

**CORRECTIVE ACTION PLAN - PART A REPORT
FOR
UNDERGROUND STORAGE TANKS 257-260
FACILITY ID #0-890037
BUILDING 430
FORT STEWART, GEORGIA**

Prepared for:

**U.S. Army Corps of Engineers - Savannah District
and
Fort Stewart Directorate of Public Works
Under Contract Number DACA21-95-D-0022
Delivery Order 0024**

Prepared by:

**Science Applications International Corporation
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831**

March 1999

DOCUMENT 1

TABLE OF CONTENTS

Page

LIST OF ABBREVIATIONS AND ACRONYMS	v
I. PLAN CERTIFICATION	1
A. UST Owner/Operator Certification	1
B. Registered Professional Engineer or Professional Geologist Certification	1
II. INITIAL RESPONSE REPORT	2
A. Initial Abatement	2
B. Free Product Removal	2
C. Tank History	3
D. Initial Site Characterization	3
1. Regulated Substance Released	3
2. Source(s) of Contamination	3
3. Local Water Resources	4
a. Groundwater Pollution Susceptibility Area	4
b. Public and Non-Public Water Supplies	4
c. Surface Water Supplies and Sewers	4
4. Impacted Environmental Media	4
a. Soil Impacted	4
b. Groundwater Impacted	5
c. Surface Water Impacted	6
d. Point of Withdrawal Impacted	6
5. Other Geologic/Hydrogeologic Data	6
a. Depth to Groundwater	6
b. Groundwater Flow Direction	6
c. Hydraulic Gradient	6
d. Geophysical Province	6
e. Unique Geologic/Hydrogeological Conditions	6
6. Corrective Action Completed or In-Progress	6
a. Underground Storage Tank System Closure	6
b. Excavation and Treatment/Disposal of Backfill Materials and Native Soils	7
7. Site Ranking	7
8. Conclusions and Recommendations	7
a. No Further Action Required	7
b. Monitoring Only	7
c. CAP-B	7
III. MONITORING ONLY PLAN	8
A. Monitoring Points	8
B. Period/Frequency of Monitoring and Reporting	8
C. Monitoring Parameters	8
D. Milestone Schedule	8
E. Scenarios for Site Closure or CAP-Part B	8

IV. SITE INVESTIGATION PLAN	8
A. Proposed Investigation of Horizontal and Vertical Extent of Contamination	8
1. Soil	8
2. Groundwater	9
a. Free Product	9
b. Dissolved Phase	9
3. Surface Water	9
B. Proposed Investigation of Vadose Zone and Aquifer Characteristics.....	9
V. PUBLIC NOTICE.....	10
VI. CLAIM FOR REIMBURSEMENT	10

List of Appendices

APPENDIX I: REPORT FIGURES	I-1
Figure 1. Location Map of USTs 257-260, Fort Stewart, Liberty County, Georgia.....	I-3
Figure 2. Site Plan for the UST 257-260, Building 430 Site Investigation	I-4
Figure 3. Map Showing Public and Private Drinking Water Sources and Surface Water Bodies at Fort Stewart, Liberty County, Georgia.....	I-5
Figure 4a. Soil Quality Map of the UST 257-260, Building 430 Site	I-7
Figure 4b. Soil Quality Map of the UST 257-260, Building 430 Site	I-9
Figure 5a. Groundwater Quality Map of the UST 257-260, Building 430 Site	I-11
Figure 5b. Groundwater Quality Map of the UST 257-260, Building 430 Site	I-13
Figure 6. Potentiometric Surface Map of the UST 257-260, Building 430 Site.....	I-15
Figure 7. UST System Closure Sampling Locations at the UST 257-260, Building 430 Site	I-16
Figure 8. Proposed Additional Boring/Monitoring Well Locations	I-17
Figure 9. Tax Map.....	I-18
APPENDIX II: REPORT TABLES	II-1
Table 1. Free Product Removal	II-3
Table 2a. Soil Analytical Results (Volatile Organic Compounds)	II-4
Table 2b. Soil Analytical Results (Polynuclear Aromatic Hydrocarbons).....	II-5
Table 3a. Groundwater Analytical Results (Volatile Organic Compounds).....	II-6
Table 3b. Groundwater Analytical Results (Polynuclear Aromatic Hydrocarbons).....	II-6
Table 4. Groundwater Elevations	II-7
Table 5a. UST System Closure - Soil Analytical Results (Volatile Organic Compounds)	II-8
Table 5b. UST System Closure - Soil Analytical Results (Polynuclear Aromatic Hydrocarbons)	II-8
Table 6a. UST System Closure - Groundwater Analytical Results (Volatile Organic Compounds).....	II-9
Table 6b. UST System Closure - Groundwater Analytical Results (Polynuclear Aromatic Hydrocarbons)	II-9

APPENDIX III:	WATER RESOURCES SURVEY DOCUMENTATION.....	III-1
APPENDIX IV:	SOIL BORING LOGS	IV-1
APPENDIX V:	SOIL LABORATORY RESULTS	V-1
APPENDIX VI:	ALTERNATE THRESHOLD LEVEL (ATL) CALCULATIONS	VI-1
APPENDIX VII:	MONITORING WELL DETAILS.....	VII-1
APPENDIX VIII:	GROUNDWATER LABORATORY RESULTS	VIII-1
APPENDIX IX:	CONTAMINATED SOIL DISPOSAL MANIFESTS	IX-1
APPENDIX X:	SITE RANKING FORM.....	X-1
APPENDIX XI:	COPIES OF PUBLIC NOTIFICATION LETTERS AND CERTIFIED RECEIPTS OR NEWSPAPER NOTICE	XI-1

Attachments

A	TECHNICAL APPROACH.....	A-1
B	REFERENCES	B-1

List of Abbreviations and Acronyms

ACE	Anderson Columbia Environmental, Inc.
ACL	alternate concentration limit
AMSL	above mean sea level
ATL	alternate threshold level
BGS	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylene
BTOC	below top of casing
CAP	Corrective Action Plan
DPW	Directorate of Public Works
EPA	U.S. Environmental Protection Agency
FID	flame ionization detector
GA EPD	Georgia Environmental Protection Division
ID	inside diameter
IDW	investigation-derived waste
MCL	maximum contaminant level
MSL	mean sea level
N/A	not applicable
NRC	no regulatory criteria
OVN	organic vapor meter
PAH	polynuclear aromatic hydrocarbon
PID	photoionization detector

PVC	polyvinyl chloride
SAIC	Science Applications International Corporation
TPH	total petroleum hydrocarbon
USACE	U.S. Army Corps of Engineers
USGS	U.S. Geological Survey
UST	underground storage tank
USTMP	Underground Storage Tank Management Program
VOC	volatile organic compound

CORRECTIVE ACTION PLAN PART A

Facility Name: USTs 257-260, Building 430 Street Address: Hero Rd between Bundy Ave & W. 15th St

Facility ID: 0-890037 City: Fort Stewart County: Liberty Zip Code: 31314

Latitude: 31°52'17" Longitude: 81°36'35"

Submitted by UST Owner/Operator:

Name: Thomas C. Fry/ Environmental Branch

Company: U.S. Army/HQ 3d, Inf. Div (Mech)

Address: DPW ENRD ENV. Br. (Fry)

1557 Frank Cochran Drive

City: Fort Stewart State: GA

Zip Code: 31314-4928

Telephone: (912) 767-1078

Prepared by Consultant/Contractor:

Name: Patricia A. Stoll

Company: SAIC

Address: P.O. Box 2502

City: Oak Ridge State: TN

Zip Code: 37831

Telephone: (423) 481-8791

I. PLAN CERTIFICATION:

A. UST Owner/Operator Certification

I hereby certify that the information contained in this plan and in all the attachments is true, accurate, and the plan satisfies all criteria and requirements of rule 391-3-15-09 of the Georgia Rules for Underground Storage Tank Management.

Name: THOMAS C. FRY

Signature: Thomas C. Fry

Date: 03/25/99


B. Registered Professional Engineer or Professional Geologist Certification

I hereby certify that I have directed and supervised the field work and preparation of this plan, in accordance with State Rules and Regulations. As a registered professional geologist and/or professional engineer, I certify that I am a qualified groundwater professional, as defined by the Georgia State Board of Professional Geologists. All of the information and laboratory data in this plan and in all of the attachments are true, accurate, complete, and in accordance with applicable State Rules and Regulations.

Name: Patricia A. Stoll

Signature: Patricia A. Stoll

Date: 3/23/99



General: READ THE GUIDANCE DOCUMENT FOR CAP PART-A BEFORE COMPLETING THIS FORM. FAILURE TO READ THE GUIDANCE DOCUMENT WILL MOST LIKELY RESULT IN PREPARATION OF AN UNACCEPTABLE REPORT. All text, figures, and tables requested in their respective sections should be prepared strictly in accordance with the Georgia EPD CAP-A guidance document. Please fill out this form as provided. Do not change the size of the fields or alter the placement of each section on each page.

(Appendix I: All Report Figures)

(Appendix II: All Report Tables)

II. INITIAL RESPONSE REPORT

A. Initial Abatement

Were initial abatement actions initiated?

YES _____ NO X

If Yes, please summarize. If No, please explain why not.

Actions were not required to abate imminent hazards and/or emergency conditions at the USTs 257 - 260 site. Therefore, contaminant migration and release prevention, fire and vapor migration, or emergency free product removal was not performed prior to, or during, the removal of USTs 257 - 260.

B. Free Product Removal

(Table 1: Summary of Free Product Removal – must include Free Product thickness in each well in which it was detected, and volume of product removed)

Free Product Detected?

YES _____ NO X

If Yes, please summarize free product recovery efforts.

Continuing free product recovery proposed?

YES _____ NO X

If yes, please indicate the method and frequency of removal.

C. Tank History

List current and former UST's operated at site based on owner/operator knowledge consistent with EPA 7530-1 Form). Systems must be illustrated on Figure 2 (Site Plan), as described in section D below.

CURRENT UST SYSTEMS (if applicable)

<u>Tank ID Number</u>	<u>Capacity (gal)</u>	<u>Substance Stored</u>	<u>Age (yrs)</u>	<u>Meets 1998 Upgrade Standards (Yes/No)</u>
N/A	N/A	N/A	N/A	N/A

FORMER UST SYSTEMS (if applicable)

<u>Tank ID Number</u>	<u>Capacity (gal)</u>	<u>Substance Stored</u>	<u>Date Removed</u>
257	10,000	Gasoline	3/17/93
258	10,000	Gasoline	3/23/93
259	10,000	Gasoline	3/23/93
260	10,000	Gasoline	3/23/93

D. Initial Site Characterization

(Figure 1: Vicinity/Location Map)

(Figure 2: Site Plan)

1. Regulated Substance Released (gasoline, diesel, used oil, etc.): gasoline
Discuss how this determination was made and circumstances of discovery.

Characterization of petroleum-related contamination at the site was initiated during UST system closure activities on March 12 - 23, 1993, by Anderson Columbia Environmental, Inc (ACE). After removing the tank and in-place closure of the ancillary piping, 15 soil samples were collected from the tank pit (Figure 7) and analyzed by a flame ionization detector (FID). The closure report indicates that FID readings for the 15 soil samples exceeded 5000 ppm and that the soil was very contaminated; no soil samples were submitted for laboratory analysis during tank closure activities.

2. Source(s) of Contamination: Unknown; piping leakage or tank overflow suspected
Discuss how this determination was made.

A detailed schematic diagram illustrating the former USTs 257 - 260 and ancillary piping as configured during operation is presented in Figure 2. During removal activities by ACE, no holes in the tank were reported. Therefore, the source of contamination is believed to have been piping leakage and/or tank overflow.

3. Local Water Resources

(Figure 3: Quadrangle Map – Public and Private drinking water and surface water)
(Appendix III: Water resources survey documentation, including, but not limited to: USGS database search, interview forms, and documentation of field survey)

- a. Site located in high/average X OR low groundwater pollution susceptibility area?
- b. Water Supplies within applicable radii? YES X NO
If yes,
- i. Nearest public water supply located within: 1750 feet
- ii. Nearest down-gradient public water supply located within: 1750 feet
- iii. Nearest non-public water supply located within: >2,640 feet
- iv. Nearest down-gradient non-public water supply located within: >2,640 feet
- c. Surface Water Bodies and sewers:
- i. Nearest surface water located within 1000 feet
- ii. Nearest down-gradient surface water located within 1000 feet
- iii. Nearest storm or sanitary sewer located within: 10 feet
- iv. Depth to bottom of sewer at a point nearest the plume est. 4-6 feet

4. Impacted Environmental Media

- a. Soil Impacted
(Table 2: Soil Analysis Results)
(Figure 4: Soil Quality Map)
(Appendix IV: Soil Boring Logs)
(Appendix V: Soil Laboratory Reports)
(Appendix VI: ATL Calculations, if applicable)

Provide a brief discussion of soil sampling.

Continuous soil cores were collected at 2.0-foot intervals during the installation of 10 boreholes. Field headspace gas analyses were performed on each sample to determine the organic vapor concentration. Two soil samples were selected from each borehole for laboratory chemical analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX); total petroleum hydrocarbons (TPH); and polynuclear aromatic hydrocarbons (PAH). In boreholes where organic vapors were detected, one sample was collected from the 2.0-foot interval where the highest vapor concentration was recorded, and the other from the deepest 2.0-foot interval with the lowest concentration. If organic vapors were not detected, one sample was collected from the 2.0-foot interval nearest the midpoint of the boring, and the other from the 2.0-foot interval located immediately above the water table. Refer to Attachment A for complete documentation of the technical approach implemented during this investigation.

i. Soil contamination above applicable threshold levels?

YES X NO

If yes, indicate highest concentrations in soil along with locations and depths detected.

Benzene exceeded applicable threshold levels in borings 76-01, 76-02, 76-03, 76-05, 76-09, and 76-10 (Figures 4a and 4b). The benzene concentrations ranged from 0.0108 to 15.7 mg/kg in the samples from these boreholes with the highest contamination observed in sample 760921 at a depth of 4.0 to 5.5 ft BGS. Benzene contamination was not detected below 22.0 ft BGS in the vertical profile boring (76-05). Toluene and ethylbenzene also exceeded applicable threshold levels in borings 76-02, 76-09, and 76-10.

ii. ATLs calculated?

YES NO X

If yes, present ATLs.

iii. If ATL's calculated, is soil contamination above ATL's?

YES NO N/A X

b. Groundwater Impacted

(Table 3: Groundwater Analysis Results)

(Figure 5: Groundwater Quality Map)

(Appendix VII: Monitoring Well Details)

(Appendix VIII: Groundwater Laboratory Results)

Provide a brief discussion of groundwater sampling.

At each borehole location, except the vertical profile boring, one groundwater sample was collected from the water table to approximately 5.0 feet below the water table using a direct-push sampling device. At the vertical profile location (76-05), soil samples were collected every 5 feet below the water table until several soil sample intervals indicated a headspace gas measurement of zero. Chemical parameters for groundwater samples submitted for laboratory analysis included BTEX and PAH. Refer to Attachment A for complete documentation of the technical approach used to collect groundwater samples.

i. Groundwater contamination above MCLs?

YES X NO

ii. Groundwater contamination above In-Stream Water Quality Standards?

YES X NO

If yes, indicate highest concentrations in groundwater along with the locations.

Benzene, toluene, ethylbenzene, and total xylenes were detected in all the borings except 76-04. BTEX concentrations exceeded MCLs in 9 of 10 samples, 4 of 10 samples, 4 of 10 samples, and 2 of 10 samples, respectively. The highest BTEX concentrations were in 32,700 µg/L in 76-09, 97,800 µg/L in 76-09, 5,210 µg/L in 76-10, and 28,400 µg/L in 76-10, respectively.

c. *Surface Water Impacted?* YES _____ NO X
If Yes, indicate concentration(s) of surface water sample(s) taken from the surface water body/bodies impacted.

d. *Point of Withdrawal Impacted?* YES _____ NO _____ N/A X
If Yes, indicate concentration(s) of water sample(s) taken from withdrawal point(s).

5. Other Geologic/Hydrogeologic Data

- a. *Depth to Groundwater (ft BTOC):* 9.09 to 11.42 (Table 4: Groundwater Elevations)
b. *Groundwater Flow Direction:* southeast (Figure 6: Potentiometric Surface Map)
c. *Hydraulic Gradient* 0.0103 ft/ft
d. *Geophysical Province:* coastal plain
e. *Unique geologic/hydrological conditions:* The Hawthorn Formation acts as a confining unit between the surficial and Floridan aquifers

6. Corrective Action Completed or In-Progress (if applicable)

(Table 5: UST System Closure Sampling)
(Figure 7: UST System Closure Sampling)
(Appendix IX: Contaminated Soil Disposal Manifests)

- a. *Underground Storage Tank (UST) System Closure:* N/A _____
If applicable, summarize UST system closure activities conducted.

ACE removed USTs 257 - 260 on March 12 - 23, 1993. The UST piping was drained into the tank, and all gasoline was subsequently removed using a vacuum truck and/or compressor-driven barrel vacuum device. A backhoe was used to excavate down to the tank top. The ancillary piping was closed in-place due to the fact that it is covered with asphalt. In-place closure consisted of purging the line and grouting the ends at the tanks and dispensers. After the tank atmosphere was tested with a combustible gas indicator, all accessible tank openings were capped and the tank was lifted from the excavation pit. The tanks were triple rinsed, cut up, and sold as scrap metal to Savannah Steel.

b. Excavation and Treatment/Disposal of Backfill Materials and Native Soils

Check one: *No UST removal performed* _____
Returned to UST excavation _____
Excavated soils treated or disposal off site X

If soils were excavated, summarize excavation and treatment/disposal activities:

It should be noted that all contaminated soil removed during the entire project (i.e., all USTs removed under contract with ACE, to include clean and non-clean closures) was tested in accordance with the disposal facility requirements and transported to Kedesh, Inc., Highway 84, Ludowici, GA, 31316. Approximately 225 cubic yards of nonhazardous, contaminated soil was excavated from this site.

7. Site Ranking:

Environmental Site Sensitivity Score: 25450
(Appendix X: Site Ranking Form)

8. Conclusions and Recommendations

Complete applicable section below, one section only

a. No Further Action Required (if applicable) N/A X
(provide justification)

b. Monitoring Only (if applicable) N/A X
(provide justification)

c. CAP-B (if applicable) N/A _____
(provide justification)

BTEX concentrations in groundwater exceed their respective MCLs and the horizontal extent of groundwater contamination was not determined during the CAP-Part A investigation. The vertical extent of contamination in the former tank pits was determined during the CAP-Part A investigation (76-05). However, vertical delineation within the boundaries of the entire site has not been determined (see Section IV.A.2.b).

III. MONITORING ONLY PLAN (if applicable): N/A X

A. Monitoring points

B. Period/Frequency of monitoring and reporting

C. Monitoring Parameters

D. Milestone Schedule

E. Scenarios for site closure or CAP-Part B

IV. SITE INVESTIGATION PLAN (if applicable): N/A _____
(Figure 8: Proposed additional boring/monitoring well location)

A. Proposed Investigation of Horizontal and Vertical Extent of Contamination In:

1. Soil N/A _____

The USTs 257-260 site (Facility ID #0-890037) and UST 261 (Facility ID #9-089118) are registered with GAEPD under separate facility identification numbers, although they are located within 60 feet of each other at the closest point (i.e., piping for USTs 257-260 and former UST 261 tank pit). Thus, due to the close proximity of the two sites and the fact that the groundwater contamination plume encompasses both sites, Fort Stewart proposes to combine the CAP-Part B investigations into one investigation for both sites. The field investigation will include the installation of 12 soil borings as indicated in Figure 8. At each boring, two soil samples will be collected based on PID/FID readings and the borings will be completed as shallow monitoring wells. If the proposed sampling strategy does not achieve horizontal delineation of contamination, then additional borings/wells will be installed.

2. Groundwater

a. Free Product

N/A _____

Each of the 12 soil borings will be converted to a monitoring well. The wells will be screened across the water table with 3 feet of screen above the water table in order to detect the presence of free product. All monitoring wells will be completed flush with the ground surface.

b. Dissolved phase

NA _____

One groundwater sample will be collected from each monitoring well and analyzed for BTEX and PAH. To further characterize the vertical extent of contamination at the site, 76-21 and 76-22 will be drilled to a depth of approximately 40 feet BGS and soil samples will be analyzed for BTEX, PAH, TPH-DRO, and TPH-GRO.

3. Surface Water

N/A X

Two surface water and sediment samples will be collected from the drainage swale located east of the site that runs parallel to Hero Road. These samples will be analyzed for BTEX, PAH, and TPH (sediment only).

B. Proposed Investigation of Vadose Zone And Aquifer Characteristics:

A geotechnical soil sample was collected from the site during the CAP-Part A investigation and analyzed for permeability, porosity, grain size distribution, moisture content, bulk density, specific gravity, and total organic carbon (Tables V-A and VI-A). Each of the groundwater samples collected will be analyzed for dissolved iron. A slug test will be performed in three of the monitoring wells to determine the saturated horizontal hydraulic conductivity. This information will be utilized in the fate and transport modeling or remediation system design.

V. PUBLIC NOTICE

(Figure 9. Tax Map)

(Appendix XI: Copies of public notification letters & certified return receipts or newspaper notice if approved)

USTs 257 - 260, Building 430 is located within the confines of Fort Stewart Military Reservation, a federal facility. The U.S. Government owns all of the property contiguous to the site. The Fort Stewart Directorate of Public Works (DPW) has complied with the public notice requirements defined by GA EPD guidance by publishing an announcement in the *Savannah Morning News* on July 19 and 26, 1998.

VI. CLAIM FOR REIMBURSEMENT (for GUST Trust Fund sites only):

N/A X

(Appendix XII: GUST Trust Fund Reimbursement Application and Claim for reimbursement)

Fort Stewart is a federally owned facility and has funded the investigation for the USTs 257-260 site, Building 430, Facility ID #0-890037, using Environmental Restoration Account Funds. Application for Georgia Underground Storage Tank Trust Fund reimbursement is not being pursued at this time.

APPENDIX I

REPORT FIGURES

THIS PAGE INTENTIONALLY LEFT BLANK




Figure 1. Location Map of Fort Stewart, Liberty County, Georgia




Figure 2. Site Plan for the USTs 257 - 260, Building 430 Site Investigation





Figure 6. Potentiometric Surface Map of the USTS 257 - 260, Building 430 Site






Figure 8. Proposed Additional Boring/Monitoring Well Locations

No tax map is available for Fort Stewart Military Reservation, which is a government owned facility.

Figure 9. Tax Map

APPENDIX II

REPORT TABLES

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE 1: FREE PRODUCT REMOVAL

Monitoring Well Number: N/A				
Date of Measurement	Groundwater Elev. (ft AMSL)	Product Thickness (ft)	Corrected Water Elev. (ft AMSL)	Product Removed (gal)
No Free Product Detected				
			TOTAL	NONE

Monitoring Well Number: N/A				
Date of Measurement	Groundwater Elev. (ft AMSL)	Product Thickness (ft)	Corrected Water Elev. (ft AMSL)	Product Removed (gal)
No Free Product Detected				
			TOTAL	NONE

NOTE:

AMSL Above mean sea level.

TABLE 2a: SOIL ANALYTICAL RESULTS
(VOLATILE ORGANIC COMPOUNDS)

Sample Location	Sample ID	Depth (ft BGS)	Date Sampled	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-DRO (mg/kg)	TPH-GRO (mg/kg)
76-01	760111	2.0 - 4.0	05/10/98	0.0119 =	0.174 J	0.0468 =	0.366 J	0.5987	3.4 U	0.755 J
76-01	760121	6.0 - 8.0	05/10/98	0.289 J	0.127 J	2.55 J	5.28 J	8.246	271 =	1330 =
76-02	760211	7.0 - 8.0	05/08/98	12.8 J	32.9 J	24.2 J	126 J	195.9	1550 =	2310 =
76-02	760221	15.0 - 16.0	05/08/98	0.0108 J	0.138 J	0.0363 J	0.339 J	0.5241	0.91 UJ	0.441 J
76-03	760311	7.0 - 8.0	05/08/98	0.0753 J	0.168 J	0.527 J	5.44 J	6.2103	173 =	48 =
76-03	760321	13.0 - 14.0	05/08/98	0.0692 J	0.142 J	0.24 J	0.409 J	0.8602	4.3 =	1.78 =
76-04	760411	2.0 - 3.0	05/08/98	0.0021 U	0.0327 =	0.0021 U	0.0063 U	0.0432	2.6 U	1.05 UJ
76-04	760421	12.0 - 13.0	05/08/98	0.0026 U	0.0579 =	0.0026 U	0.0077 U	0.0708	1.5 UJ	0.173 J
76-05	760511	6.0 - 8.0	05/09/98	0.05 U	0.05 U	0.0855 J	0.374 J	0.5595	15.4 =	53.7 =
76-05	760521	10.0 - 12.0	05/09/98	0.0313 J	0.0326 J	0.0265 J	0.36 J	0.4504	3.2 U	1.72 J
76-05	760531	12.0 - 14.0	05/09/98	0.0127 =	0.0383 =	0.0141 =	0.101 =	0.1661	3.4 U	0.264 J
76-05	760541	20.0 - 22.0	05/09/98	0.0138 =	0.015 =	0.0155 =	0.0293 J	0.0736	2.7 U	0.0915 J
76-05	760551	30.0 - 32.0	05/09/98	0.0051 U	0.124 =	0.0105 =	0.0041 J	0.1437	1.3 U	1.28 UJ
76-05	760561	40.0 - 42.0	05/12/98	0.0049 UJ	0.0721 J	0.0096 J	0.0039 J	0.0905	3.4 U	0.16 J
76-05	760571	55.0 - 57.0	05/09/98	0.0046 UJ	0.0046 UJ	0.0046 UJ	0.014 UJ	ND	1.1 U	1.16 U
76-05	760581	57.0 - 59.0	05/09/98	0.0027 UJ	0.0027 UJ	0.0027 UJ	0.0081 UJ	ND	1.6 UJ	1.35 UJ
76-06	760621	2.0 - 4.0	05/09/98	0.0037 J	0.16 J	0.118 J	0.0671 J	0.3488	59.7 =	1.89 J
76-06	760611	4.0 - 6.0	05/09/98	0.0043 U	0.0048 J	0.0043 U	0.013 U	0.0264	2.9 U	0.524 J
76-07	760711	0.0 - 2.0	05/09/98	0.0012 U	0.0316 =	0.0144 J	0.0577 =	0.1049	0.58 UJ	0.313 J
76-07	760721	4.0 - 5.5	05/09/98	0.0011 U	0.0193 =	0.0175 J	0.103 =	0.1409	1.2 UJ	1.63 J
76-08	760811	0.0 - 2.0	05/09/98	0.00055 U	0.0025 =	0.0022 U	0.0066 U	0.01185	1.6 UJ	1.1 U
76-08	760821	2.0 - 4.0	05/09/98	0.0017 J	0.0035 =	0.0044 J	0.0065 J	0.0161	7.8 =	0.297 J
76-09	760911	0.0 - 2.0	05/09/98	0.0398 J	0.19 J	0.051 J	0.341 J	0.6218	3.2 U	2.03 =
76-09	760921	4.0 - 5.5	05/09/98	15.7 J	325 J	117 J	594 J	1051.7	818 =	2820 J
76-10	761011	0.0 - 2.0	05/10/98	0.0011 U	0.0044 U	0.0044 U	0.0136 =	0.0235	1.1 U	0.576 J
76-10	761021	4.0 - 5.2	05/10/98	0.351 J	18.4 J	18.6 J	110 J	147.351	124 =	1270 =
Applicable Standards ¹				0.008	6.0	10	700	NRC	NRC	NRC

NOTES:

Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

¹ Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)

BGS Below ground surface

BTEX Benzene, toluene, ethylbenzene, and xylene

DRO Diesel Range Organics

GRO Gasoline Range Organics

NRC No regulatory criteria

TPH Total petroleum hydrocarbon

Laboratory Qualifiers

U Indicates that the compound was not detected above the reported sample quantitation limit

UJ Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates that the value for the compound was an estimated value.

= Indicates that the compound was detected at the concentration reported.

**TABLE 2b: SOIL ANALYTICAL RESULTS
(POLYNUCLEAR AROMATIC HYDROCARBONS)**

Detected PAH Compounds (mg/kg)																	Total PAHs (mg/kg)
Sample Location	Sample ID	Depth (ft BGS)	Date Sampled	naphthalene	acenaphthylene	fluorene	phenanthrene	anthracene	fluoranthene	pyrene	benzo (a) anthracene	chrysene	benzo (b) fluoranthene	benzo (k) fluoranthene	benzo (a) pyrene	benzo (g,h,i) perylene	
76-01	760111	2.0 - 4.0	05/10/98			0.01 J	0.037 J		0.04 J	0.075 J							0.1621
76-01	760121	6.0 - 8.0	05/10/98	2.5 =			0.181 J	0.042 J	0.124 J	0.143 J		0.063 J	0.033 J	0.016 J	J		3.1021
76-02	760211	7.0 - 8.0	05/08/98	22 =													22
76-02	760221	15.0 - 16.0	05/08/98														ND
76-03	760311	7.0 - 8.0	05/08/98	2.7 =													2.7
76-03	760321	13.0 - 14.0	05/08/98	0.143 J													0.143
76-04	760411	2.0 - 3.0	05/08/98														ND
76-04	760421	12.0 - 13.0	05/08/98														ND
76-05	760511	6.0 - 8.0	05/09/98	0.37 J													0.37
76-05	760521	10.0 - 12.0	05/09/98	0.0509 J													0.0509
76-05	760531	12.0 - 14.0	05/09/98														ND
76-05	760541	20.0 - 22.0	05/09/98														ND
76-05	760551	30.0 - 32.0	05/09/98														ND
76-05	760561	40.0 - 42.0	05/12/98														ND
76-05	760571	55.0 - 57.0	05/09/98														ND
76-05	760581	57.0 - 59.0	05/09/98														ND
76-06	760621	2.0 - 4.0	05/09/98		0.421 J	1.16 J	7.03 =	0.522 J	4.32 J	6.33 J	2.400 J	2.650 J	1.930 J	0.932 J	1.390 J	1.180 J	30.265
76-06	760611	4.0 - 6.0	05/09/98	0.0221 J													0.0221
76-07	760711	0.0 - 2.0	05/09/98														ND
76-07	760721	4.0 - 5.5	05/09/98														ND
76-08	760811	0.0 - 2.0	05/09/98														ND
76-08	760821	2.0 - 4.0	05/09/98	0.312 J													0.312
76-09	760911	0.0 - 2.0	05/09/98	0.0284 J	0.011 J	0.012 J	0.083 J	0.009 J	0.084 J	0.139 J	0.052 J	0.065 J					0.4836
76-09	760921	4.0 - 5.5	05/09/98	23.1 =		0.366 =	0.382 =										23.848
76-10	761011	0.0 - 2.0	05/10/98														ND
76-10	761021	4.0 - 5.2	05/10/98	3.56 =			0.302 J										3.862
Applicable Standards ¹				NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

NOTES:

Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

Detection limits are provided in Summary Table V-A.

¹ Georgia Department of Natural Resources Applicable Soil Threshold Levels, Table A, Column 2)

² ND - Not detected; refer to Appendix V, Table V-A, for complete list of PAH results

BGS Below ground surface

N/A Not applicable

PAH Polynuclear aromatic hydrocarbon

Laboratory Qualifiers

U Indicates that the compound was not detected above the reported sample quantitation limit
 UJ Indicates that the compound was not detected above an approximated sample quantitation limit
 J Indicates that the value for the compound was an estimated value
 = Indicates that the compound was detected at the concentration reported

TABLE 3a: GROUNDWATER ANALYTICAL RESULTS
(VOLATILE ORGANIC COMPOUNDS)

Sample Location	Sample ID	Depth (ft BGS)	Date Sampled	Benzene (µg/l)	Toluene (µg/l)	Ethyl - benzene (µg/l)	Xylenes (µg/l)	Total BTEX (µg/l)
76-01	760112	7.0	05/10/98	3210 =	10700 =	1830 =	9510 =	25250
76-02	760212	9.0	05/08/98	1540 =	3090 =	945 =	5060 =	10635
76-03	760312	10.0	05/08/98	356 J	67.1 J	238 J	2450 J	3111.1
76-04	760412	11.0	05/08/98	2 U	2 U	2 U	6 U	ND
76-05	760522	10.0	05/08/98	159 =	512 =	889 =	7870 =	9430
76-05	760532	15.0	05/08/98	675 =	68.6 =	180 =	1640 =	2563.6
76-06	760612	6.0	05/09/98	138 J	15.3 J	183 J	439 J	775.3
76-07	760712	5.5	05/09/98	432 =	100 U	759 =	2970 =	4261
76-08	760812	5.7	05/09/98	7590 =	499 =	1420 =	1320 =	10829
76-09	760912	5.5	05/10/98	32700 =	97800 =	4450 =	22700 =	157650
76-10	761012	5.2	05/10/98	4240 J	17600 J	5210 J	28400 J	55450
Applicable Standards ¹				5	700	1000	10000	NRC

TABLE 3b: GROUNDWATER ANALYTICAL RESULTS
(POLYNUCLEAR AROMATIC HYDROCARBONS)

Sample Location	Sample ID	Depth (ft BGS)	Date Sampled	Detected PAH Compounds (µg/l)				Total PAH (µg/l)
				naphthalene	fluoranthene	phenanthrene		
76-01	760112	7.0	05/10/98	991 =		11.4 J		1002.4
76-02	760212	9.0	05/08/98	236 =	0.52 J			236.52
76-03	760312	10.0	05/08/98	156 =				156
76-04	760412	11.0	05/08/98					ND
76-05	760522	10.0	05/08/98	352 =				352
76-05	760532	15.0	05/08/98	93.4 =				93.4
76-06	760612	6.0	05/09/98	93.1 =				93.1
76-07	760712	5.5	05/09/98	17.9 =				17.9
76-08	760812	5.7	05/09/98	265 =				265
76-09	760912	5.5	05/10/98	644 =				644
76-10	761012	5.2	05/10/98	817 =				817
Applicable Standards ¹				NRC	NRC	NRC		NRC

NOTE:

Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

¹ U.S. Environmental Protection Agency maximum contaminant level

BTEX Benzene, toluene, ethylbenzene, and xylene

BGS Below ground surface

N/A Not applicable

NRC No regulatory criteria

PAH Polynuclear aromatic hydrocarbon

Laboratory Qualifiers

U Indicates the compound was not detected at the concentration reported

UJ Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates the value for the compound is an estimated value

= Indicates the compound was detected at the concentration reported

TABLE 4: GROUNDWATER ELEVATIONS

Well Number	Date Measured	Ground Surface Elev. (ft MSL)	Top of Casing Elev. (ft MSL)	Depth of Screened Interval (ft BGS)	Depth of Free Product (ft BTOC)	Water Depth (ft BTOC)	Product Thickness (ft)	Specific Gravity Adjustment	Corrected Groundwater Elev. (ft MSL)
76-01	05/13/98	87.28	90.27	3.0 - 13.0	N/A	9.09	N/A	N/A	80.63
76-02	05/13/98	86.26	88.36	6.0 - 16.0	N/A	10.50	N/A	N/A	80.11
76-03	05/13/98	85.71	88.48	6.0 - 16.0	N/A	10.19	N/A	N/A	79.75
76-04	05/13/98	85.63	88.37	6.0 - 16.0	N/A	9.58	N/A	N/A	80.39
76-06	05/13/98	87.98	88.73	2.0 - 12.0	N/A	11.00	N/A	N/A	80.96
76-07	05/13/98	88.00	89.12	2.0 - 12.0	N/A	10.55	N/A	N/A	81.04
76-08	05/13/98	87.92	88.37	2.0 - 12.0	N/A	11.12	N/A	N/A	81.14
76-09	05/13/98	87.91	87.91	2.0 - 12.0	N/A	11.42	N/A	N/A	81.29
76-10	05/13/98	87.85	89.89	2.0 - 12.0	N/A	9.09	N/A	N/A	81.58

NOTE:

MSL Mean sea level
BGS Below ground surface
BTOC Below top of casing
N/A Not applicable

**TABLE 5a: UST SYSTEM CLOSURE¹ - SOIL ANALYTICAL RESULTS
(VOLATILE ORGANIC COMPOUNDS)**

Sample Location	Depth (ft BGS)	Date Sampled	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH (mg/kg)	TPH DRO (mg/kg)	TPH GRO (mg/kg)
NO ANALYTICAL DATA WAS PRESENTED IN THE CLOSURE REPORT										
Applicable Standards ²			0.008	6	10	700	NRC	NRC	NRC	NRC

**TABLE 5b: UST SYSTEM CLOSURE¹ - SOIL ANALYTICAL RESULTS
(POLYNUCLEAR AROMATIC HYDROCARBONS)**

POLYNUCLEAR AROMATIC HYDROCARBONS										
Sample Location	Depth (ft BGS)	Date Sampled	Detected PAH Compounds (mg/kg)							Total PAHs (mg/kg)
NO ANALYTICAL DATA WAS PRESENTED IN THE CLOSURE REPORT										
Applicable Standards ²			NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

NOTE:

- ¹ Underground storage tank system closure performed by Anderson Columbia Environmental, Inc. (1996)
- ² Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)
- ³ Not applicable; the health-based threshold level is exceeded only if free product exists
- BDL Below detection limit
- BGS Below ground surface
- BTEX Benzene, toluene, ethylbenzene, and xylene
- NRC No regulatory criteria.
- PAH Polynuclear aromatic hydrocarbon.

Laboratory Qualifiers

- U Indicates the compound was not detected at the concentration reported
- UJ Indicates that the compound was not detected above an approximated sample quantitation limit
- J Indicates the value for the compound is an estimated value
- = Indicates the compound was detected at the concentration reported

**TABLE 6a: UST SYSTEM CLOSURE¹ - GROUNDWATER ANALYTICAL RESULTS
(VOLATILE ORGANIC COMPOUNDS)**

Sample Location	Depth (ft BGS)	Date Sampled	Benzene (mg/L)	Toluene (mg/L)	Ethyl -benzene (mg/L)	Xylenes (mg/L)	Total BTEX (mg/L)
P-430 #1	N/A	3/22/93	ANALYTICAL RESULTS NOT INCLUDED IN CLOSURE REPORT				
P-430 #2	N/A	3/22/93	12.2 =	63.6 =	39.9 =	110 =	225.7
Applicable Standards ²			5,000	700,000	1,000,000	10,000,000	NRC

**TABLE 6b: UST SYSTEM CLOSURE¹ - GROUNDWATER ANALYTICAL RESULTS
(POLYNUCLEAR ANALYTICAL RESULTS)**

Sample Location	Depth (ft BGS)	Date Sampled	Detected PAH Compounds (µg/L)				Total PAHs (µg/L)
NO ANALYTICAL DATA WAS PRESENTED IN THE CLOSURE REPORT							
Applicable Standards ²							NRC

NOTE:

- ¹ Underground storage tank system closure performed by Anderson Columbia Environmental, Inc. (1996)
 - ² U.S. Environmental Protection Agency maximum contaminant levels
- BGS Below ground surface
BTEX Benzene, toluene, ethylbenzene, and xylene
N/A Not applicable
ND Not detected
NR Not required; PAH analysis was not requested for these samples
NRC No regulatory criteria.

Laboratory Qualifiers

- U Indicates the compound was not detected at the concentration reported
UJ Indicates that the compound was not detected above an approximated sample quantitation limit
J Indicates the value for the compound is an estimated value
= Indicates the compound was detected at the concentration reported

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX III

WATER RESOURCES SURVEY DOCUMENTATION

THIS PAGE INTENTIONALLY LEFT BLANK

WATER RESOURCES SURVEY DOCUMENTATION

1.0 LOCAL WATER RESOURCES

As required by the GA EPD UST CAP-Part A guidance, a water resource survey documenting information for public and non-public water supply wells, surface water bodies, underground utilities, and potential receptors was conducted for the Fort Stewart UST investigation sites. The information presented in this appendix provides the supporting documentation for Section II.D.3 of the CAP-Part A Form.

1.1 WATER SUPPLY WELL SURVEY

The water supply well survey was conducted using the following GA EPD guidelines/requirements:

- Fort Stewart is located in an area of average or higher groundwater pollution susceptibility.
- Locate all public supply wells as defined by GA EPD that exist within 2 miles of the investigation sites.
- Locate all non-public supply wells that exist within 0.5 miles of the investigation sites.
- Locate all supply wells nearest the investigation sites.
- Locate all wells downgradient of the investigation sites.

A total of seven groundwater supply wells are located within a 2-mile radius of the Fort Stewart garrison area. Six of these wells are located within the confines of the garrison area. The other well is located at Wright Army Airfield, approximately 1.2 miles northeast of the garrison area. All of the groundwater supply wells are classified as public wells that supply water to Fort Stewart for drinking and nondrinking purposes. These wells are approximately 450 feet deep and draw groundwater from the Principal Artesian (also known as the Floridan) aquifer. Chlorine and fluoride are added into the groundwater at the well heads prior to being pumped into storage tanks and/or water towers, according to Fort Stewart DPW personnel. The location of these wells, along with a 500-foot radius drawn around each well, is shown in Figure 3.

1.2 SURFACE WATER BODIES

Surface water(s) in the State of Georgia, as defined by Rules and Regulations for Water Quality Control, Chapter 391-3-6, shall mean any and all rivers, streams, creeks, branches, lakes, reservoirs, ponds, drainage systems, springs producing 100,000 gallons per day, and all other bodies of surface water, natural or artificial, lying within or forming part of the boundaries of the State that are not entirely confined and retained completely upon the property of a single individual, partnership, or corporation. The surface water body survey was conducted using the following GA EPD guidelines/requirements:

- surface water bodies that exist within 1 mile of the investigation sites,
- all surface water bodies nearest the investigation sites if these bodies lie outside the 1-mile radius of concern,

- all surface water bodies downgradient of the investigation sites, and
- the storm and sanitary sewers adjacent to the investigation sites.

Several surface water bodies are located within a 1-mile radius of the Fort Stewart garrison area. These are shown in Figure 3 and include Mill Creek, Taylors Creek, Peacock Creek, Childpen's Pond, and two unnamed ponds. Mill Creek extends along the western side of the garrison area and flows into Taylors Creek located approximately 0.75 miles northwest of the garrison area. Taylors Creek then flows northward approximately 3.5 miles to its confluence with Canoochee Creek. Peacock Creek originates near the east corner of the garrison area and flows southward from the garrison. Mill Creek, Taylors Creek, and Peacock Creek all have natural streambeds and exhibit perennial flow.

Childpen's Pond is located at the northwest end of the garrison area. The two unnamed ponds are located at the northwest end of the facility golf course in the vicinity of Childpen's Pond. All of the ponds are isolated water bodies that are relatively small in size, measuring less than 500 feet in diameter.

Typically, surface water run-off from the UST site moves over the existing concrete and asphalt cover to the Fort Stewart storm water drainage system. Since petroleum contamination at the sites primarily impacts surficial groundwater, the surface water run-off pathway is not a viable contaminant transport mechanism because of the concrete acting as a barrier and the location of the nearest surface water body.

2.0 POTENTIAL RECEPTOR SURVEY SUMMARY OF THE USTs 257 - 260 SITE

A field potential receptor survey was conducted for the USTs 257 - 260 site in May 1998. The site and adjacent areas were surveyed for locations of surface water bodies, utility lines, and basements. Basements do not exist in the buildings adjacent to the site. Additional information, provided by DPW, was used to determine the location of the nearest public and non-public water supply wells and downgradient surface water bodies not located during the field survey.

2.1 Water Supply Wells Near the USTs 257 - 260 site

The USTs 257 - 260 site is located approximately 1750 feet north (upgradient) of Well #2. Therefore, the USTs 257 - 260 site is classified as being located greater than 500 feet to a withdrawal point. The nearest downgradient water supply well is Well #2.

2.2 Surface Water Bodies Near the USTs 257 - 260 Site

At the closest point, an unnamed tributary that flows into Taylors Creek northeast of the Garrison Area is located approximately 1000 feet east of the USTs 257 - 260 site. In the direction of groundwater flow, this tributary is located approximately 1,000 feet east of the USTs 257 - 260 site. Based on the distances between the UST and the nearest surface water body, the site is classified as being located greater than 500 feet to a downgradient surface water body. In addition to these surface water bodies there are drainage swales that run parallel to Hero Road and are located each of the site.

2.3 Underground Utility Lines Near the UST 261 Site

Underground utilities are located 10 feet east (downgradient) of the site and run parallel to Hero Road. The depth of these lines are estimated to be approximately 4 to 6 feet BGS.

APPENDIX IV

SOIL BORING LOGS

THIS PAGE INTENTIONALLY LEFT BLANK

HTRW DRILLING LOG						HOLE NUMBER 76-01
PROJECT: Fort Stewart USTs			INSPECTOR H. Brown			SHEET 1 OF 1
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		ASPHALT				
		silty SAND (SM), fine to medium grained, soft, moist, black (10YR2/1)	158 ppm			
	1	silty SAND (SM), fine to medium grained, soft, moist, dark grayish brown (10YR4/2)				
	2					
	3	silty SAND (SM), fine to medium grained, soft, moist, light gray (2.5Y4/2)	8.2 ppm		Soil Sample 760111	
	4	silty SAND (SM), fine to medium grained, soft, moist, black (10YR2/1)				
	5		> 2500 ppm		Soil Sample 760121	
	6					
	7		> 2500 ppm			▽ WET BELOW 7.0 FT BGS
	8					
	9					PUSHED TO 13.0 FT BGS TO SET TEMPORARY PIEZOMETER
	10					COLLECTED GROUNDWATER SAMPLE 760112 FROM TEMPORARY PIEZOMETER SCREENED AT 3.0 FT TO 13.0 FT BGS

HTRW DRILLING LOG

HOLE NUMBER 76-02

PROJECT: Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 1 OF 2

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	1	SAND, well graded, fine grained, 20% silt, no dry strength, dry, very dark grayish brown (104R3/2)	8.1 ppm at 0-1 FT			
	2		5.4 ppm at 1-2 FT			
	3	SAND, well graded, subangular, 20% silt, no dry strength, dry, greenish gray (1046/1)	335 ppm at 2-3 FT			
	4		>2500 ppm at 3-4 FT			
	5	SAND, well graded, subrounded, 10% silt, no dry strength, loose, dry, very pale brown (104R7/3)	>2500 ppm at 4-5 FT			
	6		460 ppm at 5-6 FT			
	7		>2500 ppm at 6-7 FT			
	8	SAND with silt, 30% silt, fine sand, subrounded, low dry strength, moist	>2500 ppm at 7-8 FT		7-8 FT Soil Sample 760211	
	9		>2500 ppm at 8-9 FT			
	10		107 ppm at 9-10 FT			

HTRW DRILLING LOG

HOLE NUMBER 7602

PROJECT: Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 2 OF 2

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	11		126 ppm at 10-11 FT			
	12	SAND, well graded, 10% silt, fine to medium grained sand, subrounded, low dry strength, moist, dark yellowish brown (10YR 3/4)	104.5 ppm at 11-12 FT			▼ Wet below = 11.5 FT BGS
	13		152 ppm 12-13 FT			
	14		176 ppm 13-14 FT			
	15		134 ppm 14-15 FT			
	16		32 ppm 15-16 FT		15-16 FT Soil Sample 760221	End of drilling at 16 FT BGS. Set piezometer
	17					
	18					
	19					
	20					

HTRW DRILLING LOG

HOLE NUMBER 7603

PROJECT: Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 1 OF 2

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	1	SAND, well graded, fine sand, subrounded, 20% silt, loose, no dry strength, dry, dark grayish brown (2.5 Y 4(2))	N/A 9.7 ppm 1-2 FT			
	2					
	3	SAND, well graded, fine to medium sand, subrounded, 10% silt, loose, no dry strength, dry, light reddish gray (2.5 YR 7/1)	N/A 17.2 ppm 3-4 FT			
	4					
	5	SAND, well graded, fine to medium sand, rounded, 10% silt, loose, no dry strength, dry, pale yellow (2.5 Y 7/4)	14.4 ppm 4-5 FT			
	6	SAND, with silt, fine sand, subrounded, 25% silt, dense, moist, black (10 YR 2/1)	93.6 ppm 5-6 FT			
	7		>2500 ppm 6-7 FT			
	8		>2500 ppm 7-8 FT		7-8 FT Soil Sample 760311	
	9			8-10 FT Soil Sample 760331		
	10	Shelby Tube 8-10 FT				
						Wet below 10 FT BGS

HTRW DRILLING LOG						HOLE NUMBER 7603
PROJECT: Fort Stewart USTs			INSPECTOR L. Mercado			SHEET 2 OF 2
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		SAND with silt, as above, but wet	1125 ppm 10-11 FT			
11			195 ppm 11-12 FT			
12			856 ppm 12-13 FT			
13		SAND, medium grained, 10% silt, dense, subrounded, wet, dark reddish brown (2.5 YR 3/4)	69.2 ppm 13-14 FT		13-14 FT Soil Sample 760321	
14			542 ppm 14-15 FT			
15			164 ppm 15-16 FT			
16						End of drilling at 16 FT BGS Set piezometer
17						
18						
19						
20						

HTRW DRILLING LOG

HOLE NUMBER 76-04

PROJECT: Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 1 OF 2

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		SAND, well graded, fine sand, 10% silt, subrounded, no dry strength, dry, yellow (547/6)	3.8 ppm			
	1	SAND, well graded, fine sand, 15% silt, subrounded, no dry strength, dry, gray (546/1)	0-1 FT 3.8 ppm 1-2 FT			
	2					
	3	SAND, well graded, fine sand, 15% silt, subrounded, no dry strength, dry pale yellow (548/4)	19.8 ppm 2-3 FT		2-3 FT Soil Sample 760411	
	4		11.2 ppm 3-4 FT			
	5		5.2 ppm 4-5 FT			
	6	SAND, with silt, fine sand, rounded, 30% silt, low dry strength, moist, black (542.5/1)	17.5 ppm 5-6 FT			
	7		5.8 ppm 6-7 FT			
	8		17.3 ppm 7-8 FT			
	9		5.1 ppm 8-9 FT			
	10		4.6 ppm 9-10 FT			

HTRW DRILLING LOG						HOLE NUMBER 76.04
PROJECT: Fort Stewart USTs			INSPECTOR L. Mercado		SHEET 2 OF 2	
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
			3.6ppm 10-11 FT			
	11					▼ Wet below 11.0 FT BGS
	12		6.0ppm 11-12 FT			
	13	SAND, well graded, fine to medium sand, 15% silt, low to medium dry strength, wet, dark yellowish brown (10YR3/4)	0ppm 12-13 FT		12-13 FT Soil Sample 760421	
	14		0ppm 13-14 FT			
	15		1.4 ppm 14-15 FT			
	16					End of drilling at 16 FT BGS Set piezometer
	17					
	18					
	19					
	20					

HTRW DRILLING LOG

HOLE NUMBER 76-05

PROJECT Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 1 of 6

ELV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO. (E)	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	1	SAND, fine grained, 20% silt, subrounded, loose, dry, (2.54 5/2,) grayish brown	3.5 ppm			Ran 4.0 Rec. 4.0
	2					
	3	SAND, fine grained, 10% silt, subrounded, loose, dry, (2.54 7/2) light gray	347 ppm			Ran 4.0 Rec. 4.0
	4					
	5	SAND, fine grained, 35% silt, subrounded, medium density, dry, (54 2.5/1) black	613 ppm			Ran 4.0 Rec. 4.0
	6					
	7		712 ppm		Soil Sample 760511	Ran 4.0 Rec. 4.0
	8					
	9		20.6 ppm			Ran 4.0 Rec. 4.0
	10	as above wet				

Wet below 10.0 FT BGS

HTRW DRILLING LOG						HOLE NUMBER
PROJECT			INSPECTOR			SHEET
Fort Stewart USTs			L. Mercado			76-05 2 of 6
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO. (E)	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	11	SAND with silt, as above, but fine to medium sand, dense sand, wet, (542.5/1) black	25.0ppm			
	12					
	13	SAND, fine to medium grained, subrounded, dense, wet, dark reddish brown	61.5 ppm		Soil Sample 760531	Ran 2.0, Rec. 2.0
	14					
	15	SAND, fine to medium grained, subrounded, medium dense, 10% silt, wet, (7.5 VR 5/8) Strong brown	20.3ppm			Ran 2.0, Rec. 2.0
	16					
	17		8.7ppm			Ran 2.0, Rec. 2.0
	18					
	19		11.3ppm			Ran 2.0, Rec. 2.0
	20					

HTRW DRILLING LOG						HOLE NUMBER
PROJECT Fort Stewart USTs			INSPECTOR L. Mercado			76-05
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO (E)	ANALYTICAL SAMPLE NO (F)	REMARKS (G)
	21	SAND, fine to medium grained, subrounded, medium dense, trace of quartz gravel (5%) Some moderate cementation, no reaction with HCl, wet, (7.5YR 4/6) Strong brown.	9.2 ppm		Soil Sample 760541	Ran 2.0, Rec. 1.8
	22					
	23		8.7 ppm			Ran 2.0, Rec. 1.5
	24	SAND, fine to medium grained, 10% silt, medium dense, wet, (2.5Y 6/4) light yellowish brown				Augered to 25 FT BGS
	25		47.2 ppm			Ran 4.0, Rec. 4.0
	26					
	27		50.5 ppm			
	28					
	29		N/A			Augered to 30.0 FT BGS
	30					

HTRW DRILLING LOG						HOLE NUMBER 76-05
PROJECT Fort Stewart USTs			INSPECTOR L. Mercado			SHEET 4 of 6
ELV (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO. (E)	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	31	SAND, fine to medium grained, subrounded, medium dense, 10% silt, wet (54 5/11) gray	11.0ppm		Soil Sample 760551	Ran 4.0, Rec. 4.0
	32					
	33		9.3ppm			
	34					
	35		23.6ppm			Augered to 35.0 FT BGS
	36					Ran 4.0, Rec. 2.0
	37		17.5ppm			
	38					
	39		N/A			Augered to 40.0 FT BGS
	40					

HTRW DRILLING LOG

HOLE NUMBER 76-05

PROJECT Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 5 of 6

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO. (E)	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
	41	SAND, fine to medium grained, subrounded, medium dense, wet, (545/1) gray	40.2ppm		Soil Sample 760561	Ran 4.0, Rec 1.0 Augered to 45 FT BGS
	42					
	43		40.2ppm			
	44					
	45	as above, 15% silt, wet	15.9ppm			Ran 4.0 Rec 2.5 Augered to 50 FT BGS
	46					
	47		15.5ppm			
	48					
	49		N/A			
	50					

HTRW DRILLING LOG

HOLE NUMBER 76-05

PROJECT Fort Stewart USTs

INSPECTOR L. Mercado

SHEET 6 of 6

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS (D)	GEOTECH SAMPLE OR CORE BOX NO (E)	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
51		SAND, fine to medium grained, subrounded, medium dense, wet, (54 5/16) gray	15.2 ppm			Ran 4.0, Rec 3.5 Augered to 55 FT BGS
52						
53			10.7 ppm			
54						Ran 4.0 Rec 3.5
55			5.8 ppm		Soil Sample 175097 760571	
56						
57						End of drilling at 59 FT BGS
58		sandy CLAY, low plasticity, no dilatancy medium toughness, fine sand, moist, (106 4/16) dark greenish gray	5.0 ppm		Soil Sample 175097 760571	
59						
60						

HTRW DRILLING LOG

HOLE NUMBER 7606

PROJECT: Fort Stewart USTs

INSPECTOR J. K. Ledbetter

SHEET 1 OF 1

ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		Concrete				
	1	Sandy SILT, 5% fine grained sand, soft, moist, black (10YR 2/1)	13.9 ppm			
	2	clayey SAND, 10% clay, medium grained, firm, low plasticity, moist, yellowish brown (10YR 5/4)				
	3	Sandy SILT, 5% fine to medium grained sand, firm, moist, dark brown (10YR 3/3)	157 ppm		Soil Sample 760621	
	4	SAND, fine grained, soft, moist, light gray (10YR 7/2)	88.9 ppm		Soil Sample 760611	
	5					
	6	SAND, fine grained, firm, wet, black (10YR 2/1)				▼ Wet below 6.0 FT BGS
	7					
	8					
	9					Pushed to 12.0 FT Set piezometer
	10					

HTRW DRILLING LOG						HOLE NUMBER 76-07
PROJECT: Fort Stewart USTs			INSPECTOR J.K. Ledbetter		SHEET 1 OF 1	
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		Concrete				
	1	sandy SILT, 5% fine grained sand, soft, moist, black (10YR 2/1)	11.7 ppm		Soil Sample 760711	
	2	clayey SAND, 10% clay, medium grained, firm, low plasticity, moist, yellowish brown (10YR 5/4) mottled with gray (10YR 6/1)				
	3	SAND, fine grained, firm to soft, moist, light gray (10YR 7/2)	157 ppm			
	4					
	5		277 ppm		Soil Sample 760721	
	6					
	7	increasing SILT, color grading to black (10YR 2/1)				
	8					
	9					Pushed to 12.0 FT Set piezometer
	10					

Wet below 5.5 FT BGS

HTRW DRILLING LOG						HOLE NUMBER 76-08
PROJECT: Fort Stewart USTs			INSPECTOR J.K. Ledbetter		SHEET 1 OF 1	
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		Concrete				
	1	clayey SAND, 10% clay, medium grained, low plasticity, firm, moist, yellowish brown (10YR 5/4) mottled with gray (10YR 6/1)	43.3 ppm		Soil Sample 760811	
	2					
	3	SAND, fine grained, soft, moist, light brownish gray (10YR 6/2)	210 ppm		Soil Sample 760821	
	4					
	5		115 ppm			
	6					Wet below 5.7 FT BGS
	7					
	8	SAND, fine grained soft, wet, black (10YR 2/1)	0 ppm			
	9					Pushed to 12.0 FT and set piezometer
	10					

HTRW DRILLING LOG						HOLE NUMBER 76-09
PROJECT: Fort Stewart USTs			INSPECTOR K. LEDBETTER		SHEET 1 OF 1	
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		CONCRETE				
	1	clayey SAND (SC), 10% clay, medium grained, subrounded, low plasticity, Firm, moist, yellowish brown (10YR 5/4) mottled with yellowish red (5YR 5/8) and gray (5YR 4/1)	918 ppm		Soil Sample 760911	
	2					
	3	SAND (SW), fine grained, soft, moist, brown (10YR 4/3)	>2500 ppm			
	4					
	5	color grading to light brownish gray (10YR 4/2)	>2500 ppm		Soil Sample 760921	
	6					
	7	color grading to black (10YR 2/1)				
	8					
	9					
	10					

WET BELOW 5.5 FT BGS

PUSHED TO 12.0 FT BGS TO SET TEMPORARY PIEZOMETER.

COLLECTED GROUNDWATER SAMPLE 760912 FROM TEMPORARY PIEZOMETER SCREENED AT 2.0 TO 12.0 FT BGS

HTRW DRILLING LOG						HOLE NUMBER 76-10
PROJECT: Fort Stewart USTs			INSPECTOR K. LEDBETTER			SHEET 1 OF 1
ELEV. (A)	DEPTH (B)	DESCRIPTION OF MATERIALS (C)	FIELD SCREENING RESULTS	GEOTECH SAMPLE OR CORE BOX	ANALYTICAL SAMPLE NO. (F)	REMARKS (G)
		CONCRETE				
	1	clayey SAND (SC), 10% clay, low plasticity, medium grained, subrounded, firm, moist, yellowish brown (10YR 5/4) mottled with yellowish red (5YR 5/8) and gray (5YR 6/1)	177 ppm		Soil Sample 761011	
	2					
	3	SAND (SW), fine grained, soft, moist, brown (10YR 4/3)	>2500 ppm			
	4	color grading to light brownish gray (10YR 6/2)				STRONG HYDROCARBON ODOR
	5		>2500 ppm		Soil Sample 761021	WET BELOW 5.2 FT BGS
	6					
	7	color grading to black (10YR 2/1)				
	8					PUSHED TO 12.0 FT BGS TO SET TEMPORARY PIEZOMETER
	9					COLLECTED GROUNDWATER SAMPLE 761012 FROM TEMPORARY PIEZOMETER SCREENED AT 2.0 TO 12.0 FT BGS
	10					

APPENDIX V

SOIL LABORATORY REPORTS

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE V-A. SUMMARY OF SOIL ANALYTICAL RESULTS

Station:	Georgia UST	76-01	76-01	76-02	76-02	76-03	76-03	76-04
Sample ID:	Corrective	760111	760121	760211	760221	760311	760321	760411
Sample Interval:	Action	2.0' - 4.0'	6.0' - 8.0'	7.0' - 8.0'	15.0' - 16.0'	7.0' - 8.0'	13.0' - 14.0'	2.0' - 3.0'
Collection Date:	Levels for Soil ¹	10-May-98	10-May-98	08-May-98	08-May-98	08-May-98	08-May-98	08-May-98
Units:	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
VOLATILE ORGANIC COMPOUNDS								
Benzene	0.008	0.0119 J	0.289 J	12.8 J	0.0108 J	0.0753 J	0.0692 J	0.0021 U
Toluene	6	0.174 J	0.127 J	32.9 J	0.138 J	0.168 J	0.142 J	0.0327 =
Ethylbenzene	10	0.0468 =	2.55 J	24.2 J	0.0363 J	0.527 J	0.24 J	0.0021 U
Xylenes, Total	700	0.366 J	5.28 J	126 J	0.339 J	5.44 J	0.409 J	0.0063 U
POLYNUCLEAR AROMATIC HYDROCARBONS								
2-Chloronaphthalene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Acenaphthene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Acenaphthylene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Anthracene	NRC	0.365 U	0.0418 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Benzo(a)anthracene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Benzo(a)pyrene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Benzo(b)fluoranthene	NRC	0.365 U	0.0332 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Benzo(g,h,i)perylene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Benzo(k)fluoranthene	NRC	0.365 U	0.0164 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Chrysene	NRC	0.365 U	0.0627 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Dibenzo(a,h)anthracene	NRC							
Fluoranthene	NRC	0.0404 J	0.124 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Fluorene	NRC	0.0097 J	0.356 U	0.369 J	0.404 U	0.415 U	0.388 U	0.347 U
Indeno(1,2,3-cd)pyrene	NRC	0.365 U	0.356 U	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Naphthalene	NRC	0.365 U	2.5 =	22 =	0.404 U	2.7 =	0.143 J	0.347 U
Phenanthrene	NRC	0.0366 J	0.181 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
Pyrene	NRC	0.0754 J	0.143 J	0.402 U	0.404 U	0.415 U	0.388 U	0.347 U
OTHER ANALYTES								
Lead	NRC		12.8 J		5.3 =		5.9 U	
Total Organic Carbon	NRC						18300 =	
TPH-Diesel Range Organics	NRC	3.4 U	271 =	1550 =	0.91 UJ	173 =	4.3 =	2.6 U
TPH-Gasoline Range Organics	NRC	0.755 J	1330 =	2310 =	0.441 J	48 =	1.78 =	1.05 UJ

NOTE: Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)

Bold values exceed GUST soil threshold levels

NRC No regulatory criteria

QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers

U Indicates that the compound was not detected above the reported sample quantitation limit

UJ Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates that the value for the compound was an estimated value.

= Indicates that the compound was detected at the concentration reported.

TABLE V-A. continued

Station:	Georgia UST	76-04	76-05	76-05	76-05	76-05	76-05	76-05
Sample ID:	Corrective	760421	760511	760521	760531	760541	760551	760561
Sample Interval:	Action	12.0' - 13.0'	6.0' - 8.0'	10.0' - 12.0'	12.0' - 14.0'	20.0' - 22.0'	30.0' - 32.0'	40.0' - 42.0'
Collection Date:	Levels for Soil	08-May-98	9-May-98	9-May-98	9-May-98	9-May-98	9-May-98	9-May-98
Units:	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
VOLATILE ORGANIC COMPOUNDS								
Benzene	0.008	0.0026 U	0.05 U	0.0313 J	0.0127 =	0.0138 =	0.0051 U	0.0049 UJ
Toluene	6	0.0579 =	0.05 U	0.0326 J	0.0383 =	0.015 =	0.124 =	0.0721 J
Ethylbenzene	10	0.0026 U	0.0855 J	0.0265 J	0.0141 =	0.0155 =	0.0105 =	0.0096 J
Xylenes, Total	700	0.0077 U	0.374 J	0.36 J	0.101 =	0.0293 J	0.0041 J	0.0039 J
POLYNUCLEAR AROMATIC HYDROCARBONS								
2-Chloronaphthalene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Acenaphthene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Acenaphthylene	NRC	0.424 UJ	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Anthracene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Benzo(a)anthracene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Benzo(a)pyrene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Benzo(b)fluoranthene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Benzo(g,h,i)perylene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Benzo(k)fluoranthene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Chrysene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Dibenzo(a,h)anthracene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Fluoranthene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Fluorene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Indeno(1,2,3-cd)pyrene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Naphthalene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Phenanthrene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
Pyrene	NRC	0.424 U	0.417 U	0.412 U	0.429 U	0.397 U	0.424 U	0.398 U
OTHER ANALYTES								
Lead	NRC	8.7 =	6.1 J				4.7 =	3.5 =
Total Organic Carbon	NRC							
TPH-Diesel Range Organics	NRC	1.5 UJ	15.4 =	3.2 U	3.4 U	2.7 U	1.3 U	3.4 U
TPH-Gasoline Range Organics	NRC	0.173 J	53.7 =	1.72 J	0.264 J	0.0915 J	1.28 UJ	0.16 J

NOTE: Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

1 Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)

Bold values exceed GUST soil threshold levels

NRC No regulatory criteria

QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers

U

UJ

J

=

Indicates that the compound was not detected above the reported sample quantitation limit

Indicates that the compound was not detected above an approximated sample quantitation limit

Indicates that the value for the compound was an estimated value.

Indicates that the compound was detected at the concentration reported.

TABLE V-A. continued

Station:	Georgia UST	76-05	76-06	76-06	76-06	76-07	76-07	76-08
Sample ID:	Corrective	760581	760621	760621	760611	760721	760721	760811
Sample Interval:	Action	55.0' - 57.0'	57.0' - 59.0'	2.0' - 4.0'	4.0' - 6.0'	4.0' - 5.5'	4.0' - 5.5'	0.0' - 2.0'
Collection Date:	Levels for Soil ¹	9-May-98	9-May-98	9-May-98	9-May-98	9-May-98	9-May-98	9-May-98
Units:	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
VOLATILE ORGANIC COMPOUNDS								
Benzene	0.008	0.0046 UJ	0.0027 UJ	0.0037 J	0.0043 U	0.0012 U	0.0011 U	0.00055 U
Toluene	6	0.0046 UJ	0.0027 UJ	0.16 J	0.0048 J	0.0316 =	0.0193 =	0.0025 =
Ethylbenzene	10	0.0046 UJ	0.0027 UJ	0.118 J	0.0043 U	0.0144 J	0.0175 J	0.0022 U
Xylenes, Total	700	0.014 UJ	0.0081 UJ	0.0671 J	0.013 U	0.0577 =	0.103 =	0.0066 U
POLYNUCLEAR AROMATIC HYDROCARBONS								
2-Chloronaphthalene	NRC	0.382 U	0.446 U	7.000 U	0.354 U	0.386 U	0.365 U	0.366 U
Acenaphthene	NRC	0.382 U	0.446 U	7.000 U	0.354 U	0.386 U	0.365 U	0.366 U
Acenaphthylene	NRC	0.382 U	0.446 U	0.421 J	0.354 U	0.386 U	0.365 U	0.366 U
Anthracene	NRC	0.382 U	0.446 U	0.522 J	0.354 U	0.386 U	0.365 U	0.366 U
Benzo(a)anthracene	NRC	0.382 U	0.446 U	2.400 J	0.354 U	0.386 U	0.365 U	0.366 U
Benzo(a)pyrene	NRC	0.382 U	0.446 U	1.390 J	0.354 U	0.386 U	0.365 U	0.366 U
Benzo(b)fluoranthene	NRC	0.382 U	0.446 U	1.930 J	0.354 U	0.386 U	0.365 U	0.366 U
Benzo(g,h,i)perylene	NRC	0.382 U	0.446 U	1.180 J	0.354 U	0.386 U	0.365 U	0.366 U
Benzo(k)fluoranthene	NRC	0.382 U	0.446 U	0.932 J	0.354 U	0.386 U	0.365 U	0.366 U
Chrysene	NRC	0.382 U	0.446 U	2.650 J	0.354 U	0.386 U	0.365 U	0.366 U
Dibenz(a,h)anthracene	NRC	0.382 U	0.446 U	4.32 J	0.354 U	0.386 U	0.365 U	0.366 U
Fluoranthene	NRC	0.382 U	0.446 U	1.16 J	0.354 U	0.386 U	0.365 U	0.366 U
Fluorene	NRC	0.382 U	0.446 U	7.00 U	0.354 U	0.386 U	0.365 U	0.366 U
Indeno(1,2,3-cd)pyrene	NRC	0.382 U	0.446 U	7.00 U	0.0221 J	0.386 U	0.365 U	0.366 U
Naphthalene	NRC	0.382 U	0.446 U	7.03 =	0.354 U	0.386 U	0.365 U	0.366 U
Phenanthrene	NRC	0.382 U	0.446 U	6.33 J	0.354 U	0.386 U	0.365 U	0.366 U
Pyrene	NRC	0.382 U	0.446 U	7.1 J	4.5 J	1.5 J	1.5 J	1.6 UJ
OTHER ANALYTES								
Lead	NRC	1.1 U	1.6 UJ	59.7 =	2.9 U	0.58 UJ	1.2 UJ	1.6 UJ
Total Organic Carbon	NRC	1.16 U	1.35 UJ	1.41 =	0.524 J	0.313 J	1.63 J	1.1 U
TPH-Diesel Range Organics	NRC							
TPH-Gasoline Range Organics	NRC							

NOTE: Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

1 Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)

Bold values exceed GUST soil threshold levels

NRC No regulatory criteria

QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers

U Indicates that the compound was not detected above the reported sample quantitation limit

UJ Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates that the value for the compound was an estimated value.

= Indicates that the compound was detected at the concentration reported.

TABLE V-A. continued

Station:	Georgia UST	76-08	76-09	76-09	76-10	76-10
Sample ID:	Corrective	760821	760911	760921	761011	761021
Sample Interval:	Action	2.0' - 4.0'	0.0' - 2.0'	4.0' - 5.5'	0.0' - 2.0'	4.0' - 5.2'
Collection Date:	Levels for Soil*	9-May-98	10-May-98	10-May-98	10-May-98	10-May-98
Units:	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
VOLATILE ORGANIC COMPOUNDS						
Benzene	0.008	0.0017 J	0.0398 J	15.7 J	0.0011 U	0.351 J
Toluene	6	0.0035 =	0.19 J	325 J	0.0044 U	18.4 J
Ethylbenzene	10	0.0044 J	0.051 J	117 J	0.0044 U	18.6 J
Xylenes, Total	700	0.0065 J	0.341 J	594 J	0.0136 =	110 J
POLYNUCLEAR AROMATIC HYDROCARBONS						
2-Chloronaphthalene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Acenaphthene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Acenaphthylene	NRC	0.351 U	0.0108 J	0.361 U	0.366 U	0.365 U
Anthracene	NRC	0.351 U	0.0092 J	0.361 U	0.366 U	0.365 U
Benzo(a)anthracene	NRC	0.351 U	0.0524 J	0.361 U	0.366 U	0.365 U
Benzo(a)pyrene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Benzo(b)fluoranthene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Benzo(g,h,i)perylene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Benzo(k)fluoranthene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Chrysene	NRC	0.351 U	0.0649 J	0.361 U	0.366 U	0.365 U
Dibenzo(a,h)anthracene	NRC	0.351 U	0.0838 J	0.361 U	0.366 U	0.365 U
Fluoranthene	NRC	0.351 U	0.0123 J	0.366 =	0.366 U	0.365 U
Fluorene	NRC	0.351 U	0.366 U	0.361 U	0.366 U	0.365 U
Indeno(1,2,3-cd)pyrene	NRC	0.312 J	0.0284 J	23.1 =	0.366 U	3.56 =
Naphthalene	NRC	0.351 U	0.0828 J	0.382 =	0.366 U	0.302 J
Phenanthrene	NRC	0.351 U	0.139 J	0.361 U	0.366 U	0.365 U
Pyrene	NRC	1.7 U		13.7 J		2.7 J
OTHER ANALYTES						
Lead	NRC	5080 =		2420 =		1790 =
Total Organic Carbon	NRC	7.8 =	3.2 U	818 =	1.1 U	124 =
TPH-Diesel Range Organics	NRC	0.297 J	2.03 =	2820 J	0.576 J	1270 =
TPH-Gasoline Range Organics	NRC					

NOTE: Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.
Georgia Department of Natural Resources Applicable Soil Threshold Levels (Table A, Column 2)
Bold values exceed GUST soil threshold levels
NRC No regulatory criteria
QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers
U Indicates that the compound was not detected above the reported sample quantitation limit
UJ Indicates that the compound was not detected above an approximated sample quantitation limit
J Indicates that the value for the compound was an estimated value.
= Indicates that the compound was detected at the concentration reported.

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760111

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-20

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I6012

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/16/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
71-43-2-----	Benzene	11.9	P	J MΦ8
108-88-3-----	Toluene	174	P	J MΦ8
100-41-4-----	Ethylbenzene	46.8		J MΦ8
1330-20-7-----	Xylenes (total)	366	P	J MΦ8

DATA VALIDATION
COPY

FORM I VOA

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760111

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-20

Sample wt/vol: 30.1 (g/mL) G

Lab File ID: 2T544

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N

Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/16/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

DATA VALIDATION
COPY

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	365	U
91-58-7-----	2-chloronaphthalene	365	U
209-96-8-----	acenaphthylene	365	U
83-32-9-----	acenaphthene	365	U
86-73-7-----	fluorene	9.7	J
85-01-8-----	phenanthrene	36.6	J
120-12-7-----	anthracene	365	U
206-44-0-----	fluoranthene	40.4	J
129-00-0-----	pyrene	75.4	J
56-55-3-----	benzo(a)anthracene	365	U
218-01-9-----	chrysene	365	U
205-99-2-----	benzo(b)fluoranthene	365	U
207-08-9-----	benzo(k)fluoranthene	365	U
50-32-8-----	benzo(a)pyrene	365	U
193-39-5-----	indeno(1,2,3-cd)pyrene	365	U
53-70-3-----	dibenz(a,h)anthracene	365	U
191-24-2-----	benzo(g,h,i)perylene	365	U

check

FORM I SV-1

OLM03.0

FORM 1
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760111

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-20

Sample wt/vol: 30.4 (g/mL) G Lab File ID: 5C60026

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg) MG/KG	Q
	-----Diesel Range Organics-----	3.4	B

U F01, F07

DATA VALIDATION
 COPY

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760111

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-20

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 317028

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/18/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS:		Q
		(ug/L or ug/Kg)	UG/KG	
-----	Gasoline Range Organics	755	J	J F01, F08

DATA VALIDATION
COPY

FORM I VOA

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760121RE

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-15

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I5031

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 8

Date Analyzed: 05/16/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 50.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----	Benzene	289	P	J	G, K, M, P
108-88-3-----	Toluene	127	P	J	↓ ↓ ↓ ↓
100-41-4-----	Ethylbenzene	2550	P	↓	↓ ↓ ↓ ↓
1330-20-7-----	Xylenes (total)	5250	P	↓	↓ ↓ ↓ ↓

DATA VALIDATION
COPY

use

FORM I VOA

EPA SAMPLE NO.

760121

SAS No. : NA

SDG No. : FS4006S

Lab Sample ID: 9805295-15

Lab File ID: 2T539

Date Received: 05/11/98

Date Extracted:05/14/98

Date Analyzed: 05/16/98

Dilution Factor: 1.0

GPC Cleanup: (Y/N) ☒ DATA VALIDATION ☒

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----naphthalene		
91-58-7-----2-chloronaphthalene	2500	
209-96-8-----acenaphthylene	356	U
83-32-9-----acenaphthene	356	U
86-73-7-----fluorene	356	U
85-01-8-----phenanthrene	356	U
120-12-7-----anthracene	181	J
206-44-0-----fluoranthene	41.8	J
129-00-0-----pyrene	124	J
56-55-3-----benzo (a) anthracene	143	J
218-01-9-----chrysene	356	U
205-99-2-----benzo (b) fluoranthene	62.7	J
207-08-9-----benzo (k) fluoranthene	33.2	J
50-32-8-----benzo (a) pyrene	16.4	J
193-39-5-----indeno (1,2,3-cd) pyrene	356	U
53-70-3-----dibenz (a,h) anthracene	356	U
191-24-2-----benzo (g,h,i) perylene	356	U

OLM03.0

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760121

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-15

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 5D3004

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 8 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/27/98

Injection Volume: 1.0 (uL) Dilution Factor: 50.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	271	B
----------------------------	-----	---

= F41, F48

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760121

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-15

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 3J1012

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 8 Date Analyzed: 05/18/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 2000.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics	1330.000	=
------------------------------	----------	---

DATA VALIDATION
COPY

FORM I VOA

V-14

SDG No.: FS4006S

FORM 1: Inorganic Analysis Data Sheet

Method Type: Total Metals

Sample ID: 9805295-15

Client ID: 760121

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 92.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	12.8	mg/kg	J	P42	P	0.10	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

DATA VALIDATION
COPY

VOLATILE ORGANICS ANALYSIS DATA SHEET

DEA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760125

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4014W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805308-19

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J2028

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

71-43-2-----Benzene	2.0	U
108-88-3-----Toluene	2.0	U
100-41-4-----Ethylbenzene	2.0	U
1330-20-7-----Xylenes (total)	6.0	U

U
↓DATA VALIDATION
COPY

DATA VALIDATION

COPY

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760125

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA

Case No.: NA

SAS No.: NA

SDG No.: FS4012W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805304-06

Sample wt/vol: 950.0 (g/mL) ML

Lab File ID: 1T312

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____

Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/13/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
91-20-3	naphthalene	10.5 U	u ↓
91-58-7	2-chloronaphthalene	10.5 U	
208-96-8	acenaphthylene	10.5 U	
83-32-9	acenaphthene	10.5 U	
86-73-7	fluorene	10.5 U	
85-01-8	phenanthrene	10.5 U	
120-12-7	anthracene	10.5 U	
206-44-0	fluoranthene	10.5 U	
129-00-0	pyrene	10.5 U	
56-55-3	benzo (a) anthracene	10.5 U	
218-01-9	chrysene	10.5 U	
205-99-2	benzo (b) fluoranthene	10.5 U	
207-08-9	benzo (k) fluoranthene	10.5 U	
50-32-8	benzo (a) pyrene	10.5 U	
193-39-5	indeno (1,2,3-cd) pyrene	10.5 U	
53-70-3	dibenz (a,h) anthracene	10.5 U	
191-24-2	benzo (g,h,i) perylene	10.5 U	

FORM I SV-1

OLM03.0

V-17

DATA VALIDATION
COPY

FORM 1

Science Applications 11-MAY-1998 SAMPLE NO.

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

760125

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4012W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805304-06

Sample wt/vol: 1020 (g/mL) ML Lab File ID: 5B40017

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____ Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) MG/L	Q
---------	----------	--	---

-----Diesel Range Organics	0.024	JB
----------------------------	-------	----

u F01, F06

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760125

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4014W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805308-19

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 3J1072

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/20/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

-----Gasoline Range Organics	500	U	US C05
------------------------------	-----	---	--------

DATA VALIDATION
COPY

FORM I VOA

V-19

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760211

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-03

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I3036

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 17

Date Analyzed: 05/14/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 500.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	12800	P
108-88-3-----Toluene	32900	P
100-41-4-----Ethylbenzene	24200	P
1330-20-7-----Xylenes (total)	126000	P

J Mφ8
↓ ↓

DATA VALIDATION
COPY

FORM I VOA

V-20

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760211

b Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-03

Sample wt/vol: 30.4 (g/mL) G Lab File ID: 5C20020

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 17 decanted: (Y/N) N Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 500.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	1550	B
----------------------------	------	---

= F01, F08

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760211

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-03

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 3I606

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 17

Date Analyzed: 05/16/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 2000.0

Soil Extract Volume: 10000 (uL)

Soil Aliquot Volume: 5 (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	2310000	
------------------------------	---------	--

11

DATA VALIDATION
COPY

1B

760211

pH: 7.0

Q

91-20-3-----naphthalene	402	U
91-58-7-----2-chloronaphthalene	402	U
208-96-8-----acenaphthylene	402	U
83-32-9-----acenaphthene	402	U
86-73-7-----fluorene	369	J
85-01-8-----phenanthrene	402	U
120-12-7-----anthracene	402	U
206-44-0-----fluoranthene	402	U
129-00-0-----pyrene	402	U
56-55-3-----benzo (a) anthracene	402	U
218-01-9-----chrysene	402	U
205-99-2-----benzo (b) fluoranthene	402	U
207-08-9-----benzo (k) fluoranthene	402	U
50-32-8-----benzo (a) pyrene	402	U
193-39-5-----indeno (1,2,3-cd) pyrene	402	U
53-70-3-----dibenz (a,h) anthracene	402	U
191-24-2-----benzo (g,h,i) perylene	402	U

COS

Use

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760221

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-07

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I3020

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 18

Date Analyzed: 05/13/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	10.8	
108-88-3-----Toluene	138	
100-41-4-----Ethylbenzene	36.3	
1330-20-7-----Xylenes (total)	339	

J GFI
↓ ↓

DATA VALIDATION
COPY

GFI

FORM I VOA

V-24

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760221

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-07

Sample wt/vol: 30.2 (g/mL) G Lab File ID: 4T214

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 18 decanted: (Y/N) N Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/12/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
91-20-3	-----naphthalene	404	U	U ↓
91-58-7	-----2-chloronaphthalene	404	U	
208-96-8	-----acenaphthylene	404	U	
83-32-9	-----acenaphthene	404	U	
86-73-7	-----fluorene	404	U	
85-01-8	-----phenanthrene	404	U	
120-12-7	-----anthracene	404	U	
206-44-0	-----fluoranthene	404	U	
129-00-0	-----pyrene	404	U	
56-55-3	-----benzo (a) anthracene	404	U	
218-01-9	-----chrysene	404	U	
205-99-2	-----benzo (b) fluoranthene	404	U	
207-08-9	-----benzo (k) fluoranthene	404	U	
50-32-8	-----benzo (a) pyrene	404	U	
193-39-5	-----indeno (1,2,3-cd) pyrene	404	U	
53-70-3	-----dibenz (a,h) anthracene	404	U	
191-24-2	-----benzo (g,h,i) perylene	404	U	

FORM I SV-1

OLM03.0

V-25

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S
Matrix: (soil/water) SOIL Lab Sample ID: 9805292-07
Sample wt/vol: 30.1 (g/mL) G Lab File ID: 5B40043
Level: (low/med) LOW Date Received: 05/11/98
% Moisture: 18 decanted: (Y/N) N Date Extracted: 05/13/98
Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/15/98
Injection Volume: 1.0 (uL) Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	0.91	JB
----------------------------	------	----

UJ F01, F06

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760221

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-07

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3I5012

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 18 Date Analyzed: 05/15/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
-----	Gasoline Range Organics	441	J	J

DATA VALIDATION
COPY

FORM I VOA

V-27

Form 1: Inorganic Analyses Data Sheet

SDG No.: FS4004S

Method Type: Total Metals

Sample ID: 9805292-07

Client ID: 760221

Contract: SAJC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 82.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	5.3	mg/kg	=		P	0.11	TJA61 Trace ICPAES	980517-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760311DL

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-19

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I4014

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 20

Date Analyzed: 05/14/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm)

Dilution Factor: 20.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.


COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	75.3	DP	J G01, M08
108-88-3-----Toluene	168	DP	J G01, M08
100-41-4-----Ethylbenzene	527	D	J G01
1330-20-7-----Xylenes (total)	5440	DP	J G01, M08

DATA VALIDATION
COPY



FORM I VOA

EPA SAMPLE NO

760311

SDG No. : FS4004S

Lab Sample ID: 9805292-19

Lab File ID: 4T308

DATE Received: 05/11/98

Date Extracted: 05/12/98

Date Analyzed: 05/13/98

Dilution Factor: 1.0

pH: 7.0

Q

91-20-3-----	naphthalene		
91-58-7-----	2-chloronaphthalene	2700	
208-96-8-----	acenaphthylene	415	U
83-32-9-----	acenaphthene	415	U
86-73-7-----	fluorene	415	U
85-01-8-----	phenanthrene	415	U
120-12-7-----	anthracene	415	U
206-44-0-----	fluoranthene	415	U
129-00-0-----	pyrene	415	U
56-55-3-----	benzo (a) anthracene	415	U
218-01-9-----	chrysene	415	U
205-99-2-----	benzo (b) fluoranthene	415	U
207-08-9-----	benzo (k) fluoranthene	415	U
50-32-8-----	benzo (a) pyrene	415	U
193-39-5-----	indeno (1,2,3-cd) pyrene	415	U
53-70-3-----	dibenz (a,h) anthracene	415	U
191-24-2-----	benzo (g,h,i) perylene	415	U

$\frac{U}{U} \text{ CP5}$

OLM03.0

247

FORM 1
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Science Applications 11-MAY-1998 SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
 Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S
 Matrix: (soil/water) SOIL Lab Sample ID: 9805292-19
 Sample wt/vol: 30.5 (g/mL) G Lab File ID: SC20021
 Level: (low/med) LOW Date Received: 05/11/98
 % Moisture: 20 decanted: (Y/N) N Date Extracted: 05/13/98
 Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98
 Injection Volume: 1.0 (uL) Dilution Factor: 50.0
 GPC Cleanup: (Y/N) N pH: 7.0

760311

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	173	B
----------------------------	-----	---

= F01, F08

DATA VALIDATION
 COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760311

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-19

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 31607

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 20 Date Analyzed: 05/16/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 50.0

Soil Extract Volume: 10000 (uL) Soil Aliquot Volume: 50 (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics	48000	D	=
------------------------------	-------	---	---

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760321

Lab Code: NA

Case No.: NA

SAS No.: NA

SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-04

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I4025

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 14

Date Analyzed: 05/14/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: (ml)

Soil Aliquot Volume: (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	69.2		J Gφ/
108-88-3-----Toluene	142 310	8 8	J Gφ/
100-41-4-----Ethylbenzene	240 342	8 8	J Gφ/
1330-20-7-----Xylenes (total)	409		J Gφ/

DATA VALIDATION
COPY

USE

J Gφ/

FORM I VOA

V-33

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760321

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-04

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 2T320

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/13/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N PH: 7.0
DATA VALIDATION COPY

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	143	J
91-58-7-----	2-chloronaphthalene	388	U
209-96-8-----	acenaphthylene	388	U
83-32-9-----	acenaphthene	388	U
86-73-7-----	fluorene	388	U
85-01-8-----	phenanthrene	388	U
120-12-7-----	anthracene	388	U
206-44-0-----	fluoranthene	388	U
129-00-0-----	pyrene	388	U
56-55-3-----	benzo (a) anthracene	388	U
218-01-9-----	chrysene	388	U
205-99-2-----	benzo (b) Fluoranthene	388	U
207-08-9-----	benzo (k) fluoranthene	388	U
50-32-8-----	benzo (a) pyrene	388	U
193-39-5-----	indeno (1,2,3-cd) pyrene	388	U
53-70-3-----	dibenz (a,h) anthracene	388	U
191-24-2-----	benzo (g,h,i) perylene	388	U

CJ

FORM I SV-1

OLM03.0

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760321

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-04

Sample wt/vol: 30.8 (g/mL) G Lab File ID: 5B50011

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg) MG/KG	Q
	-----Diesel Range Organics	4.3	

= F01, F08

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

760321

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-04

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3I705

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 14

Date Analyzed: 05/17/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics_____	1780	=
-----------------------------------	------	---

DATA VALIDATION
COPY

FORM I VOA

V-36

DATA VALIDATION COPY

Client: Science Applications International Corp.
P.O. Box 2502
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831
Contact: Ms. Lorene Rollins
Project Description: CAP-Part A for UST Sites (Task Order No. 8)

cc: SAIC00598

Report Date: June 01, 1998

Page 1 of 1

Sample ID : 760321
Lab ID : 9805294-04
Matrix : Soil
Date Collected : 05/08/98
Date Received : 05/11/98
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	M
General Chemistry											
TOTAL ORGANIC CARBON (TOC)		18300 = F01, F08	24.1	100	mg/kg	1.0	LIB	05/27/98	1507	122938	1

M = Method

Method-Description

M 1

SW846 9060 modified

Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

* indicates that a quality control analyte recovery is outside of specified acceptance criteria.

This data report has been prepared and reviewed
in accordance with General Engineering Laboratories
standard operating procedures. Please direct
any questions to your Project Manager, Valerie Davis at (803) 769-7391.

Reviewed By _____



Form 1: Inorganic Analyses Data Sheet

DATA VALIDATION
COPY

SDG No.: FS4005S

Method Type: Total Metals

Sample ID: 9805294-04

Client ID: 760321

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 86.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	5.9	mg/kg		U F01, P F07		0.10	TJA61 Trace ICPAES	980517-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760411

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-10

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I3023

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 5 Date Analyzed: 05/13/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
71-43-2-----	Benzene	2.1	U	CC110
108-88-3-----	Toluene	32.7	U	
100-41-4-----	Ethylbenzene	2.1	U	
1330-20-7-----	Xylenes (total)	6.3	U	

DATA VALIDATION
COPY

FORM I VOA

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4004S

Matrix: (soil/water) SOIL

Sample wt/vol: 30.3 (g/mL) G

Level: (low/med) LOW

% Moisture: 5 decanted: (Y/N) N

Concentrated Extract Volume: 1.00 (mL)

Injection Volume: 1.0 (uL)

GPC Cleanup: (Y/N) N pH: 7.0

Lab Sample ID: 9805292-10

Lab File ID: 4T217

Date Received: 05/11/98

Date Extracted: 05/12/98

Date Analyzed: 05/13/98

Dilution Factor: 1.0

DATA VALIDATION
COPY

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
91-20-3	-----naphthalene		
91-58-7	-----2-chloronaphthalene	347 U	
208-96-8	-----acenaphthylene	347 U	
83-32-9	-----acenaphthene	347 U	
86-73-7	-----fluorene	347 U	
85-01-8	-----phenanthrene	347 U	
120-12-7	-----anthracene	347 U	
206-44-0	-----fluoranthene	347 U	
129-00-0	-----pyrene	347 U	
56-55-3	-----benzo (a) anthracene	347 U	
218-01-9	-----chrysene	347 U	
205-99-2	-----benzo (b) fluoranthene	347 U	
207-08-9	-----benzo (k) fluoranthene	347 U	
50-32-8	-----benzo (a) pyrene	347 U	
193-39-5	-----indeno (1,2,3-cd) pyrene	347 U	
53-70-3	-----dibenz (a,h) anthracene	347 U	
191-24-2	-----benzo (g,h,i) perylene	347 U	

U
UJ CQS
U

FORM I SV-1

OLM03.0

V-40

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

SCIENCE APPLICATIONS 11-MAY-1998 SAMPLE NO.

760411

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL Lab Sample ID: 9805292-10

Sample wt/vol: 30.5 (g/mL) G Lab File ID: 5B40046

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 5 decanted: (Y/N) N Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/16/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	2.6	B
----------------------------	-----	---

U F01, F07

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760411

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-10

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3I4032

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 5

Date Analyzed: 05/15/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.


COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	1050	U	UJ G02
------------------------------	------	---	--------

DATA VALIDATION
COPY



FORM I VOA

V-42

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760421

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-15

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I3029

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 22

Date Analyzed: 05/13/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	2.6	U	U = U U
108-88-3-----Toluene	57.9		
100-41-4-----Ethylbenzene	2.6	U	
1330-20-7-----Xylenes (total)	7.7	U	

DATA VALIDATION
COPY

FORM I VOA

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760421

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-15

Sample wt/vol: 30.2 (g/mL) G

Lab File ID: 4T304

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 22 decanted: (Y/N) N

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/13/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	424	U
91-58-7-----	2-chloronaphthalene	424	U
208-96-8-----	acenaphthylene	424	U
83-32-9-----	acenaphthene	424	U
86-73-7-----	fluorene	424	U
85-01-8-----	phenanthrene	424	U
120-12-7-----	anthracene	424	U
206-44-0-----	fluoranthene	424	U
129-00-0-----	pyrene	424	U
56-55-3-----	benzo (a) anthracene	424	U
218-01-9-----	chrysene	424	U
205-99-2-----	benzo (b) fluoranthene	424	U
207-08-9-----	benzo (k) fluoranthene	424	U
50-32-8-----	benzo (a) pyrene	424	U
193-39-5-----	indeno (1,2,3-cd) pyrene	424	U
53-70-3-----	dibenz (a,h) anthracene	424	U
191-24-2-----	benzo (g,h,i) perylene	424	U

U
↓
UJ cφ5
↓

FORM I SV-1

OLM03.0

V-44

251

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
 Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS40045
 Matrix: (soil/water) SOIL Lab Sample ID: 9805292-15
 Sample wt/vol: 30.3 (g/mL) G Lab File ID: 5B40047
 Level: (low/med) LOW Date Received: 05/11/98
 % Moisture: 22 decanted: (Y/N) N Date Extracted: 05/13/98
 Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/16/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) MG/KG	Q
	-----Diesel Range Organics	1.5	JB

UJ F01, F06

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760421

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4004S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805292-15

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3I4033

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 22

Date Analyzed: 05/15/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	173	J
------------------------------	-----	---

J

DATA VALIDATION
COPY

FORM I VOA

V-46

Form 1: Inorganic Analyses Data Sheet

SDG No.: FS4004S

Method Type: Total Metals

Sample ID: 9805292-15

Client ID: 760421

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 78.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	8.7	mg/kg	≤		P	0.12	TJA61 Trace ICPAES	980517-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

**DATA VALIDATION
COPY**

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760511

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-13

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I5033

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 20

Date Analyzed: 05/16/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 20.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	50.0	U
108-88-3-----Toluene	50.0	U
100-41-4-----Ethylbenzene	85.5	P
1330-20-7-----Xylenes (total)	374	P

JJCC

mφ8
mφ8

DATA VALIDATION
COPY

use

FORM I VOA

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

760511

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-13

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: 2T537

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 20 decanted: (Y/N) N

Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/16/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) **DATA VALIDATION**

CAS NO.

COPY
COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	370	J
91-58-7-----	2-chloronaphthalene	417	U
209-96-8-----	acenaphthylene	417	U
83-32-9-----	acenaphthene	417	U
86-73-7-----	fluorene	417	U
85-01-8-----	phenanthrene	417	U
120-12-7-----	anthracene	417	U
206-44-0-----	fluoranthene	417	U
129-00-0-----	pyrene	417	U
56-55-3-----	benzo (a) anthracene	417	U
218-01-9-----	chrysene	417	U
205-99-2-----	benzo (b) Fluoranthene	417	U
207-08-9-----	benzo (k) fluoranthene	417	U
50-32-8-----	benzo (a) pyrene	417	U
193-39-5-----	indeno (1,2,3-cd) pyrene	417	U
53-70-3-----	dibenz (a,h) anthracene	417	U
191-24-2-----	benzo (g,h,i) perylene	417	U

J
U
↓

FORM I SV-1

OLM03.0

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760511

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-13

Sample wt/vol: 30.1 (g/mL) G Lab File ID: 5C60017

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 20 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 3.0

GPC Cleanup: (Y/N) N pH: 7.0

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	15.4	B
----------------------------	------	---

= Fφ1, Fφ8

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

760511

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-13

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 3J1010

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 20

Date Analyzed: 05/18/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 20.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

CAS NO.

COMPOUND

-----Gasoline Range Organics-----	53700	Q
-----------------------------------	-------	---

DATA VALIDATION
COPY

SDG No.: FS4006S

Method Type: Total Metals

DATA VALIDATION COPY

Sample ID: 9805295-13

Client ID: 760511

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 80.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	6.1	mg/kg	5	P62	P	0.12	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760521

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-08

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2J1027

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 19 Date Analyzed: 05/18/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	31.3	P
108-88-3-----Toluene	32.6	
100-41-4-----Ethylbenzene	26.5	
1330-20-7-----Xylenes (total)	360	

J GΦ, MΦ
J GΦ
↓ ↓

use

FORM I VOA

V-53

DATA VALIDATION

COPY

1B

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760521

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-08

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 2U118

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 19 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/18/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

91-20-3	naphthalene	50.9	J
91-58-7	2-chloronaphthalene	412	U
209-96-8	acenaphthylene	412	U
83-32-9	acenaphthene	412	U
86-73-7	fluorene	412	U
85-01-8	phenanthrene	412	U
120-12-7	anthracene	412	U
206-44-0	fluoranthene	412	U
129-00-0	pyrene	412	U
56-55-3	benzo (a) anthracene	412	U
218-01-9	chrysene	412	U
205-99-2	benzo (b) fluoranthene	412	U
207-08-9	benzo (k) fluoranthene	412	U
50-32-8	benzo (a) pyrene	412	U
193-39-5	indeno (1,2,3-cd) pyrene	412	U
53-70-3	dibenz (a,h) anthracene	412	U
191-24-2	benzo (g,h,i) perylene	412	U

J
↓

FORM I SV-1

OLM03.0

V-54

FORM 1
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Science Applications 11-MAY-1998 SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760521

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-08

Sample wt/vol: 30.7 (g/mL) G Lab File ID: 5C30024

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 19 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics-----	3.2	B
---------------------------------	-----	---

U F01, F07

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760521

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-08

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J1056

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 19

Date Analyzed: 05/19/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	1720	
------------------------------	------	--

J G02

use

FORM I VOA

V-56

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760531

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-04

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2J1022

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 23 Date Analyzed: 05/18/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

71-43-2-----Benzene	12.7		
108-88-3-----Toluene	38.3		
100-41-4-----Ethylbenzene	14.1		
1330-20-7-----Xylenes (total)	101		

=

↓

FORM I VOA

DATA VALIDATION

COPY

1B

SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760531

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-04

Sample wt/vol: 30.3 (g/mL) G

Lab File ID: 2U114

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 23 decanted: (Y/N) N

Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/18/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	429	U
91-58-7-----	2-chloronaphthalene	429	U
209-96-8-----	acenaphthylene	429	U
83-32-9-----	acenaphthene	429	U
86-73-7-----	fluorene	429	U
85-01-8-----	phenanthrene	429	U
120-12-7-----	anthracene	429	U
206-44-0-----	fluoranthene	429	U
129-00-0-----	pyrene	429	U
56-55-3-----	benzo (a) anthracene	429	U
218-01-9-----	chrysene	429	U
205-99-2-----	benzo (b) fluoranthene	429	U
207-08-9-----	benzo (k) fluoranthene	429	U
50-32-8-----	benzo (a) pyrene	429	U
193-39-5-----	indeno (1,2,3-cd) pyrene	429	U
53-70-3-----	dibenz (a,h) anthracene	429	U
191-24-2-----	benzo (g,h,i) perylene	429	U

U

↓

FORM I SV-1

OLM03.0

V-58

DATA V
COPY

FORM 1

Science Applications11-MAY-1998 SAMPLE NO.

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760531

Job Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-04

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 5C30018

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 23 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/19/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	3.4	B
----------------------------	-----	---

U F01, F07

DATA 7-11-98

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760531

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-04

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J3013

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 23

Date Analyzed: 05/20/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	264	J
------------------------------	-----	---

FORM I VOA

V-60

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760541

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-06

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2J1038

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 16

Date Analyzed: 05/19/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 2.0

Soil Extract Volume: (ml)

Soil Aliquot Volume: (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	13.8	
108-88-3-----Toluene	15.0	
100-41-4-----Ethylbenzene	15.5	
1330-20-7-----Xylenes (total)	29.3	P

=
↓
J M08

FORM I VOA

DATA VALIDATION

COPY SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

1B

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760541

Lab Code: NA Case No.: NA

SAS No.: NA

SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-06

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: 2U116

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 16 decanted: (Y/N) N

Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/18/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3	naphthalene	397	U
91-58-7	2-chloronaphthalene	397	U
209-96-8	acenaphthylene	397	U
83-32-9	acenaphthene	397	U
86-73-7	fluorene	397	U
85-01-8	phenanthrene	397	U
120-12-7	anthracene	397	U
206-44-0	fluoranthene	397	U
129-00-0	pyrene	397	U
56-55-3	benzo (a) anthracene	397	U
218-01-9	chrysene	397	U
205-99-2	benzo (b) fluoranthene	397	U
207-08-9	benzo (k) fluoranthene	397	U
50-32-8	benzo (a) pyrene	397	U
193-39-5	indeno (1,2,3-cd) pyrene	397	U
53-70-3	dibenz (a,h) anthracene	397	U
191-24-2	benzo (g,h,i) perylene	397	U

U
↓

FORM I SV-1

OLM03.0

V-62

240

FORM 1 Science Applications
SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET

760541

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-06

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 5C30022

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 16 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	2.7	B
----------------------------	-----	---

U F01, F07

1A
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760541

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-06

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J1054

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 16

Date Analyzed: 05/19/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	91.5	J
------------------------------	------	---

J

FORM I VOA

V-64

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760551

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-13

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2J1032

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 22

Date Analyzed: 05/19/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 2.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----	Benzene	5.1	U
108-88-3-----	Toluene	124	
100-41-4-----	Ethylbenzene	10.5	
1330-20-7-----	Xylenes (total)	4.1	J

91110

FORM I VOA

V-65

DATA VALIDATION
COPY

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760551

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS40098

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-13

Sample wt/vol: 30.2 (g/mL) G Lab File ID: 2U204

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 22 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/19/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG Q

91-20-3-----	naphthalene	424	U
91-58-7-----	2-chloronaphthalene	424	U
209-96-8-----	acenaphthylene	424	U
83-32-9-----	acenaphthene	424	U
86-73-7-----	fluorene	424	U
85-01-8-----	phenanthrene	424	U
120-12-7-----	anthracene	424	U
206-44-0-----	fluoranthene	424	U
129-00-0-----	pyrene	424	U
56-55-3-----	benzo (a) anthracene	424	U
218-01-9-----	chrysene	424	U
205-99-2-----	benzo (b) fluoranthene	424	U
207-08-9-----	benzo (k) fluoranthene	424	U
50-32-8-----	benzo (a) pyrene	424	U
193-39-5-----	indeno (1,2,3-cd) pyrene	424	U
53-70-3-----	dibenz (a,h) anthracene	424	U
191-24-2-----	benzo (g,h,i) perylene	424	U

U
↓

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760551

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-13

Sample wt/vol: 30.2 (g/mL) G Lab File ID: 5C6006

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 22 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/22/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	1.3	JB
----------------------------	-----	----

USE F01, F06

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760551

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-13

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J1062

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 22

Date Analyzed: 05/20/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	1280	U
------------------------------	------	---

UJ C05

FORM I VOA

V-68

COPY

Form 1: Inorganic Analyses Data Sheet

SDG No.: FS4009S

Method Type: Total Metals

Sample ID: 9805301-13

Client ID: 760551

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 78.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run	Qual.
7439-92-1	Lead	4.7	mg/kg			P	0.12	TJA61 Trace ICPAES	980517-1	=

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

Run

7/16/98

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760561

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-16

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2J1035

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 18 Date Analyzed: 05/19/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

71-43-2-----Benzene		4.9	U	
108-88-3-----Toluene		72.1		UJ KΦI
100-41-4-----Ethylbenzene		9.6		J KΦI
1330-20-7-----Xylenes (total)		3.9	J	J KΦI

use

FORM I VOA

DATA VOL 10A/10B
 1B
 SEMI-VOLATILE ORGANICS ANALYSIS DATA SHEET
 COPY

EPA SAMPLE NO.

760561

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-16

Sample wt/vol: 30.6 (g/mL) G Lab File ID: 2U207

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 18 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/19/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
 (ug/L or ug/Kg) UG/KG Q

91-20-3-----	naphthalene	398	U
91-58-7-----	2-chloronaphthalene	398	U
209-96-8-----	acenaphthylene	398	U
83-32-9-----	acenaphthene	398	U
86-73-7-----	fluorene	398	U
85-01-8-----	phenanthrene	398	U
120-12-7-----	anthracene	398	U
206-44-0-----	fluoranthene	398	U
129-00-0-----	pyrene	398	U
56-55-3-----	benzo (a) anthracene	398	U
218-01-9-----	chrysene	398	U
205-99-2-----	benzo (b) fluoranthene	398	U
207-08-9-----	benzo (k) fluoranthene	398	U
50-32-8-----	benzo (a) pyrene	398	U
193-39-5-----	indeno (1,2,3-cd) pyrene	398	U
53-70-3-----	dibenz (a,h) anthracene	398	U
191-24-2-----	benzo (g,h,i) perylene	398	U

FORM I SV-1

OLM03.0

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

0077

760561

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-16

Sample wt/vol: 30.1 (g/mL) G Lab File ID: 5C6009

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 18 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/22/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) MG/KG		Q
-----Diesel Range Organics	3.4	B	U F01, F07	

DATA VOL
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760561

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-16

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J3018

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 18

Date Analyzed: 05/20/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	160	J
------------------------------	-----	---

J

FORM I VOA

V-73

DATA VALIDATION

Form 1: Inorganic Analyses Data Sheet

SDG No.: FS4009S

COPY

Method Type: Total Metals

Sample ID: 9805301-16

Client ID: 760561

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 82.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run	Qual.
7439-92-1	Lead	3.5	mg/kg			P	0.11	TJA61 Trace ICPAES	980517-1	=

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

RLM
7/16/98

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760571

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805301-07

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2J1039

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 14

Date Analyzed: 05/19/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm)

Dilution Factor: 2.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

71-43-2-----	Benzene	4.6 U	
108-88-3-----	Toluene	4.6 U	
100-41-4-----	Ethylbenzene	4.6 U	
1330-20-7-----	Xylenes (total)	14.0 U	

UJ KφI
↓ ↓

use

FORM I VOA

V-75

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760571

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-07

Sample wt/vol: 30.4 (g/mL) G Lab File ID: 2U117

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/18/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG Q

91-20-3	naphthalene	382	U
91-58-7	2-chloronaphthalene	382	U
209-96-8	acenaphthylene	382	U
83-32-9	acenaphthene	382	U
86-73-7	fluorene	382	U
85-01-8	phenanthrene	382	U
120-12-7	anthracene	382	U
206-44-0	fluoranthene	382	U
129-00-0	pyrene	382	U
56-55-3	benzo (a) anthracene	382	U
218-01-9	chrysene	382	U
205-99-2	benzo (b) fluoranthene	382	U
207-08-9	benzo (k) fluoranthene	382	U
50-32-8	benzo (a) pyrene	382	U
193-39-5	indeno (1,2,3-cd) pyrene	382	U
53-70-3	dibenz (a,h) anthracene	382	U
191-24-2	benzo (g,h,i) perylene	382	U

FORM I SV-1

OLM03.0

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760571

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-07

Sample wt/vol: 30.2 (g/mL) G Lab File ID: 5C30023

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	1.1	JB
----------------------------	-----	----

UJ F01, F06

DATA VALUE 1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760571

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4009S

Matrix: (soil/water) SOIL Lab Sample ID: 9805301-07

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3J1055

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 14 Date Analyzed: 05/19/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG Q

-----Gasoline Range Organics	1160	U
------------------------------	------	---

U

FORM I VOA

V-78

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760581

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-12

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I4035

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 26 Date Analyzed: 05/15/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
71-43-2-----	Benzene	2.7	U	<i>UJ</i> <i>Kφ1</i> ↓ ↓
108-88-3-----	Toluene	2.7	U	
100-41-4-----	Ethylbenzene	2.7	U	
1330-20-7-----	Xylenes (total)	8.1	U	

DATA VALIDATION
COPY

use

FORM I VOA

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760581

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Sample wt/vol: 30.3 (g/mL) G

Lab Sample ID: 9805295-12

Lab File ID: 2T536

Date Received: 05/11/98

Date Extracted: 05/14/98

Date Analyzed: 05/16/98

Dilution Factor: 1.0

Level: (low/med) LOW

% Moisture: 26 decanted: (Y/N) N

Concentrated Extract Volume: 1.00 (mL)

Injection Volume: 1.0 (uL)

GPC Cleanup: (Y/N) N

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3	-----naphthalene	446	U
91-58-7	-----2-chloronaphthalene	446	U
209-96-8	-----acenaphthylene	446	U
83-32-9	-----acenaphthene	446	U
86-73-7	-----fluorene	446	U
85-01-8	-----phenanthrene	446	U
120-12-7	-----anthracene	446	U
206-44-0	-----fluoranthene	446	U
129-00-0	-----pyrene	446	U
56-55-3	-----benzo (a) anthracene	446	U
218-01-9	-----chrysene	446	U
205-99-2	-----benzo (b) fluoranthene	446	U
207-08-9	-----benzo (k) fluoranthene	446	U
50-32-8	-----benzo (a) pyrene	446	U
193-39-5	-----indeno (1,2,3-cd) pyrene	446	U
53-70-3	-----dibenz (a,h) anthracene	446	U
191-24-2	-----benzo (g,h,i) perylene	446	U

FORM I SV-1

OLM03.0

V-80

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760581

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-12

Sample wt/vol: 30.6 (g/mL) G Lab File ID: 5C60016

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 26 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg)	MG/KG Q
	-----Diesel Range Organics	1.6	JB

UJ F41, F46

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760581

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-12

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3I7019

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 26 Date Analyzed: 05/17/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics_____	1350	U	UJ G02
-----------------------------------	------	---	--------

DATA VALIDATION
COPY

FORM I VOA

V-82

SDG No.: FS4006S

FORM 1: Inorganic Analysis Data Sheet

DATA VALIDATION
COPY

Method Type: Total Metals

Sample ID: 9805295-12

Client ID: 760581

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 74.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	7.1	mg/kg	5	P 2	P	0.13	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760611

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-19

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 216011

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 8

Date Analyzed: 05/16/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm)

Dilution Factor: 2.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	4.3	U
108-88-3-----Toluene	4.8	P
100-41-4-----Ethylbenzene	4.3	U
1,30-20-7-----Xylenes (total)	13.0	U

U
U
U
U

M08

DATA VALIDATION
COPY

FORM I VOA

V-84

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760611

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
 Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S
 Matrix: (soil/water) SOIL
 Sample wt/vol: 30.7 (g/mL) G Lab Sample ID: 9805295-19
 Level: (low/med) LOW Lab File ID: 2T543
 % Moisture: 8 decanted: (Y/N) N Date Received: 05/11/98
 Concentrated Extract Volume: 1.00 (mL) Date Extracted: 05/14/98
 Injection Volume: 1.0 (uL) Date Analyzed: 05/16/98
 GPC Cleanup: (Y/N) N Dilution Factor: 1.0

DATA VALIDATION

COPY

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3	-----naphthalene	22.1	J
91-58-7	-----2-chloronaphthalene	354	U
209-96-8	-----acenaphthylene	354	U
83-32-9	-----acenaphthene	354	U
86-73-7	-----fluorene	354	U
85-01-8	-----phenanthrene	354	U
120-12-7	-----anthracene	354	U
206-44-0	-----fluoranthene	354	U
129-00-0	-----pyrene	354	U
56-55-3	-----benzo (a) anthracene	354	U
218-01-9	-----chrysene	354	U
205-99-2	-----benzo (b) fluoranthene	354	U
207-08-9	-----benzo (k) fluoranthene	354	U
50-32-8	-----benzo (a) pyrene	354	U
193-39-5	-----indeno (1,2,3-cd) pyrene	354	U
53-70-3	-----dibenz (a,h) anthracene	354	U
191-24-2	-----benzo (g,h,i) perylene	354	U

J
U

FORM I SV-1

OLM03.0

V-85

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760611

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-19

Sample wt/vol: 30.5 (g/mL) G Lab File ID: 5C60025

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 8 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	2.9	B
----------------------------	-----	---

U F01, F07

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760611

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-19

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3I7027

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 8

Date Analyzed: 05/18/98

Dilution Factor: 1.0

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	524	J	J F01, F08
------------------------------	-----	---	------------

DATA VALIDATION
COPY

FORM I VOA

V-87

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760621

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-14

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 215020

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 7

Date Analyzed: 05/15/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----	Benzene	3.7	P	J	GΦI, KΦI, MΦ8
108-88-3-----	Toluene	160	P	J	GΦI, KΦI, MΦ8
100-41-4-----	Ethylbenzene	118	J	J	GΦI, KΦI
1330-20-7-----	Xylenes (total)	67.1	P	J	GΦI, KΦI, MΦ8

DATA VALIDATION
COPY

use

FORM I VOA

1B

760621

SDG No. : FS4006S

SAS No. : NA

Lab Sample ID: 9805295-14

Lab File ID: 2T715

Date Received: 05/11/98

Date Extracted: 05/14/98

Date Analyzed: 05/17/98

Dilution Factor: 4.0

DATA VALIDATION

COPY

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

C

	ug/L	ug/kg	ug/kg
91-20-3-----naphthalene			
91-58-7-----2-chloronaphthalene		7000	U
209-96-8-----acenaphthylene		7000	U
83-32-9-----acenaphthene		421	J
86-73-7-----fluorene		7000	U
85-01-8-----phenanthrene		1160	J
120-12-7-----anthracene		7030	
206-44-0-----fluoranthene		522	J
129-00-0-----pyrene		4320	J
56-55-3-----benzo (a) anthracene		6330	J
218-01-9-----chrysene		2400	J
205-99-2-----benzo (b) fluoranthene		2650	J
207-08-9-----benzo (k) fluoranthene		1930	J
50-32-8-----benzo (a) pyrene		932	J
193-39-5-----indeno (1,2,3-cd) pyrene		1390	J
53-70-3-----dibenz (a,h) anthracene		7000	U
191-24-2-----benzo (g,h,i) perylene		7000	U
		1180	J

4000 ← 411909000

OLM03.0

251

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760621RE

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-14

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J1017

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 7

Date Analyzed: 05/19/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	1410	=
------------------------------	------	---

DATA VALIDATION
COPY

FORM I VOA

V-90

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760621

Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-14

Sample wt/vol: 30.4 (g/mL) G Lab File ID: 5D3003

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 7 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/27/98

Injection Volume: 1.0 (uL) Dilution Factor: 15.0

GPC Cleanup: (Y/N) N pH: 7.0

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	59.7	B	= $F\phi 1, F\phi 8$
----------------------------	------	---	----------------------

DATA VALIDATION
COPY

Form 1: Inorganic Analyses Data Sheet

SDG No.: FS4006S

Method Type: Total Metals

Sample ID: 9805295-14

Client ID: 760621

Contract: SAIC00598

Lab Code: OEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 93.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	4.5	mg/kg	5	P	2-P	0.10	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760711

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-01

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I7021

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 14 Date Analyzed: 05/17/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
71-43-2-----	Benzene	1.2	U
108-88-3-----	Toluene	31.6	
100-41-4-----	Ethylbenzene	14.4	P
1330-20-7-----	Xylenes (total)	57.7	

U
H
U

MΦ8

DATA VALIDATION
COPY

FORM I VOA

V-93

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760711

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-01

Sample wt/vol: 30.1 (g/mL) G Lab File ID: 1U307

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/15/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	386	U
91-58-7-----	2-chloronaphthalene	386	U
208-96-8-----	acenaphthylene	386	U
83-32-9-----	acenaphthene	386	U
86-73-7-----	fluorene	386	U
85-01-8-----	phenanthrene	386	U
120-12-7-----	anthracene	386	U
206-44-0-----	fluoranthene	386	U
129-00-0-----	pyrene	386	U
56-55-3-----	benzo (a) anthracene	386	U
218-01-9-----	chrysene	386	U
205-99-2-----	benzo (b) fluoranthene	386	U
207-08-9-----	benzo (k) fluoranthene	386	U
50-32-8-----	benzo (a) pyrene	386	U
193-39-5-----	indeno (1,2,3-cd) pyrene	386	U
53-70-3-----	dibenz (a,h) anthracene	386	U
191-24-2-----	benzo (g,h,i) perylene	386	U

U
↓

FORM I SV-1

OLM03.0

V-94

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760711

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-01

Sample wt/vol: 30.7 (g/mL) G Lab File ID: 5C50012

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 14 decanted: (Y/N) N Date Extracted: 05/18/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) MG/KG		Q
	-----Diesel Range Organics	0.58	JB	

UJ F01, F06

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760711

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-01

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3J1021

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 14 Date Analyzed: 05/19/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics	313	J	J C05
------------------------------	-----	---	-------

DATA VALIDATION
COPY

FORM I VOA

V-96

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760721

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-03

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I708

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/17/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

71-43-2-----	Benzene	1.1	U
108-88-3-----	Toluene	19.3	
100-41-4-----	Ethylbenzene	17.5	P
1330-20-7-----	Xylenes (total)	103	

01511
mφ8

DATA VALIDATION
COPY

FORM I VOA

V-97

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760721

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
 Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S
 Matrix: (soil/water) SOIL Lab Sample ID: 9805298-03
 Sample wt/vol: 30.1 (g/mL) G Lab File ID: 1U309
 Level: (low/med) LOW Date Received: 05/11/98
 % Moisture: 9 decanted: (Y/N) N Date Extracted: 05/15/98
 Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N

pH DATA VALIDATION

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	365	U
91-58-7-----	2-chloronaphthalene	365	U
208-96-8-----	acenaphthylene	365	U
83-32-9-----	acenaphthene	365	U
86-73-7-----	fluorene	365	U
85-01-8-----	phenanthrene	365	U
120-12-7-----	anthracene	365	U
206-44-0-----	fluoranthene	365	U
129-00-0-----	pyrene	365	U
56-55-3-----	benzo (a) anthracene	365	U
218-01-9-----	chrysene	365	U
205-99-2-----	benzo (b) fluoranthene	365	U
207-08-9-----	benzo (k) fluoranthene	365	U
50-32-8-----	benzo (a) pyrene	365	U
193-39-5-----	indeno (1,2,3-cd) pyrene	365	U
53-70-3-----	dibenz (a,h) anthracene	365	U
191-24-2-----	benzo (g,h,i) perylene	365	U

U
↓

FORM I SV-1

OLM03.0

V-98

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760721

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-03

Sample wt/vol: 30.5 (g/mL) G Lab File ID: 5C50016

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/18/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	1.2	JB
----------------------------	-----	----

UJ F01, F06

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760721

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-03

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3J1023

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/19/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics_____	1630		J C05
-----------------------------------	------	--	-------

DATA VALIDATION
COPY

FORM I VOA

V-100

1540075

Client: Science Applications International Corp.
P.O. Box 2502
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831
Contact: Ms. Lorene Rollins
Project Description: CAP-Part A for UST Sites (Task Order No. 8)

DATA VALIDATION COPY

cc: SAIC00598

Report Date: June 01, 1998

Page 1 of 1

Sample ID : 760721
Lab ID : 9805298-03
Matrix : Soil
Date Collected : 05/09/98
Date Received : 05/11/98
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	M
General Chemistry											
TOTAL ORGANIC CARBON (TOC)		1700 = <i>Fd1, Fd8</i>	24.1		100 mg/kg	1.0	LIB	05/27/98	1535	122938	1

M = Method	Method-Description
M 1	SW846 9060 modified

Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

* indicates that a quality control analyte recovery is outside of specified acceptance criteria.

This data report has been prepared and reviewed
in accordance with General Engineering Laboratories
standard operating procedures. Please direct
any questions to your Project Manager, Valerie Davis at (803) 769-7391.

Reviewed By _____



V-101

9805298-03

SDG No.: FS4007S

Form 1: Inorganic Analyses Data Sheet

Method Type: Total Metals

DATA VALIDATION
COPY

Sample ID: 9805298-03

Client ID: 760721

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 91.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	1.5	mg/kg	J	ρφ2	P	0.10	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760811

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-06

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I605

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/16/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (μL)

CAS NO.	COMPOUND	CONCENTRATION UNITS:		Q
		(ug/L or ug/Kg)	UG/KG	
71-43-2-----	Benzene	0.55	U	U = U U
108-88-3-----	Toluene	2.5	U	
100-41-4-----	Ethylbenzene	2.2	U	
1330-20-7-----	Xylenes (total)	6.6	U	

DATA VALIDATION
COPY

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760811

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-06

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: 2T403

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	366	U
91-58-7-----	2-chloronaphthalene	366	U
209-96-8-----	acenaphthylene	366	U
83-32-9-----	acenaphthene	366	U
86-73-7-----	fluorene	366	U
85-01-8-----	phenanthrene	366	U
120-12-7-----	anthracene	366	U
206-44-0-----	fluoranthene	366	U
129-00-0-----	pyrene	366	U
56-55-3-----	benzo(a)anthracene	366	U
218-01-9-----	chrysene	366	U
205-99-2-----	benzo(b)fluoranthene	366	U
207-08-9-----	benzo(k)fluoranthene	366	U
50-32-8-----	benzo(a)pyrene	366	U
193-39-5-----	indeno(1,2,3-cd)pyrene	366	U
53-70-3-----	dibenz(a,h)anthracene	366	U
191-24-2-----	benzo(g,h,i)perylene	366	U

U
↓

FORM I SV-1

OLM03.0

V-104

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760811

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-06

Sample wt/vol: 30.2 (g/mL) G Lab File ID: 5B50015

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	1.6	J
----------------------------	-----	---

UJ F01, F06

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760811

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-06

Sample wt/vol: 5.0 (g/mL) G Lab File ID: 3I7016

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/17/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
-----	Gasoline Range Organics	1100	U	U

DATA VALIDATION
COPY

FORM I VOA

V-106

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

750821

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-05

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 2I5021

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 5

Date Analyzed: 05/15/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	1.7	J
108-88-3-----Toluene	3.5	
100-41-4-----Ethylbenzene	4.4	P
1330-20-7-----Xylenes (total)	6.5	P

JJ11J
MØØ
MØØ

DATA VALIDATION
COPY

FORM I VOA

V-107

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760821

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-05

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: 2T321

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 5 decanted: (Y/N) N

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/13/98

Injection Volume: 1.00 (mL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3	-----naphthalene	312	J
91-58-7	-----2-chloronaphthalene	351	U
209-96-8	-----acenaphthylene	351	U
83-32-9	-----acenaphthene	351	U
86-73-7	-----fluorene	351	U
85-01-8	-----phenanthrene	351	U
120-12-7	-----anthracene	351	U
206-44-0	-----fluoranthene	351	U
129-00-0	-----pyrene	351	U
56-55-3	-----benzo (a) anthracene	351	U
218-01-9	-----chrysene	351	U
205-99-2	-----benzo (b) fluoranthene	351	U
207-08-9	-----benzo (k) fluoranthene	351	U
50-32-8	-----benzo (a) pyrene	351	U
193-39-5	-----indeno (1,2,3-cd) pyrene	351	U
53-70-3	-----dibenz (a,h) anthracene	351	U
191-24-2	-----benzo (g,h,i) perylene	351	U

CJ

FORM I SV-1

OLM03.0

V-108

FORM 1 Science Applications11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760821

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4005S

Matrix: (soil/water) SOIL Lab Sample ID: 9805294-05

Sample wt/vol: 30.1 (g/mL) G Lab File ID: 5B50037

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 5 decanted: (Y/N) N Date Extracted: 05/13/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/15/98

Injection Volume: 1.0 (uL) Dilution Factor: 2.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:		Q
		(ug/L or ug/Kg)	MG/KG	
	-----Diesel Range Organics	7.8		= F01, F08

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

760821

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4005S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805294-05

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 31706

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 5

Date Analyzed: 05/17/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics	297	J	
------------------------------	-----	---	--

**DATA VALIDATION
COPY**

FORM I VOA

V-110

DATA VALIDATION COPY

Client: Science Applications International Corp.
P.O. Box 2502
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831
Contact: Ms. Lorene Rollins
Project Description: CAP-Part A for UST Sites (Task Order No. 8)

cc: SAIC00598

Report Date: June 01, 1998

Page 1 of 1

Sample ID : 760821
Lab ID : 9805294-05
Matrix : Soil
Date Collected : 05/09/98
Date Received : 05/11/98
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	M
General Chemistry											
TOTAL ORGANIC CARBON (TOC)		5080 = 501 , 508	24.1	100	mg/kg	1.0	LIB	05/27/98	1520	122938	1

M = Method

Method-Description

M 1

SW846 9060 modified

Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

* indicates that a quality control analyte recovery is outside of specified acceptance criteria.

This data report has been prepared and reviewed
in accordance with General Engineering Laboratories
standard operating procedures. Please direct
any questions to your Project Manager, Valerie Davis at (803) 769-7391.

Reviewed By



Form 1: Inorganic Analyses Data Sheet

DATA VALIDATION
COPY

SDG No.: FS4005S

Method Type: Total Metals

Sample ID: 9805294-05

Client ID: 760821

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 95.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	1.7	mg/kg		u FDI, P		0.10	TJA61 Trace ICPAES	980517-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA

SAS No.: NA

760911

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Sample wt/vol: 10.0 (g/mL) G

Lab Sample ID: 9805295-17

Lab File ID: 2I4041

Date Received: 05/11/98

Date Analyzed: 05/15/98

Level: (low/med) LOW

% Moisture: not dec. 9

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 2.0

Soil Extract Volume: (ml)

Soil Aliquot Volume: (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	39.8	P	J M08, G01
108-88-3-----Toluene	190		J G01
100-41-4-----Ethylbenzene	51.0	P	J 005, M08,
1330-20-7-----Xylenes (total)	341		J G01 G01

DATA VALIDATION
COPY

USE

FORM I VOA

V-113

¹⁵
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760911

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4006S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805295-17

Sample wt/vol: 30.0 (g/mL) G

Lab File ID: 2T541

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N

Date Extracted: 05/14/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/16/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) **DATA VALIDATION**

CAS NO.

COPY
COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	28.4	J
91-58-7-----	2-chloronaphthalene	366	U
209-96-8-----	acenaphthylene	10.8	J
83-32-9-----	acenaphthene	366	U
86-73-7-----	fluorene	12.3	J
85-01-8-----	phenanthrene	82.8	J
120-12-7-----	anthracene	9.2	J
206-44-0-----	fluoranthene	83.8	J
129-00-0-----	pyrene	139	J
56-55-3-----	benzo (a) anthracene	52.4	J
218-01-9-----	chrysene	64.9	J
205-99-2-----	benzo (b) fluoranthene	366	U
207-08-9-----	benzo (k) fluoranthene	366	U
50-32-8-----	benzo (a) pyrene	366	U
193-39-5-----	indeno (1,2,3-cd) pyrene	366	U
53-70-3-----	dibenz (a,h) anthracene	366	U
191-24-2-----	benzo (g,h,i) perylene	366	U

Handwritten: *yes* (with arrow pointing down)

FORM I SV-1

OLM03.0

V-114

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

760911

Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4006S

Matrix: (soil/water) SOIL Lab Sample ID: 9805295-17

Sample wt/vol: 30.8 (g/mL) G Lab File ID: 5D3006

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/19/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/27/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

CAS NO.

COMPOUND

-----Diesel Range Organics

3.2 B

U F01, F07

DATA VALIDATION
COPY

VOLATILE ORGANICS ^{1A} ANALYSIS DATA SHEET

EPA SAMPLE NO.

760911

SDG No.: FS4006S

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

Matrix: (soil/water) SOIL

Sample wt/vol: 5.0 (g/mL) G

Level: (low/med) LOW

% Moisture: not dec. 9

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Soil Extract Volume: _____ (uL)

Lab Sample ID: 9805295-17

Lab File ID: 3J1015

Date Received: 05/11/98

Date Analyzed: 05/19/98

Dilution Factor: 1.0

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	2030	=
------------------------------	------	---

DATA VALIDATION
COPY

FORM I VOA

v-116

LA
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760921DL

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-05

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2J1018

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 8 Date Analyzed: 05/18/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 2000.0


Soil Extract Volume: 10 (ml) Soil Aliquot Volume: 5 (uL)
0.61191 0.61191

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG Q

71-43-2-----Benzene	15700	DP	J G01, M08 ↓ ↓ ↓
108-88-3-----Toluene	325000	DP	
100-41-4-----Ethylbenzene	117000	DP	
1330-20-7-----Xylenes (total)	594000	DP	

DATA VALIDATION
COPY

J G01



FORM I VOA

V-117

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760921

Lab Code: NA

Case No.: NA

SAS No.: NA

SDG No.: FS4007S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805298-05

Sample wt/vol: 30.1 (g/mL) G

Lab File ID: 1U311

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: 8 decanted: (Y/N) N

Date Extracted: 05/15/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
91-20-3	-----naphthalene	23100 2800	✓ 15
91-58-7	-----2-chloronaphthalene	361	U
208-96-8	-----acenaphthylene	361	U
83-32-9	-----acenaphthene	361	U
86-73-7	-----fluorene	366	
85-01-8	-----phenanthrene	382	
120-12-7	-----anthracene	361	U
206-44-0	-----fluoranthene	361	U
129-00-0	-----pyrene	361	U
56-55-3	-----benzo (a) anthracene	361	U
218-01-9	-----chrysene	361	U
205-99-2	-----benzo (b) fluoranthene	361	U
207-08-9	-----benzo (k) fluoranthene	361	U
50-32-8	-----benzo (a) pyrene	361	U
193-39-5	-----indeno (1,2,3-cd) pyrene	361	U
53-70-3	-----dibenz (a,h) anthracene	361	U
191-24-2	-----benzo (g,h,i) perylene	361	U

DATA VALIDATION
COPY

Use

FORM I SV-1

OLM03.0

V-118

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

Name: GENERAL ENGINEERING LABOR Contract: NA

760921

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-05

Sample wt/vol: 30.3 (g/mL) G Lab File ID: 5D2004

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 8 decanted: (Y/N) N Date Extracted: 05/18/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/27/98

Injection Volume: 1.0 (uL) Dilution Factor: 200.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	818	B
----------------------------	-----	---

= F01, F08

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760921DL

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-05

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 3J1036

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 8 Date Analyzed: 05/19/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm) Dilution Factor: 2000.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG	Q
---------	----------	---	---

-----Gasoline Range Organics	2820000	D	J GØI
------------------------------	---------	---	-------

DATA VALIDATION
COPY

use

FORM I VOA

V-120

DATA VALIDATION COPY

Client: Science Applications International Corp.
P.O. Box 2502
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831
Contact: Ms. Lorene Rollins
Project Description: CAP-Part A for UST Sites (Task Order No. 8)

cc: SAIC00598

Report Date: June 01, 1998

Page 1 of 1

Sample ID : 760921
Lab ID : 9805298-05
Matrix : Soil
Date Collected : 05/10/98
Date Received : 05/11/98
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	M
General Chemistry											
TOTAL ORGANIC CARBON (TOC)		2420 = F01, F08	24.1		100 mg/kg	1.0	LIB	05/27/98	1649	122938	1

M = Method	Method-Description
M 1	SW846 9060 modified

Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

* indicates that a quality control analyte recovery is outside of specified acceptance criteria.

This data report has been prepared and reviewed
in accordance with General Engineering Laboratories
standard operating procedures. Please direct
any questions to your Project Manager, Valerie Davis at (803) 769-7391.

Reviewed By



SDG No.: FS4007S

Form 1: Inorganic Analyses Data Sheet

Method Type: Total Metals

DATA VALIDATION
COPY

Sample ID: 9805298-05

Client ID: 760921

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 92.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run	
7439-92-1	Lead	13.7	mg/kg	J	P	Q2	P	0.10	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761011

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-02

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I7022

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/17/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 2.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/KG		Q
71-43-2-----	Benzene	1.1	U	U ↓ =
108-88-3-----	Toluene	4.4	U	
100-41-4-----	Ethylbenzene	4.4	U	
1330-20-7-----	Xylenes (total)	13.6		

DATA VALIDATION
COPY

FORM I VOA

V-123

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761011

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-02

Sample wt/vol: 30.0 (g/mL) G Lab File ID: 1U308

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/15/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

DATA VALIDATION
COPY

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG Q

91-20-3-----	naphthalene	366	U
91-58-7-----	2-chloronaphthalene	366	U
208-96-8-----	acenaphthylene	366	U
83-32-9-----	acenaphthene	366	U
86-73-7-----	fluorene	366	U
85-01-8-----	phenanthrene	366	U
120-12-7-----	anthracene	366	U
206-44-0-----	fluoranthene	366	U
129-00-0-----	pyrene	366	U
56-55-3-----	benzo (a) anthracene	366	U
218-01-9-----	chrysene	366	U
205-99-2-----	benzo (b) fluoranthene	366	U
207-08-9-----	benzo (k) fluoranthene	366	U
50-32-8-----	benzo (a) pyrene	366	U
193-39-5-----	indeno (1,2,3-cd) pyrene	366	U
53-70-3-----	dibenz (a,h) anthracene	366	U
191-24-2-----	benzo (g,h,i) perylene	366	U

FORM I SV-1

OLM03.0

V-124

FORM 1 Science Applications 11-MAY-1998 SAMPLE NO.
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

761011

Client Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-02

Sample wt/vol: 30.5 (g/mL) G Lab File ID: SC50013

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/18/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/23/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg) MG/KG	Q
	-----Diesel Range Organics	1.1	B

U F01, F07

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761011

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4007S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805298-02

Sample wt/vol: 5.0 (g/mL) G

Lab File ID: 3J1022

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 9

Date Analyzed: 05/19/98

GC Column: J&W DB-624 (FID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	576	J	J Cφ5
------------------------------	-----	---	-------

DATA VALIDATION
COPY

FORM I VOA

V-126

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761021RE

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-06

Sample wt/vol: 10.0 (g/mL) G Lab File ID: 2I7019

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. 9 Date Analyzed: 05/17/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 1000.0

Soil Extract Volume: 10 (ml) Soil Aliquot Volume: 10 (uL)
~~611F8~~ ~~611F8~~

CAS NO.

COMPOUND


CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

71-43-2-----Benzene	351	J	J G01
108-88-3-----Toluene	18400		↓
100-41-4-----Ethylbenzene	18600		↓
1330-20-7-----Xylenes (total)	110000		

DATA VALIDATION
COPY

J G01



FORM I VOA

V-127

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761021

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-06

Sample wt/vol: 30.1 (g/mL) G Lab File ID: 1U312

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/15/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N

pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

91-20-3-----	naphthalene	3560	
91-58-7-----	2-chloronaphthalene	365	U
208-96-8-----	acenaphthylene	365	U
83-32-9-----	acenaphthene	365	U
86-73-7-----	fluorene	365	U
85-01-8-----	phenanthrene	365	U
120-12-7-----	anthracene	302	J
206-44-0-----	fluoranthene	365	U
129-00-0-----	pyrene	365	U
56-55-3-----	benzo (a) anthracene	365	U
218-01-9-----	chrysene	365	U
205-99-2-----	benzo (b) fluoranthene	365	U
207-08-9-----	benzo (k) fluoranthene	365	U
50-32-8-----	benzo (a) pyrene	365	U
193-39-5-----	indeno (1,2,3-cd) pyrene	365	U
53-70-3-----	dibenz (a,h) anthracene	365	U
191-24-2-----	benzo (g,h,i) perylene	365	U

110-100-01

FORM I SV-1

OLM03.0

V-128

SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

CLIENT SAMPLE NO.

761021

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL Lab Sample ID: 9805298-06

Sample wt/vol: 30.3 (g/mL) G Lab File ID: 5D40043

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: 9 decanted: (Y/N) N Date Extracted: 05/18/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/29/98

Injection Volume: 1.0 (uL) Dilution Factor: 40.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) MG/KG Q

-----Diesel Range Organics	124	B
----------------------------	-----	---

= F01, F08

DATA VALIDATION
COPY

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761021

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4007S

Matrix: (soil/water) SOIL

Lab Sample ID: 9805298-06

Sample wt/vol: 10.0 (g/mL) G

Lab File ID: 3J1040

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. 9

Date Analyzed: 05/19/98

GC Column: J&W DB-624(FID) ID: 0.53 (mm)

Dilution Factor: 1000.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/KG

Q

-----Gasoline Range Organics	1270000	=
------------------------------	---------	---

DATA VALIDATION
COPY

FORM I VOA

V-130

DATA VALIDATION COPY

Client: Science Applications International Corp.
P.O. Box 2502
800 Oak Ridge Turnpike
Oak Ridge, Tennessee 37831
Contact: Ms. Lorene Rollins
Project Description: CAP-Part A for UST Sites (Task Order No. 8)

cc: SAIC00598

Report Date: June 01, 1998

Page 1 of 1

Sample ID : 761021
Lab ID : 9805298-06
Matrix : Soil
Date Collected : 05/10/98
Date Received : 05/11/98
Priority : Routine
Collector : Client

Parameter	Qualifier	Result	DL	RL	Units	DF	Analyst	Date	Time	Batch	M
General Chemistry											
TOTAL ORGANIC CARBON (TOC)		1790 = $F_{\phi 1}, F_{\phi 8}$	24.1	100	mg/kg	1.0	LIB	05/29/98	1739	122938	1

M = Method

Method-Description

M 1

SW846 9060 modified

Notes:

The qualifiers in this report are defined as follows:

ND indicates that the analyte was not detected at a concentration greater than the detection limit.

J indicates presence of analyte at a concentration less than the reporting limit (RL) and greater than the detection limit (DL).

U indicates that the analyte was not detected at a concentration greater than the detection limit.

* indicates that a quality control analyte recovery is outside of specified acceptance criteria.

This data report has been prepared and reviewed
in accordance with General Engineering Laboratories
standard operating procedures. Please direct

any questions to your Project Manager, Valerie Davis at (803) 769-7391.

Reviewed By

V-131



SDG No.: FS4007S

Form 1: Inorganic Analyses Data Sheet

Method Type: Total Metals

DATA VALIDATION
COPY

Sample ID: 9805298-06

Client ID: 761021

Contract: SAIC00598

Lab Code: GEL

Case No.:

SAS No.:

Matrix: SOIL

Date Received: 5/11/98

Level: LOW

% Solids: 91.00

CAS No.	Analyte	Concentration	Units	C	Qual	M	DL	Instrument ID	Analytical Run
7439-92-1	Lead	2.7	mg/kg	J	P 42	P	0.10	TJA61 Trace ICPAES	980514a-1

Color Before:

Clarity Before:

Texture:

Color After:

Clarity After:

Artifacts:

Comments:



800 Oak Ridge Turnpike, Oak Ridge, TN 37831 (423) 481-4600

As Employee-Owned Company
S. Applications International Corporation

CHAIN OF CUSTODY RECORD

COC NO.: GA BQ 13

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation 9805				REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory	
PROJECT NUMBER: 01-0331-04-9305-200																LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417	
PROJECT MANAGER: Patty Stoll																PHONE NO: (803) 556-8171	
Sampler (Signature) <i>David L. Lunsbury</i>				(Printed Name) David L. Lunsbury												OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS	
Sample ID	Date Collected	Time Collected	Matrix	BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRD, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials				
660221	5/8/98	900	Soil										2				
660217	5/8/98	900											2				
630221	5/9/98	1045		1									2				
760211	5/8/98	1005											2				
630121	5/9/98	935		1									2				
660211	5/8/98	910											2				
750111	5/8/98	1335											2				
760221	5/8/98	1015											2				
750113	5/8/98	1335											2				
750121	5/8/98	1345											2				
760411	5/8/98	1310											2				
730211	5/10/98	1230		1									2				
630211	5/9/98	1045		1									2				
RELINQUISHED BY: <i>David L. Lunsbury</i>				Date/Time 5/11/98		RECEIVED BY:		Date/Time		TOTAL NUMBER OF CONTAINERS:		Cooler Temperature: 4°C					
COMPANY NAME: SAIC				1130		COMPANY NAME:		1130		#165		FEDEX NUMBER:					
RECEIVED BY: <i>B. Lunsbury</i>				5/11/98		RELINQUISHED BY:		5/11/98									
COMPANY NAME: <i>SAIC</i>				1130		COMPANY NAME:		1130									
RELINQUISHED BY:				Date/Time		RECEIVED BY:		Date/Time									
COMPANY NAME:				Date/Time		COMPANY NAME:		Date/Time									

CHAIN OF CUSTODY RECORD

COC NO.: GABØ13

[illegible]

CHAIN OF CUSTODY RECORD

COC NO.: GA00817

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation #805						REQUESTED PARAMETERS										LABORATORY NAME: General Engineering Laboratory			
PROJECT NUMBER: 01-0331-04-9305-200																LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417			
PROJECT MANAGER: Patty Stoll						PHONE NO: (803) 556-8171												OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS	
Sampler (Signature)		Date Collected		Time Collected		Matrix		BTEX	PAH	TOC	BTEX, GRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials			
<i>Laura Lumley</i>		5/9/98		1855		Soil										2			
		5/8/98		1900												2			
		5/6/98		1650													2		
		5/8/98		1725													2		
		5/8/98		1555													2		
		5/8/98		1905													2		
		5/8/98		1615													2		
		5/8/98		1735													2		
		5/9/98		1540													2		
		5/9/98		1500													2		
<i>SATC</i>		5/9/98		915												2			
		5/9/98		935												2			
<i>Laura Lumley</i>		5/10/98		910												2			
RELINQUISHED BY:		Date/Time		RECEIVED BY:		Date/Time		PAH		BTEX, GRO		PAH, DRO, Lead		PAH, TPH		TOTAL NUMBER OF CONTAINERS:			
<i>Laura Lumley</i>		5/11/98		<i>Patty Stoll</i>		1130										# 131			
COMPANY NAME:		Date/Time		RELINQUISHED BY:		Date/Time		COMPANY NAME:		RELINQUISHED BY:		Date/Time		COMPANY NAME:		Cooler Temperature:			
SATC		5/11/98		<i>Shackleton</i>		5/11/98		SATC		<i>Shackleton</i>		5/11/98		SATC		Cooler Temperature: 40C			
COMPANY NAME:		Date/Time		RECEIVED BY:		Date/Time		COMPANY NAME:		RECEIVED BY:		Date/Time		COMPANY NAME:		FEDEX NUMBER:			
SATC		5/11/98		<i>Shackleton</i>		5/11/98		SATC		<i>Shackleton</i>		5/11/98		SATC		FEDEX NUMBER:			

CHAIN OF CUSTODY RECORD

COC NO.: 621207

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation PROJECT NUMBER: 01-0331-04-9305-200										REQUESTED PARAMETERS										LABORATORY NAME: General Engineering Laboratory																																																																																																																																																																																							
PROJECT MANAGER: Patty Stoll										<table border="1"> <tr> <th>Sample ID</th> <th>Date Collected</th> <th>Time Collected</th> <th>Matrix</th> <th>BTEX</th> <th>PAH</th> <th>TOC</th> <th>BTEX, GRO</th> <th>PAH, DRO</th> <th>PAH, TPH</th> <th>PAH, TPH, Lead</th> <th>PAH, TPH, Lead, TOC</th> <th>No. of Bottles/Vials</th> </tr> <tr><td>750521</td><td>5/9/98</td><td>1830</td><td>Soil</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750526</td><td>5/9/98</td><td>1912</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750541</td><td>5/9/98</td><td>1855</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750581</td><td>5/9/98</td><td>905</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750571</td><td>5/9/98</td><td>850</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750531</td><td>5/10/98</td><td>1920</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>760551</td><td>5/10/98</td><td>1805</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>710411</td><td>5/10/98</td><td>1730</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>760111</td><td>5/10/98</td><td>1725</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>760531</td><td>5/9/98</td><td>1100</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>750311</td><td>5/10/98</td><td>1920</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>760541</td><td>5/9/98</td><td>1800</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> <tr><td>760571</td><td>5/9/98</td><td>1905</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2</td></tr> </table>										Sample ID	Date Collected	Time Collected	Matrix	BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials	750521	5/9/98	1830	Soil									2	750526	5/9/98	1912										2	750541	5/9/98	1855										2	750581	5/9/98	905										2	750571	5/9/98	850										2	750531	5/10/98	1920										2	760551	5/10/98	1805										2	710411	5/10/98	1730										2	760111	5/10/98	1725										2	760531	5/9/98	1100										2	750311	5/10/98	1920										2	760541	5/9/98	1800										2	760571	5/9/98	1905										2	LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417	
Sample ID	Date Collected	Time Collected	Matrix	BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials																																																																																																																																																																																															
750521	5/9/98	1830	Soil									2																																																																																																																																																																																															
750526	5/9/98	1912										2																																																																																																																																																																																															
750541	5/9/98	1855										2																																																																																																																																																																																															
750581	5/9/98	905										2																																																																																																																																																																																															
750571	5/9/98	850										2																																																																																																																																																																																															
750531	5/10/98	1920										2																																																																																																																																																																																															
760551	5/10/98	1805										2																																																																																																																																																																																															
710411	5/10/98	1730										2																																																																																																																																																																																															
760111	5/10/98	1725										2																																																																																																																																																																																															
760531	5/9/98	1100										2																																																																																																																																																																																															
750311	5/10/98	1920										2																																																																																																																																																																																															
760541	5/9/98	1800										2																																																																																																																																																																																															
760571	5/9/98	1905										2																																																																																																																																																																																															
Sampler (Signature) 										PHASE NO: (803) 556-8171										COOLER TEMPERATURE: 40C																																																																																																																																																																																							
RECEIVED BY: 										RECEIVED BY: 										FEDEX NUMBER:																																																																																																																																																																																							
COMPANY NAME: SAIC										COMPANY NAME:										COOLER ID: # 387																																																																																																																																																																																							
RECEIVED BY: 										RECEIVED BY: 																																																																																																																																																																																																	
COMPANY NAME:										COMPANY NAME:																																																																																																																																																																																																	
RECEIVED BY: 										RECEIVED BY: 																																																																																																																																																																																																	
COMPANY NAME:										COMPANY NAME:																																																																																																																																																																																																	

800 Oak Ridge Turnpike, Oak Ridge, TN 37831 (423) 481-4600

CHAIN OF CUSTODY RECORD

COC NO.: GA5017

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation 7805		PROJECT NUMBER: 01-0331-04-9305-200		PROJECT MANAGER: Patty Stoll		Supplier (Signature) <i>Laura Lumsley</i> (Printed Name) Laura Lumsley		Requested Parameters		Laboratory Name: General Engineering Laboratory	
Sample ID		Date Collected		Time Collected		Matrix		Requested Parameters		Laboratory Address: 2040 Savage Road Charleston, SC 29417	
760521		5/9/98		1040		Soil		Requested Parameters		PHONE NO: (803) 556-8171	
750531		5/9/98		1830		Soil		Requested Parameters		OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS	
740571		5/10/98		1830		Soil		Requested Parameters			
760531		5/10/98		1715		Soil		Requested Parameters			
750511		5/9/98		1615		Soil		Requested Parameters			
760551		5/9/98		1530		Soil		Requested Parameters			
740121		5/10/98		1750		Soil		Requested Parameters			
750321		5/10/98		1925		Soil		Requested Parameters			
760561		5/9/98		1715		Soil		Requested Parameters			
RELINQUISHED BY: <i>Laura Lumsley</i>		Date/Time 5/11/98		RECEIVED BY:		Date/Time		TOTAL NUMBER OF CONTAINERS: 42		Cooler Temperature: 410	
COMPANY NAME: 1 SASC		1130		COMPANY NAME:		Date/Time		Cooler ID: #387		FEDEX NUMBER:	
RELINQUISHED BY: <i>Black</i>		Date/Time 5/11/98		RELINQUISHED BY:		Date/Time					
COMPANY NAME: <i>SEC</i>		1130		COMPANY NAME:		Date/Time					
RELINQUISHED BY:		Date/Time		RECEIVED BY:		Date/Time					
COMPANY NAME:		Date/Time		COMPANY NAME:		Date/Time					

CHAIN OF CUSTODY RECORD

COC NO.: GABQ15

21

[illegible]

PERMEABILITY TEST ANALYSIS (ASTM D5084)

Project : Fort Stewart
 Location of Project : CAP Part A
 Description of Soil : Dark Brown Silty Sand

Job # : 98066
 Date of Testing: 5/26-6/5/98
 Tested by: CA
 Boring # :
 Sample # : 760331
 Sample Depth : 8-10'

Sample Type (Undisturbed or Remolded)

Standard Proctor:

Maximum Dry Density: pcf
 Optimum Moisture Content: %

% Sample Compaction: %

Sample Dry Density: pcf

Sample Moisture Content: %

Sample Wet Density: pcf

Sample Permeation:

De-Aired Water
 % Saturation: 96 %
 Cell Pressure: 80 psi
 Lower Pressure: 76 psi
 Upper Pressure: 75 psi
 Gradient: 10.83

Sample Dimensions		
	Before	After
Length (cm)	6.50	5.50
Diameter (cm)	4.70	4.60
Water Content (%)	23.8	27
Weight (g)	197.3	194.1

Constant Head Calculation:

$$K = [V(t_1, t_2) LR_T] / [P_B A t] \text{ (cm/sec)}$$

$V(t_1, t_2)$ = Volume of flow from t_1 to t_2 (cm³)

L = Length of Sample = 6.50 cm

A = Area of Sample = 17.35 cm²

t = $t_2 - t_1$ (sec)

P_B = Bias Pressure = 1 psi x 70.37 cm/psi (cm - H₂O) 70.37 cm

R_T = Temperature correction = 0.931


t_2 (sec)	t_1 (sec)	$(t_2 - t_1)$ (sec)	V (cm ³)	$[LR_T] / [P_B A]$ (cm ²)	K (cm/sec)
40	20	20	0.6	4.96E-03	1.49E-04
60	40	20	0.6	4.96E-03	1.49E-04
80	60	20	0.6	4.96E-03	1.49E-04
100	80	20	0.5	4.96E-03	1.24E-04

K_{avg} = 1.43E-04 cm/sec

SPECIFIC GRAVITY AND POROSITY

PROJECT: Fort Stewart
 LOCATION OF PROJECT: CAP Part A
 DESCRIPTION OF SOIL: Dark Brown Silty Sand
 TESTED BY: B.J. Vance

JOB NO.: 98066
 SAMPLE NO: 760331
 DEPTH OF SAMPLE: 8-10ft.
 DATE OF TESTING: 6/22/98



$$\begin{aligned}
 W &= 0.99317 \\
 W_w &= W - W_s = 0.21158 \\
 W_s &= Y_d \cdot V = 0.7816 \\
 V &= 0.01170 \\
 V_w &= W_w / \gamma_w = 0.0034 \\
 V_s &= W_s / G_s \cdot \gamma_w = 0.0048 \\
 V_g &= V - (V_s + V_w) = 0.00350 \\
 V_v &= V_g + V_w = 0.0069
 \end{aligned}$$

MEASUREMENTS OF TUBE/CAN

HEIGHT= 19.1 cm
 DIAMETER= 4.7 cm

WT. OF TUBE/CAN + WET SOIL= 826.10 g
 WEIGHT OF TUBE/CAN= 375.6 g
 WEIGHT OF WET SOIL= 450.50 g
 W = 0.99317 lb

CALCULATED VOLUME OF TUBE/CAN

V = 331.37 cm³
 0.01170 ft³

MOISTURE CONTENT

M_{CWS} = 23.00 g M_C = 15.02 g
 M_{CDS} = 21.30 g M_S = 6.28 g
 M_W = 1.70 g w = 27.1 %

Wet Density, $\gamma_m = W / V$

Dry Density, $\gamma_d = W_s / V$ or $\gamma_d = \gamma_m / (1 + w)$	
<u>double check</u>	$\gamma_d = \gamma_m / (1 + w)$
$\gamma_d = W_s / V$	$\gamma_m = 84.86 \text{ lbs/ft}^3$
$\gamma_d = 66.78 \text{ lbs/ft}^3$	$\gamma_d = 66.78 \text{ lbs/ft}^3$

Void Ratio, $e = V_v / V_s$
 $e = 1.4307$

Porosity, $n = V_v / V$
 $n = 0.59$

Specific Gravity = 2.6

Degree of Saturation, $S = V_w / V_v$
 $S = 0.4919$

GRAIN SIZE ANALYSIS-SIEVE (ASTM D422)

Project FORT STEWART Job No. 98066
 Location of Project CAP Part A Sample No. # 760331
 Description of Soil Black Silty Sand Depth of Sample 870 Boring No.
 Tested By TSV Date of Testing 5/24/88

Sample preparation procedures outlined in ASTM D421 and D2217.

Nominal diameter of largest particle
 No. 10 sieve
 No. 4 sieve
 3/4 in.

Approximate minimum Wt. of sample, g
 200
 500
 1500

Weight of sample used, $M_w = 343.60$ g

X-3

M_{fine}	M_{coarse}	M_o	M_w	M_s	w %	$M_{w,s}$	M_s
	454.90	111.30					

Sieve analysis and grain shape

Sieve no.	Diam. (mm)	Wt. retained	% retained	Σ % retained	% passing
3"					
2"					
1 1/2 "					
3/4"					
3/8"					
#4					
#10		0.20	0.06	0.06	99.94
#20		1.92	0.56	0.62	99.38
#40		6.23	1.82	2.44	97.56
#60		30.68	8.97	11.41	88.59
#140		234.96	68.72	80.13	19.87
#200		51.30	15.01	95.14	4.86
pan		16.60	4.86	100.0	0
		341.89			

$$\% \text{ retained} = (\text{Wt. retained}/W_s) \cdot 100$$

$$\% \text{ passing} = 100 - \Sigma \% \text{ retained.}$$

APPENDIX VI
ALTERNATE THRESHOLD LEVEL (ATL)
CALCULATIONS

THIS PAGE INTENTIONALLY LEFT BLANK

Calculations of alternate threshold levels are not required at this time for the USTs 257 - 260 site. However, the geotechnical data collected during the CAP-Part A investigation are presented in Table VI-A.

VI-A. Geotechnical Results for Soil Samples Collected at the USTS 257 - 260 Site

	76-03
Sample ID	760331
Depth Interval (ft BGS)	8.0' – 10.0'
Grain size analysis - % Fines	5
Grain size analysis - % Sand	95
Grain size analysis - % Gravel	0
Liquid Limit	NP
Plastic Limit	NP
Plasticity Index	NP
Natural Moisture Content (%)	27.1
Permeability (cm/sec)	1.43×10^{-4}
Porosity	0.59
Specific Gravity	2.61

NP = Nonplastic.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX VII
MONITORING WELL DETAILS

THIS PAGE INTENTIONALLY LEFT BLANK

Monitoring wells were not installed as part of the CAP-Part A investigation. Temporary piezometers were installed at the USTs 257 - 260 site. Refer to Figures 4 and 5 (Appendix I) for locations.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX VIII
GROUNDWATER LABORATORY RESULTS

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE VIII-A. SUMMARY OF GROUNDWATER ANALYTICAL RESULTS

Station:	76-01	76-02	76-03	76-04	76-05	76-05
Sample ID:	760112	760212	760312	760412	760522	760532
Sample Interval:	3' - 13'	6' - 16'	6' - 16'	6' - 16'	7' - 12'	12' - 17'
Collection Date:	10-May-98	10-May-98	8-May-98	8-May-98	8-May-98	8-May-98
Units:	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
VOLATILE ORGANIC COMPOUNDS						
Benzene	3210 =	1540 =	356 J	2 U	159 =	675 =
Toluene	10700 =	3090 =	67.1 J	2 U	512 =	68.6 =
Ethylbenzene	1830 =	945 =	238 J	2 U	889 =	180 =
Xylenes, Total	9510 =	5060 =	2450 J	6 U	7870 =	1640 =
POLYNUCLEAR AROMATIC HYDROCARBONS						
2-Chloronaphthalene	20 U	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Acenaphthene	20 U	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Acenaphthylene	20 U	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Anthracene	110,000	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Benzo(a)anthracene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Benzo(a)pyrene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Benzo(b)fluoranthene	0.2	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Benzo(g,h,i)perylene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Benzo(k)fluoranthene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Chrysene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Dibenzo(a,h)anthracene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Fluoranthene	370	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Fluorene	14,000	0.52 J	10.2 U	10 U	13.5 U	10.5 U
Indeno(1,2,3-cd)pyrene	0.0311	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Naphthalene	991 =	236 =	156 =	10 U	352 =	93.4 =
Phenanthrene	11.4 J	20.2 U	10.2 U	10 U	13.5 U	10.5 U
Pyrene	20 U	20.2 U	10.2 U	10 U	13.5 U	10.5 U

NOTES:

Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

1 U.S. Environmental Protection Agency maximum contaminant level

2 GAEPD water quality standards (Chapter 391-3-6.03)

Bold values exceed MCLs

QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers

U Indicates the compound was not detected at the concentration reported

UI Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates the value for the compound is an estimated value

= Indicates the compound was detected at the concentration reported

TABLE VIII-A. continued

Station:	76-06	76-07	76-08	76-09	76-10
Sample ID:	760612	760712	760812	760912	761012
Sample Interval:	2' - 12'	2' - 12'	2' - 12'	2' - 12'	2' - 12'
Collection Date:	09-May-98	09-May-98	09-May-98	10-May-98	10-May-98
Units:	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)
VOLATILE ORGANIC COMPOUNDS					
Benzene	138 J	432 =	7590 =	32700 =	4240 J
Toluene	15.3 J	100 U	499 =	97800 =	17600 J
Ethylbenzene	183 J	759 =	1420 =	4450 =	5210 J
Xylenes, Total	439 J	2970 =	1320 =	22700 =	28400 J
POLYNUCLEAR AROMATIC HYDROCARBONS					
2-Chloronaphthalene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Acenaphthene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Acenaphthylene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Anthracene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Benzo(a)anthracene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Benzo(a)pyrene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Benzo(b)fluoranthene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Benzo(g,h,i)perylene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Benzo(k)fluoranthene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Chrysene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Dibenzo(a,h)anthracene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Fluoranthene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Fluorene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Indeno(1,2,3-cd)pyrene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Naphthalene	93.1 =	17.9 =	265 =	644 =	817 =
Phenanthrene	10.5 U	10.6 U	10.6 U	20 U	42.1 U
Pyrene	10.5 U	10.6 U	10.6 U	20 U	42.1 U

NOTES:

1 Field work was conducted prior to the new CAP-A guidance published in May 1998, thus the new analytical methods were not used.

2 U.S. Environmental Protection Agency maximum contaminant level

GAEPD water quality standards (Chapter 391-3-6.03)

Bold values exceed MCLs

QA/QC samples were collected. The laboratory data sheets have been included in this appendix, but the results are not summarized.

Laboratory Qualifiers

U Indicates the compound was not detected at the concentration reported

UJ Indicates that the compound was not detected above an approximated sample quantitation limit

J Indicates the value for the compound is an estimated value

= Indicates the compound was detected at the concentration reported

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760112

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4013W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805307-11

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J1047

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. _____ Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 100.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
71-43-2-----	Benzene	3210	
108-88-3-----	Toluene	10700	
100-41-4-----	Ethylbenzene	1830	
1330-20-7-----	Xylenes (total)	9510	

DATA VALIDATION
COPY

FORM I VOA

VIII-5

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760112

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA

Case No.: NA

SAS No.: NA

SDG No.: FS4012W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805304-07

Sample wt/vol: 250.0 (g/mL) ML

Lab File ID: 1T313

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____

Date Extracted: 05/13/98

Concentrated Extract Volume: 0.50 (mL)

Date Analyzed: 05/13/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3-----	naphthalene	991	382	ED
91-58-7-----	2-chloronaphthalene	20.0	U	
208-96-8-----	acenaphthylene	20.0	U	
83-32-9-----	acenaphthene	20.0	U	
86-73-7-----	fluorene	20.0	U	
85-01-8-----	phenanthrene	20.0	U	
120-12-7-----	anthracene	11.4	J	
206-44-0-----	fluoranthene	20.0	U	
129-00-0-----	pyrene	20.0	U	
56-55-3-----	benzo (a) anthracene	20.0	U	
218-01-9-----	chrysene	20.0	U	
205-99-2-----	benzo (b) fluoranthene	20.0	U	
207-08-9-----	benzo (k) fluoranthene	20.0	U	
50-32-8-----	benzo (a) pyrene	20.0	U	
193-39-5-----	indeno (1,2,3-cd) pyrene	20.0	U	
53-70-3-----	dibenz (a,h) anthracene	20.0	U	
191-24-2-----	benzo (g,h,i) perylene	20.0	U	

SRP
1/6/98

FORM I SV-1

OLM03.0

VIII-6

LA
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760212

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4013W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805307-08

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J1053

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 25.0

Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
71-43-2-----	Benzene	1540	
108-88-3-----	Toluene	3090	
100-41-4-----	Ethylbenzene	945	
1330-20-7-----	Xylenes (total)	5060	

DATA VALIDATION
COPY

FORM I VOA

VIII-7

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760212

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4010W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805302-05

Sample wt/vol: 990.0 (g/mL) ML Lab File ID: 2T503

Level: (low/med) LOW DATA VALIDATION Date Received: 05/11/98

% Moisture: _____ decanted: COPY Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/15/98

Injection Volume: 1.0 (uL) Dilution Factor: 2.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L Q

91-20-3	naphthalene	236	
91-58-7	2-chloronaphthalene	20.2	U
209-96-8	acenaphthylene	20.2	U
83-32-9	acenaphthene	20.2	U
86-73-7	fluorene	0.52	J
85-01-8	phenanthrene	20.2	U
120-12-7	anthracene	20.2	U
206-44-0	fluoranthene	20.2	U
129-00-0	pyrene	20.2	U
56-55-3	benzo (a) anthracene	20.2	U
218-01-9	chrysene	20.2	U
205-99-2	benzo (b) fluoranthene	20.2	U
207-08-9	benzo (k) fluoranthene	20.2	U
50-32-8	benzo (a) pyrene	20.2	U
193-39-5	indeno (1,2,3-cd) pyrene	20.2	U
53-70-3	dibenz (a,h) anthracene	20.2	U
191-24-2	benzo (g,h,i) perylene	20.2	U

FORM I SV-1

OLM03.0

VIII-8

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760312RE

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805309-09

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J3030

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/21/98


GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 5.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
71-43-2-----	Benzene	356	J GØ1
108-88-3-----	Toluene	67.1	↓
100-41-4-----	Ethylbenzene	238	↓
1330-20-7-----	Xylenes (total)	2450	

DATA VALIDATION
COPY

GØ1

FORM I VOA

VIII-9

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760312

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4010W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805302-13

Sample wt/vol: 980.0 (g/mL) ML Lab File ID: 2T420

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: _____ decanted _____ Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/15/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

**DATA VALIDATION
COPY**

use

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L Q

91-20-3-----	naphthalene	156-154	EP
91-58-7-----	2-chloronaphthalene	10.2	U
209-96-8-----	acenaphthylene	10.2	U
83-32-9-----	acenaphthene	10.2	U
86-73-7-----	fluorene	10.2	U
85-01-8-----	phenanthrene	10.2	U
120-12-7-----	anthracene	10.2	U
206-44-0-----	fluoranthene	10.2	U
129-00-0-----	pyrene	10.2	U
56-55-3-----	benzo (a) anthracene	10.2	U
218-01-9-----	chrysene	10.2	U
205-99-2-----	benzo (b) fluoranthene	10.2	U
207-08-9-----	benzo (k) fluoranthene	10.2	U
50-32-8-----	benzo (a) pyrene	10.2	U
193-39-5-----	indeno (1,2,3-cd) pyrene	10.2	U
53-70-3-----	dibenz (a,h) anthracene	10.2	U
191-24-2-----	benzo (g,h,i) perylene	10.2	U

= u
↓

*SRR
7/7/98*

FORM I SV-1

OLM03.0

VIII-10

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760412

Lab Code: NA Case No.: NA

SAS No.: NA

SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805309-03

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J307

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	
71-43-2	Benzene	2.0	U
108-88-3	Toluene	2.0	U
100-41-4	Ethylbenzene	2.0	U
1330-20-7	Xylenes (total)	6.0	U

U
↓
γ

DATA VALIDATION
COPY

FORM I VOA

VIII-11

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760412

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4010W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805302-02

Sample wt/vol: 1000 DATA VALIDATION Lab File ID: 2T409

Level: (low/med) LOW COPY Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____ Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
91-20-3	-----naphthalene	10.0	U	u ↓
91-58-7	-----2-chloronaphthalene	10.0	U	
209-96-8	-----acenaphthylene	10.0	U	
83-32-9	-----acenaphthene	10.0	U	
86-73-7	-----fluorene	10.0	U	
85-01-8	-----phenanthrene	10.0	U	
120-12-7	-----anthracene	10.0	U	
206-44-0	-----fluoranthene	10.0	U	
129-00-0	-----pyrene	10.0	U	
56-55-3	-----benzo (a) anthracene	10.0	U	
218-01-9	-----chrysene	10.0	U	
205-99-2	-----benzo (b) fluoranthene	10.0	U	
207-08-9	-----benzo (k) fluoranthene	10.0	U	
50-32-8	-----benzo (a) pyrene	10.0	U	
193-39-5	-----indeno (1,2,3-cd) pyrene	10.0	U	
53-70-3	-----dibenz (a,h) anthracene	10.0	U	
191-24-2	-----benzo (g,h,i) perylene	10.0	U	

FORM I SV-1

OLM03.0

VIII-12

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760416

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805309-13

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J3021

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L		Q
71-43-2-----	Benzene	2.0	U	U ↓
108-88-3-----	Toluene	2.0	U	
100-41-4-----	Ethylbenzene	2.0	U	
1330-20-7-----	Xylenes (total)	6.0	U	

DATA VALIDATION
COPY

FORM I VOA

VIII-13

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760416

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4010W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805302-01

Sample wt/vol: 980.0 (g/mL) ML Lab File ID: 2T408

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____ Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.

COMPOUND

DATA VALIDATION
COPY
CONCENTRATION UNITS:
(ug/L OF ug/L) ug/L

Q

91-20-3-----	naphthalene	10.2	U
91-58-7-----	2-chloronaphthalene	10.2	U
209-96-8-----	acenaphthylene	10.2	U
83-32-9-----	acenaphthene	10.2	U
86-73-7-----	fluorene	10.2	U
85-01-8-----	phenanthrene	10.2	U
120-12-7-----	anthracene	10.2	U
206-44-0-----	fluoranthene	10.2	U
129-00-0-----	pyrene	10.2	U
56-55-3-----	benzo (a) anthracene	10.2	U
218-01-9-----	chrysene	10.2	U
205-99-2-----	benzo (b) fluoranthene	10.2	U
207-08-9-----	benzo (k) fluoranthene	10.2	U
50-32-8-----	benzo (a) pyrene	10.2	U
193-39-5-----	indeno (1,2,3-cd) pyrene	10.2	U
53-70-3-----	dibenz (a,h) anthracene	10.2	U
191-24-2-----	benzo (g,h,i) perylene	10.2	U

u
↓

FORM I SV-1

OLM03.0

VIII-14

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760522

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4011W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805303-02

Sample wt/vol: 740.0 (g/mL) ML Lab File ID: 4T408

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

DATA VALIDATION
COPY

use

CAS NO. COMPOUND CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L Q

91-20-3	-----naphthalene	352-274	ED
91-58-7	-----2-chloronaphthalene	13.5	U
208-96-8	-----acenaphthylene	13.5	U
83-32-9	-----acenaphthene	13.5	U
86-73-7	-----fluorene	13.5	U
85-01-8	-----phenanthrene	13.5	U
120-12-7	-----anthracene	13.5	U
206-44-0	-----fluoranthene	13.5	U
129-00-0	-----pyrene	13.5	U
56-55-3	-----benzo (a) anthracene	13.5	U
218-01-9	-----chrysene	13.5	U
205-99-2	-----benzo (b) fluoranthene	13.5	U
207-08-9	-----benzo (k) fluoranthene	13.5	U
50-32-8	-----benzo (a) pyrene	13.5	U
193-39-5	-----indeno (1,2,3-cd) pyrene	13.5	U
53-70-3	-----dibenz (a,h) anthracene	13.5	U
191-24-2	-----benzo (g,h,i) perylene	13.5	U

=
u
↓

SRR
7/9/98

FORM I SV-1

OLM03.0

VIII-15

76

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760522

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805309-06

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J3033

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/21/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 25.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

71-43-2-----Benzene	159	
108-88-3-----Toluene	512	
100-41-4-----Ethylbenzene	889	
1330-20-7-----Xylenes (total)	7870	



DATA VALIDATION
COPY

FORM I VOA

VIII-16

10 At gw dup

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760514

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805309-01

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J3025

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 25.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

71-43-2-----Benzene	206	
108-88-3-----Toluene	728	
100-41-4-----Ethylbenzene	1200	
1330-20-7---Xylenes (total)	10300	



DATA VALIDATION
COPY

FORM I VOA

VIII-17

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760514

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4010W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805302-17

Sample wt/vol: 840.0 (g/mL) ML Lab File ID: 2T508

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____ Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL) Date Analyzed: 05/15/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3-----naphthalene	302-198	ED
91-58-7-----2-chloronaphthalene	11.9	U
209-96-8-----acenaphthylene	11.9	U
83-32-9-----acenaphthene	1.3	J
86-73-7-----fluorene	11.9	U
85-01-8-----phenanthrene	11.9	U
120-12-7-----anthracene	11.9	U
206-44-0-----fluoranthene	11.9	U
129-00-0-----pyrene	11.9	U
56-55-3-----benzo (a) anthracene	11.9	U
218-01-9-----chrysene	11.9	U
205-99-2-----benzo (b) fluoranthene	11.9	U
207-08-9-----benzo (k) fluoranthene	11.9	U
50-32-8-----benzo (a) pyrene	11.9	U
193-39-5-----indeno (1,2,3-cd) pyrene	11.9	U
53-70-3-----dibenz (a,h) anthracene	11.9	U
191-24-2-----benzo (g,h,i) perylene	11.9	U

= 11.9 U

SRR
4/7/98

FORM I SV-1

OLM03.0

VIII-18

15/4 96

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760532

Lab Name: GENERAL ENGINEERING LABOR Contract: NA
Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4015W
Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805309-04
Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J3026
Level: (low/med) LOW Date Received: 05/11/98
% Moisture: not dec. Date Analyzed: 05/20/98
GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 5.0
Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
71-43-2-----	Benzene	675	
108-88-3-----	Toluene	68.6	
100-41-4-----	Ethylbenzene	180	
1330-20-7-----	Xylenes (total)	1640	

DATA VALIDATION
COPY

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760532

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4011W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805303-01

Sample wt/vol: 950.0 (g/mL) ML

Lab File ID: 4T407

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

DATA VALIDATION
COPY

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3	-----naphthalene	93.4	
91-58-7	-----2-chloronaphthalene	10.5	U
208-96-8	-----acenaphthylene	10.5	U
83-32-9	-----acenaphthene	10.5	U
86-73-7	-----fluorene	10.5	U
85-01-8	-----phenanthrene	10.5	U
120-12-7	-----anthracene	10.5	U
206-44-0	-----fluoranthene	10.5	U
129-00-0	-----pyrene	10.5	U
56-55-3	-----benzo (a) anthracene	10.5	U
218-01-9	-----chrysene	10.5	U
205-99-2	-----benzo (b) fluoranthene	10.5	U
207-08-9	-----benzo (k) fluoranthene	10.5	U
50-32-8	-----benzo (a) pyrene	10.5	U
193-39-5	-----indeno (1,2,3-cd) pyrene	10.5	U
53-70-3	-----dibenz (a,h) anthracene	10.5	U
191-24-2	-----benzo (g,h,i) perylene	10.5	U

11
u
↓

FORM I SV-1

OLM03.0

VIII-20

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760612

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4013W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805307-06

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J1016

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/19/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

71-43-2-----Benzene	138	P
108-88-3-----Toluene	15.3	P
100-41-4-----Ethylbenzene	183 227	EP
1330-20-7-----Xylenes (total)	439	P

J M Q8, G01
↓ ↓ ↓

SRR
#17198

DATA VALIDATION
COPY

FORM I VOA

VIII-21

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

760612

Matrix: (soil/water) GROUNDH2O

SDG No.: FS4011W

Sample wt/vol: 950.0 (g/mL) ML

Lab Sample ID: 9805303-07

Level: (low/med) LOW

Lab File ID: 4T413

% Moisture: _____ decanted: (Y/N)

Date Received: 05/11/98

Concentrated Extract Volume: 1.00 (mL)

Date Extracted: 05/12/98

Injection Volume: 1.0 (uL)

Date Analyzed: 05/14/98

GPC Cleanup: (Y/N) N pH: 7.0

Dilution Factor: 1.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3	-----naphthalene	93.1	
91-58-7	-----2-chloronaphthalene	10.5	U
208-96-8	-----acenaphthylene	10.5	U
83-32-9	-----acenaphthene	10.5	U
86-73-7	-----fluorene	10.5	U
85-01-8	-----phenanthrene	10.5	U
120-12-7	-----anthracene	10.5	U
206-44-0	-----fluoranthene	10.5	U
129-00-0	-----pyrene	10.5	U
56-55-3	-----benzo (a) anthracene	10.5	U
218-01-9	-----chrysene	10.5	U
205-99-2	-----benzo (b) fluoranthene	10.5	U
207-08-9	-----benzo (k) fluoranthene	10.5	U
50-32-8	-----benzo (a) pyrene	10.5	U
193-39-5	-----indeno (1,2,3-cd) pyrene	10.5	U
53-70-3	-----dibenz (a,h) anthracene	10.5	U
191-24-2	-----benzo (g,h,i) perylene	10.5	U
		10.5	U

FORM I SV-1

OLM03.0

VIII-22

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760712

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4013W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805307-05

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J1040

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/19/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 50.0

Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

71-43-2-----Benzene	432		
108-88-3-----Toluene	100		
100-41-4-----Ethylbenzene	759		
1330-20-7-----Xylenes (total)	2970		

11311

DATA VALIDATION
COPY

FORM I VOA

VIII-23

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760712

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

Matrix: (soil/water) GROUNDH2O SDG No.: FS4011W

Sample wt/vol: 940.0 (g/mL) ML Lab Sample ID: 9805303-04

Level: (low/med) LOW Lab File ID: 4T410

% Moisture: _____ decanted: (Y/N) Date Received: 05/11/98

Concentrated Extract Volume: 1.00 (mL) Date Extracted: 05/12/98

Injection Volume: 1.0 (uL) Date Analyzed: 05/14/98

GPC Cleanup: (Y/N) N Dilution Factor: 1.0

pH: 7.0

**DATA VALIDATION
COPY**

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3	-----naphthalene	17.9	
91-58-7	-----2-chloronaphthalene	10.6	U
208-96-8	-----acenaphthylene	10.6	U
83-32-9	-----acenaphthene	10.6	U
86-73-7	-----fluorene	10.6	U
85-01-8	-----phenanthrene	10.6	U
120-12-7	-----anthracene	10.6	U
206-44-0	-----fluoranthene	10.6	U
129-00-0	-----pyrene	10.6	U
56-55-3	-----benzo (a) anthracene	10.6	U
218-01-9	-----chrysene	10.6	U
205-99-2	-----benzo (b) fluoranthene	10.6	U
207-08-9	-----benzo (k) fluoranthene	10.6	U
50-32-8	-----benzo (a) pyrene	10.6	U
193-39-5	-----indeno (1,2,3-cd) pyrene	10.6	U
53-70-3	-----dibenz (a,h) anthracene	10.6	U
191-24-2	-----benzo (g,h,i) perylene	10.6	U

= u
↓

FORM I SV-1

OLM03.0

VIII-24

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760812

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805309-11

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J3031

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. Date Analyzed: 05/21/98

GC Column: J&W DB-624(PID) ID: 0.53 (mm) Dilution Factor: 50.0

Soil Extract Volume: (ml) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
71-43-2-----	Benzene	7590	
108-88-3-----	Toluene	499	
100-41-4-----	Ethylbenzene	1420	
1330-20-7-----	Xylenes (total)	1320	

DATA VALIDATION
COPY

FORM I VOA

VIII-25

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

760812

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4011W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805303-08

Sample wt/vol: 940.00 (g/mL) mL

Lab File ID: 4T414

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/14/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

Well

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3	-----naphthalene		
91-58-7	-----2-chloronaphthalene	265	200 ED
208-96-8	-----acenaphthylene	10.6	U
83-32-9	-----acenaphthene	10.6	U
86-73-7	-----fluorene	10.6	U
85-01-8	-----phenanthrene	10.6	U
120-12-7	-----anthracene	10.6	U
206-44-0	-----fluoranthene	10.6	U
129-00-0	-----pyrene	10.6	U
56-55-3	-----benzo (a) anthracene	10.6	U
218-01-9	-----chrysene	10.6	U
205-99-2	-----benzo (b) fluoranthene	10.6	U
207-08-9	-----benzo (k) fluoranthene	10.6	U
50-32-8	-----benzo (a) pyrene	10.6	U
193-39-5	-----indeno (1,2,3-cd) pyrene	10.6	U
53-70-3	-----dibenz (a,h) anthracene	10.6	U
191-24-2	-----benzo (g,h,i) perylene	10.6	U

u

SRR 7/9/98

FORM I SV-1

OLM03.0

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760912

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA SDG No.: FS4013W

Matrix: (soil/water) GROUNDH2O Lab Sample ID: 9805307-13

Sample wt/vol: 10.00 (g/ml) ML Lab File ID: 2J1051

Level: (low/med) LOW Date Received: 05/11/98

% Moisture: not dec. _____ Date Analyzed: 05/20/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm) Dilution Factor: 1000.0

Soil Extract Volume: _____ (ml) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
---------	----------	--	---

71-43-2-----Benzene	32700	
108-88-3-----Toluene	97800	
100-41-4-----Ethylbenzene	4450	
1330-20-7-----Xylenes (total)	22700	



DATA VALIDATION
COPY

FORM I VOA

VIII-27

DATA VALIDATION
COPY

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

760912

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA

Case No.: NA

SAS No.: NA

SDG No.: FS4012W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805304-08

Sample wt/vol: 250.0 (g/mL) ML

Lab File ID: 1T314

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N) _____

Date Extracted: 05/13/98

Concentrated Extract Volume: 0.50 (mL)

Date Analyzed: 05/13/98

Injection Volume: 1.0 (uL)

Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7.0

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3-----	naphthalene	644-292-2	U
91-58-7-----	2-chloronaphthalene	20.0	U
208-96-8-----	acenaphthylene	20.0	U
83-32-9-----	acenaphthene	20.0	U
86-73-7-----	fluorene	20.0	U
85-01-8-----	phenanthrene	20.0	U
120-12-7-----	anthracene	20.0	U
206-44-0-----	fluoranthene	20.0	U
129-00-0-----	pyrene	20.0	U
56-55-3-----	benzo (a) anthracene	20.0	U
218-01-9-----	chrysene	20.0	U
205-99-2-----	benzo (b) fluoranthene	20.0	U
207-08-9-----	benzo (k) fluoranthene	20.0	U
50-32-8-----	benzo (a) pyrene	20.0	U
193-39-5-----	indeno (1,2,3-cd) pyrene	20.0	U
53-70-3-----	dibenz (a,h) anthracene	20.0	U
191-24-2-----	benzo (g,h,i) perylene	20.0	U

SRR
#16/44

FORM I SV-1

OLM03.0

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

761012DL

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

Lab Code: NA Case No.: NA SAS No.: NA

SDG No.: FS4015W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805309-12

Sample wt/vol: 10.00 (g/ml) ML

Lab File ID: 2J3032

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: not dec. _____

Date Analyzed: 05/21/98

GC Column: J&W DB-624 (PID) ID: 0.53 (mm)

Dilution Factor: 100.0

Soil Extract Volume: _____ (ml)

Soil Aliquot Volume: _____ (uL)

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

71-43-2-----Benzene	4240	DP	J G01, m08 ↓ ↓ ↓
108-88-3-----Toluene	17600	DP	
100-41-4-----Ethylbenzene	5210	DP	
1330-20-7-----Xylenes (total)	28400	DP	

DATA VALIDATION
COPY

Use

G01

FORM I VOA

1B
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

Lab Name: GENERAL ENGINEERING LABOR Contract: NA

761012

Lab Code: NA Case No.: NA

SAS No.: NA

SDG No.: FS4011W

Matrix: (soil/water) GROUNDH2O

Lab Sample ID: 9805303-19

Sample wt/vol: 950.0 (g/mL) ML

Lab File ID: 4U108

Level: (low/med) LOW

Date Received: 05/11/98

% Moisture: _____ decanted: (Y/N)

Date Extracted: 05/12/98

Concentrated Extract Volume: 1.00 (mL)

Date Analyzed: 05/18/98

Injection Volume: 1.0 (uL)

Dilution Factor: 4.0

GPC Cleanup: (Y/N) N

pH: 7.0

use

CAS NO.

COMPOUND

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Q

91-20-3	naphthalene	817	42.1	U
91-58-7	2-chloronaphthalene	841	42.1	U
208-96-8	acenaphthylene		42.1	U
83-32-9	acenaphthene		42.1	U
86-73-7	fluorene		42.1	U
85-01-8	phenanthrene		42.1	U
120-12-7	anthracene		42.1	U
206-44-0	fluoranthene		42.1	U
129-00-0	pyrene		42.1	U
56-55-3	benzo (a) anthracene		42.1	U
218-01-9	chrysene		42.1	U
205-99-2	benzo (b) fluoranthene		42.1	U
207-08-9	benzo (k) fluoranthene		42.1	U
50-32-8	benzo (a) pyrene		42.1	U
193-39-5	indeno (1,2,3-cd) pyrene		42.1	U
53-70-3	dibenz (a,h) anthracene		42.1	U
191-24-2	benzo (g,h,i) perylene		42.1	U


= u
↓

*SRR
7/9/98*

FORM I SV-1

OLM03.0

VIII-30



CHAIN OF CUSTODY RECORD

COC NO.: ~~SA3005~~

CHAIN OF CUSTODY RECORD

VIII-31

CHAIN OF CUSTODY RECORD

COC NO.: SAB 006

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation				REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory																												
PROJECT NUMBER: 01-0331-04-9385-200				<table border="1"> <tr> <th>PAH</th> <th>TOC</th> <th>BTEX, GRO</th> <th>PAH, DRO</th> <th>PAH, DRO, Lead</th> <th>PAH, TPH</th> <th>PAH, TPH, Lead</th> <th>PAH, TPH, Lead, TOC</th> <th colspan="5">No. of Bottles/Vials</th> </tr> <tr> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> </tr> </table>												PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials					1	1	1	1	1	1	1	1	1	1	1	1	1	1	LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417	
PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials																																				
1	1	1	1	1	1	1	1	1	1	1	1	1	1																															
PROJECT MANAGER: Patty Stoll																PHONE NO: (803) 556-8171																												
Sampler (Signature) <i>Laura Lumley</i>																OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS																												
(Printed Name) Laura Lumley																																												
Sample ID	Date Collected	Time Collected	Matrix																																									
6600212	5/16/98	955	water																																									
6600112	5/16/98	935																																										
7504112	5/18/98	1640																																										
9007112	5/14/98	1200																																										
9006012	5/14/98	1115																																										
7504110	5/14/98	1630																																										
7603112	5/14/98	1630	↓																																									
<i>JS 5/11/98</i>																																												
RELINQUISHED BY: <i>Laura Lumley</i>				Date/Time 5/11/98		RECEIVED BY:		Date/Time		TOTAL NUMBER OF CONTAINERS: 13		Cooler Temperature: 40C																																
COMPANY NAME: SAIC				1130		COMPANY NAME:						Cooler ID: # 469		FEDEX NUMBER:																														
RECEIVED BY: <i>JS Kockles</i>				Date/Time 5/11-98		RELINQUISHED BY:		Date/Time																																				
COMPANY NAME: <i>JS</i>				1130		COMPANY NAME:																																						
RELINQUISHED BY:				Date/Time		RECEIVED BY:		Date/Time																																				
COMPANY NAME:						COMPANY NAME:																																						



800 Oak Ridge Turnpike, Oak Ridge, TN 37831 (423) 481-4600

CHAIN OF CUSTODY RECORD

COC NO.: GAB008

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation 9805				REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory	
PROJECT NUMBER: 01-0331-04-9905-200																LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417	
PROJECT MANAGER: Patty Stoll																PHONE NO: (803) 556-8171	
Sampler (Signature) <i>Laura Lumley</i>				(Printed Name) Laura Lumley												OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS	
Sample ID	Date Collected	Time Collected	Matrix	BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials				
770412	5/8/98	1730	water	1	1	1	1	1	1	1	1	1	1				
640212	5/9/98	1530		2	2	2	2	2	2	2	2	2	2				
760532	5/8/98	1645		3	3	3	3	3	3	3	3	3	3				
760522	5/8/98	1745		4	4	4	4	4	4	4	4	4	4				
580214	5/10/98	1150		5	5	5	5	5	5	5	5	5	5				
760712	5/9/98	1840		6	6	6	6	6	6	6	6	6	6				
690112	5/9/98	1600	↓	7	7	7	7	7	7	7	7	7	7				
<i>[Signature]</i> 5/11/98																	
RELINQUISHED BY: <i>Laura Lumley</i>	DATE/TIME 5/11/98	RECEIVED BY:	DATE/TIME											TOTAL NUMBER OF CONTAINERS: 13		Cooler Temperature: 40°C	
COMPANY NAME: SAIC	1130	COMPANY NAME:												Cooler ID: # 469		FEDEX NUMBER:	
RECEIVED BY: <i>[Signature]</i>	DATE/TIME 5-11-98	RELINQUISHED BY:	DATE/TIME														
COMPANY NAME: <i>[Signature]</i>	1130	COMPANY NAME:															
RELINQUISHED BY:	DATE/TIME	RECEIVED BY:	DATE/TIME														
COMPANY NAME:		COMPANY NAME:															

CHAIN OF CUSTODY RECORD

COC NO.: **GAB009**

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation

9805

PROJECT NUMBER: 01-0331-04-9905-200

PROJECT MANAGER: Patty Stoll

Sampler (Signature)

(Printed Name)

Laura Sumley Laura Sumley

Sample ID	Date Collected	Time Collected	Matrix
770412	5/8/98	1730	water
640112	5/9/98	1445	
690212	5/9/98	1700	
760612	5/9/98	1750	
760812	5/9/98	1930	
690412	5/10/98	945	
730212	5/10/98	1325	
760912	5/10/98	1345	↓

5/11/98 *[Signature]*

REQUESTED PARAMETERS

BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials
1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2	2	2
2	2	2	2	2	2	2	2	2	2
1	1	1	1	1	1	1	1	1	1

LABORATORY NAME:
General Engineering Laboratory

LABORATORY ADDRESS:
2040 Savage Road
Charleston, SC 29417

PHONE NO: (803) 556-8171

OBSERVATIONS, COMMENTS,
SPECIAL INSTRUCTIONS

RECEIVED BY:

Date/Time

RELINQUISHED BY:

Date/Time

COMPANY NAME:

Date/Time

COMPANY NAME:

Date/Time

RELINQUISHED BY:

Date/Time

RELINQUISHED BY:

Date/Time

COMPANY NAME:

Date/Time

COMPANY NAME:

Date/Time

RECEIVED BY:

Date/Time

RECEIVED BY:

Date/Time

COMPANY NAME:

Date/Time

COMPANY NAME:

Date/Time

TOTAL NUMBER OF CONTAINERS: 13

Cooler ID:

Cooler Temperature: 40C

FEDEX NUMBER:

549

CHAIN OF CUSTODY RECORD

COC NO.: 571-0

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation 9405						REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory				
PROJECT NUMBER: 01-0331-04-9905-200																		LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417				
PROJECT MANAGER: Patty Stoll																		PHONE NO: (803) 556-8171				
Sampler (Signature) <i>Laura Lumley</i>																		OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS				
Sample ID	Date Collected	Time Collected	Matrix	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials										
730312	5/10/98	1445	water	1								1										
710416	5/10/98	1400		2								2										
761012	5/10/98	1445		3								2										
600212	5/10/98	1630		3								2										
600214	5/10/98	1630		3								2										
710412	5/10/98	1405		3								2										
730412	5/10/98	1420	↓	3								2										
<i>[Handwritten Signature]</i> 5/11/98																						
RELINQUISHED BY: <i>Laura Lumley</i>						RECEIVED BY:						Date/Time						Cooler Temperature: 40°C				
COMPANY NAME: SAIC						COMPANY NAME:						TOTAL NUMBER OF CONTAINERS: 13						FEDEX NUMBER:				
RECEIVED BY: <i>[Signature]</i>						RELINQUISHED BY:						Date/Time						Cooler ID: # 466				
COMPANY NAME: SAIC						COMPANY NAME:						Date/Time						FEDEX NUMBER:				
RECEIVED BY: <i>[Signature]</i>						RELINQUISHED BY:						Date/Time						Cooler ID: # 466				
COMPANY NAME: SAIC						COMPANY NAME:						Date/Time						FEDEX NUMBER:				
RECEIVED BY: <i>[Signature]</i>						RELINQUISHED BY:						Date/Time						Cooler ID: # 466				
COMPANY NAME: SAIC						COMPANY NAME:						Date/Time						FEDEX NUMBER:				

CHAIN OF CUSTODY RECORD

COC NO.: GAB012

[illegible]



CHAIN OF CUSTODY RECORD

COC NO.: ~~GA1500~~ +

CHAIN OF CUSTODY RECORD

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation 9805			REQUESTED PARAMETERS			LABORATORY NAME: General Engineering Laboratory							
PROJECT NUMBER: 01-0331-04-9305-200						LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417							
PROJECT MANAGER: Patty Stoll						PHONE NO: (803) 556-8171							
Sampler (Signature) <i>Laura Lumley</i>			(Printed Name) Laura Lumley			OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS							
Sample ID	Date Collected	Time Collected	Matrix	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials	
750225	5/8/98	1800	water				3					3	
630112	5/9/98	1025										2	
770212	5/8/98	1740										2	
750212	5/8/98	1915										2	
760514	5/8/98	1745										2	
630212	5/9/98	1250										2	
				<i>SS</i> 5/11/98									
RELINQUISHED BY: <i>Laura Lumley</i>			Date/Time 5/11/98		RECEIVED BY:		Date/Time		TOTAL NUMBER OF CONTAINERS: 13				Cooler Temperature: 40C
COMPANY NAME: SAIC			1130		COMPANY NAME:				Cooler ID: # 462				FEDEX NUMBER:
RECEIVED BY: <i>B. Hoch</i>			Date/Time 5-11-98		RELINQUISHED BY:		Date/Time						
COMPANY NAME: <i>GE</i>			1130		COMPANY NAME:								
RELINQUISHED BY:			Date/Time		RECEIVED BY:		Date/Time						
COMPANY NAME:					COMPANY NAME:								

CHAIN OF CUSTODY RECORD

COC NO.: SABQ18

1015

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation				REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory		
PROJECT NUMBER: 01-0331-04-9305-200				No. of Bottles/Vials:												LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417		
PROJECT MANAGER: Patty Stoll																PHONE NO: (803) 556-8171		
Sampler (Signature) <i>Laurie Lumsley</i>																OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS Unpreserved		
(Printed Name) Laurie Lumsley																Unpreserved		
Sample ID	Date Collected	Time Collected	Matrix	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC							
710416	5/10/98	1800	Water															
780125	5/10/98	1900																
760125	5/10/98	1735																
710412	5/10/98	1605																
760112	5/10/98	1705																
700712	5/8/98	1200																
760912	5/10/98	1345																
730416	5/10/98	1430																
730312	5/10/98	1415																
730212	5/10/98	1325																
690212	5/11/98	1700																
580214	5/10/98	1150																
690412	5/10/98	945																
RELINQUISHED BY: <i>Laurie Lumsley</i>				Date/Time 5/11/98		RECEIVED BY:		Date/Time		TOTAL NUMBER OF CONTAINERS: Cooler ID: # 388		Cooler Temperature: 40C		FEDEX NUMBER:				
COMPANY NAME: SAIC				1/30		COMPANY NAME:												
RECEIVED BY: <i>Shoeb</i>				Date/Time 5/11/98		RELINQUISHED BY:		Date/Time										
COMPANY NAME: <i>SAIC</i>				1/30		COMPANY NAME:												
RELINQUISHED BY:				Date/Time		RECEIVED BY:		Date/Time										
COMPANY NAME:						COMPANY NAME:												

2015

CHAIN OF CUSTODY RECORD

COC NO.: GA1301/8

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation PROJECT NUMBER: 01-0331-04-9305-200 PROJECT MANAGER: Patty Stoll				REQUESTED PARAMETERS BTEX, GRO PAH, DRO PAH, TPH PAH, TPH, Lead PAH, TPH, Lead, TOC No. of Bottles/Vials: 2										LABORATORY NAME: General Engineering Laboratory LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417 PHONE NO: (803) 556-8171 OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS: Unpreserved Unpreserved Unpreserved	
RELINQUISHED BY: <i>[Signature]</i> COMPANY NAME: SAIC RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC				Date/Time: 5/11/98 Date/Time: 5/11/98		RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC		Date/Time: 5/11/98 Date/Time: 5/11/98		TOTAL NUMBER OF CONTAINERS: Cooler ID: # 388 Cooler Temperature: 4°C FEDEX NUMBER:					
RELINQUISHED BY: <i>[Signature]</i> COMPANY NAME: SAIC RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC				Date/Time: 5/11/98 Date/Time: 5/11/98		RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC		Date/Time: 5/11/98 Date/Time: 5/11/98		TOTAL NUMBER OF CONTAINERS: Cooler ID: # 388 Cooler Temperature: 4°C FEDEX NUMBER:					
RELINQUISHED BY: <i>[Signature]</i> COMPANY NAME: SAIC RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC				Date/Time: 5/11/98 Date/Time: 5/11/98		RECEIVED BY: <i>[Signature]</i> COMPANY NAME: SAIC		Date/Time: 5/11/98 Date/Time: 5/11/98		TOTAL NUMBER OF CONTAINERS: Cooler ID: # 388 Cooler Temperature: 4°C FEDEX NUMBER:					

4065

COC NO.: GAB018

CHAIN OF CUSTODY RECORD

900 Oak Ridge Turnpike, Oak Ridge, TN 37831 (423) 481-4600

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation

9805

PROJECT NUMBER: 01-0331-04-9305-200

PROJECT MANAGER: Patty Stoll

Sampler (Signature) *Laura Lumley* (Printed Name)

Sample ID	Date Collected	Time Collected	Matrix	BTEX	PAH	TOC	BTEX, GRO	PAH, DRO	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC	No. of Bottles/Vials
600112	5/10/98	1555	water	2								2
760514	5/16/98	1745		2								2
590112	5/10/98	1040		2								2
760412	5/16/98	1345		2								2
760532	5/16/98	1845		2								2
600212	5/10/98	1630		2								2
760522	5/16/98	1745		2								2
640212	5/17/98	1530		2								2
640112	5/19/98	1445		2								2
760312	5/16/98	1630		2								2
600214	5/10/98	1630		2								2
760612	5/19/98	1930		2								2
761012	5/10/98	1445		2								2

RECEIVED BY: *Laura Lumley* Date/Time: 5/11/98

COMPANY NAME: SAIC

RELINQUISHED BY: *Bochals* Date/Time: 5/11/98

COMPANY NAME: *Bochals*

RECEIVED BY: *Bochals* Date/Time: 5/11/98

COMPANY NAME: *Bochals*

RELINQUISHED BY: *Bochals* Date/Time: 5/11/98

COMPANY NAME: *Bochals*

LABORATORY NAME: General Engineering Laboratory

LABORATORY ADDRESS: 2040 Savage Road, Charleston, SC 29417

PHONE NO: (803) 556-8171

OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS: (unpreserved)

COOLER TEMPERATURE: 40C

FEDEX NUMBER:

COOLER ID: #3888

TOTAL NUMBER OF CONTAINERS: 12

CHAIN OF CUSTODY RECORD

COC NO.: GA120018

PROJECT NAME: Fort Stewart New CAP Part A UST Investigation PROJECT NUMBER: 01-0331-04-9305-200				REQUESTED PARAMETERS												LABORATORY NAME: General Engineering Laboratory																																																													
PROJECT MANAGER: Patty Stoll				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">PAH</th> <th style="width:10%;">TOC</th> <th style="width:10%;">BTEX, GRO</th> <th style="width:10%;">PAH, DRO</th> <th style="width:10%;">PAH, DRO, Lead</th> <th style="width:10%;">PAH, TPH</th> <th style="width:10%;">PAH, TPH, Lead</th> <th style="width:10%;">PAH, TPH, Lead, TOC</th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> <th style="width:10%;"></th> </tr> <tr> <td colspan="20" style="text-align: center; vertical-align: middle;"> NO DATA </td> </tr> <tr> <td colspan="20" style="text-align: center; vertical-align: middle;"> NO DATA </td> </tr> </table>												PAH	TOC	BTEX, GRO	PAH, DRO	PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC													NO DATA																				NO DATA																				LABORATORY ADDRESS: 2040 Savage Road Charleston, SC 29417	
PAH	TOC	BTEX, GRO	PAH, DRO													PAH, DRO, Lead	PAH, TPH	PAH, TPH, Lead	PAH, TPH, Lead, TOC																																																										
NO DATA																																																																													
NO DATA																																																																													
Sampler (Signature): <i>[Signature]</i>				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date Collected</th> <th style="width:10%;">Time Collected</th> <th style="width:10%;">Matrix</th> <th style="width:10%;">No. of Bottles/Vials</th> <th style="width:10%;">OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS</th> </tr> <tr> <td>5/8/98</td> <td>13:35</td> <td>water</td> <td>2</td> <td></td> </tr> </table>												Date Collected	Time Collected	Matrix	No. of Bottles/Vials	OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS	5/8/98	13:35	water	2		PHONE NO: (803) 556-8171																																																			
Date Collected	Time Collected	Matrix	No. of Bottles/Vials													OBSERVATIONS, COMMENTS, SPECIAL INSTRUCTIONS																																																													
5/8/98	13:35	water	2																																																																										
Sample ID: 700416				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER TEMPERATURE: 40C																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	FEDEX NUMBER:																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
COMPANY NAME: S&S				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER ID: 388																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	TOTAL NUMBER OF CONTAINERS: 106																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
COMPANY NAME: S&S				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER TEMPERATURE: 40C																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	FEDEX NUMBER:																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
COMPANY NAME: S&S				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER ID: 388																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	TOTAL NUMBER OF CONTAINERS: 106																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
COMPANY NAME: S&S				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER TEMPERATURE: 40C																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	FEDEX NUMBER:																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
COMPANY NAME: S&S				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	COOLER ID: 388																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									
RELINQUISHED BY: [Signature]				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:10%;">Date/Time</th> <th style="width:10%;">RECEIVED BY:</th> <th style="width:10%;">COMPANY NAME:</th> <th style="width:10%;">RELINQUISHED BY:</th> <th style="width:10%;">COMPANY NAME:</th> </tr> <tr> <td>5/11/98</td> <td>[Signature]</td> <td>S&S</td> <td>[Signature]</td> <td>S&S</td> </tr> </table>												Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:	COMPANY NAME:	5/11/98	[Signature]	S&S	[Signature]	S&S	TOTAL NUMBER OF CONTAINERS: 106																																																			
Date/Time	RECEIVED BY:	COMPANY NAME:	RELINQUISHED BY:													COMPANY NAME:																																																													
5/11/98	[Signature]	S&S	[Signature]	S&S																																																																									

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX IX

EXCAVATION OF CONTAMINATED SOIL AND SUPPORTING MANIFESTS

THIS PAGE INTENTIONALLY LEFT BLANK

All contaminated soil removed during the entire project (i.e., all USTs removed under contract with ACE, to include clean and non-clean closures) was tested and transported to Kedesh, Inc., Highway 84, Ludowici, GA 31316. The Installation has records of all manifests and weight tickets for this project. However, site/UST specific information is not available.

I certify that the above information is true and accurate. If GA EPD USTMP would like copies of all manifests and weight tickets for the numerous UST removal contracts that the Installation has conducted, the Installation will gladly forward copies to the USTMP.

Name: Thomas C. Fry

Title: Chief, Environmental Branch

Signature: Thomas C. Fry

Date: 03/25/99

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX X
SITE RANKING FORM

THIS PAGE INTENTIONALLY LEFT BLANK

SITE RANKING FORM

Facility Name: USTs 257 - 260, Building 430

Ranked by: P. Stoll

County: Liberty Facility ID #: 0-890037

Date Ranked: 7/29/98

SOIL CONTAMINATION

A. Total PAHs –
Maximum Concentration found on the site
(Assume <0.660 mg/kg if only gasoline
was stored on site)

- ☐ ≤ 0.660 mg/kg = 0
- ☐ >0.66 - 1 mg/kg = 10
- ☐ >1 - 10 mg/kg = 25
- ☒ >10 mg/kg = 50

B. Total Benzene -
Maximum Concentration found on the site

- ☐ ≤ 0.005 mg/kg = 0
- ☐ >0.005 - .05 mg/kg = 1
- ☐ >0.05 - 1 mg/kg = 10
- ☐ >1 - 10 mg/kg = 25
- ☒ >10 - 50 mg/kg = 40
- ☐ >50 mg/kg = 50

C. Depth to Groundwater
(bls = below land surface)

- ☐ >50' bls = 1
- ☐ >25' - 50' bls = 2
- ☒ >10' - 25' bls = 5
- ☐ $\leq 10'$ bls = 10

Fill in the blanks: (A. 50) + (B. 40) = (90) x (C. 5) = (D. 450)

GROUNDWATER CONTAMINATION

E. Free Product (Nonaqueous-phase
liquid hydrocarbons; See Guidelines
For definition of "sheen").

- ☐ No free product = 0
- ☒ Sheen - 1/8" = 250
- ☐ >1/8" - 6" = 500
- ☐ >6" - 1ft. = 1,000
- ☐ For every additional inch, add another
100 points = 1,000 +

F. Dissolved Benzene -
Maximum Concentration at the site
(One well must be located at the source
of the release.)

- ☐ ≤ 5 μ g/L = 0
- ☐ >5 - 100 μ g/L = 5
- ☐ >100 - 1,000 μ g/L = 50
- ☐ >1,000 - 10,000 μ g/L = 100
- ☒ >10,000 μ g/L = 250

Fill in the blanks: (E. 250) + (F. 250) = (G. 500)

POTENTIAL RECEPTORS (MUST BE FIELD-VERIFIED)

Distance from nearest contaminant plume boundary to the nearest downgradient and hydraulically connected Point of Withdrawal for water supply. **If the point of withdrawal is not hydraulically connected, evidence as outlined in the CAP-A guidance document MUST be presented to substantiate this claim.**

H. Public Water Supply

- ☐ Impacted = 2000
- ☐ ≤500' = 500
- ☐ >500' - ¼ mi = 25
- ☐ ¼ mi - 1 mi = 10
- ☐ >1 mi - 2 mi = 2
- * ☒ > 2 mi = 0

For lower susceptibility areas only:

- ☐ >1 mi = 0

Note: If site is in lower susceptibility area, do not use the shaded areas.

* For justification that withdrawal point is not hydraulically connected, see page X-5.

I. Non-Public Water Supply

- ☐ Impacted = 1000
- ☐ ≤100' = 500
- ☐ >100' - 500' = 25
- ☐ >500' - ¼ mi = 5
- ☐ >¼ - ½ mi = 2
- ☒ >½ mi = 0

For lower susceptibility areas only:

- ☐ >¼ mi = 0

J. Distance from nearest Contaminant Plume boundary to downgradient Surface Waters OR UTILITY TRENCHES & VAULTS (a utility trench may be omitted from ranking if its invert elevation is more than 5 feet above the water table)

- ☐ Impacted = 500
- ☒ ≤500' = 50
- ☐ >500' - 1,000' = 5
- ☐ >1,000' = 1

K. Distance from any Free Product to basements and crawl spaces

- ☐ Impacted = 500
- ☐ <500' = 50
- ☐ >500' - 1,000' = 5
- ☒ >1,000' or no free product. = 0

Fill in the blanks: (H. 0) + (I. 0) + (J. 50) + (K. 0) = L. 50

(G. 500) x (L. 50) = M. 25000

(M. 25000) + (D. 450) = N. 25450

P. SUSCEPTIBILITY AREA MULTIPLIER

- ☐ If site is located in a Low Ground-Water Pollution Susceptibility Area = 0.5
- ☒ All other sites = 1

Q. EXPLOSION HAZARD

Have any explosive petroleum vapors, possibly originating from this release, been detected in any subsurface structure (e.g., utility trenches, basements, vaults, crawl spaces, etc.)?

- ☐ Yes = 200,000
- ☒ No = 0

Fill in the blanks: (N. 25450) x (P. 1) = (25450) + (Q. 0)

= 25450

ENVIRONMENTAL SENSITIVITY SCORE

OTHER GEOLOGIC AND HYDROLOGIC DATA

The following information is presented to provide supplemental information to Section II.D.5 of the CAP-Part A form and provides detailed information relating to the geologic and hydrogeologic conditions at Fort Stewart to support determinations of groundwater flow pathway(s) or direction(s) and contaminant transport.

1.0 REGIONAL AND LOCAL GEOLOGY

Fort Stewart is located within the coastal plain physiographic province. This province is typified by nine southeastward dipping strata that increase in thickness from zero feet at the fall line located approximately 350 miles inland from the Atlantic coast, to approximately 4,200 feet at the coast. State geologic records describe a probable petroleum exploration well (the No. 1 Jelks-Rogers) located in the region as encountering crystalline basement rocks at a depth of 4254 feet BGS. This well provides the most complete record for Cretaceous, Tertiary, and Quaternary sedimentary strata in the region.

The Cretaceous section was found to be approximately 1,970 feet thick and dominated by clastics. The Tertiary section was found to be approximately 2,170 feet thick and dominated by limestone with a 175-foot thick cap of dark green phosphatic clay. This clay is regionally extensive and is known as the Hawthorn Group. The interval from approximately 110 feet to the surface is Quaternary in age and composed primarily of sand with interbeds of clay or silt. This section is undifferentiated into separate formations (Metcalf & Eddy 1996).

State geologic records contain information regarding a well drilled in October 1942, 1.8 miles north of Flemington at Liberty Field of Camp Stewart (now known as Fort Stewart). This well is believed to be an artesian well located approximately one-quarter mile north of the runway at Wright Army Airfield within the Fort Stewart Military Reservation. The log for this well describes a 410-foot section, the lowermost 110 feet of which consisted predominantly of limestone sediments, above which 245 feet of dark green phosphatic clay typical of the Hawthorn Group was encountered. The uppermost portion of the section was found to be Quaternary age interbedded sands and clays. The top 15 feet of these sediments were described as sandy clay (Metcalf & Eddy 1996).

The surface soil located throughout the Fort Stewart garrison area consists of Stilson loamy sand. The surface layer of this soil is typically dark grayish brown loamy sand measuring approximately 6 inches in depth. The surface layer is underlain by material consisting of pale yellow loamy sand and extends to a depth of approximately 29 inches. The subsoil is predominantly sandy clay loam and extends to a depth of 72 inches or more (Metcalf & Eddy 1996).

2.0 REGIONAL AND LOCAL HYDROGEOLOGY

The hydrogeology in the vicinity of Fort Stewart is dominated by two aquifers referred to as the Principal Artesian and the surficial aquifers. The Principal Artesian aquifer is the lowermost hydrologic unit and is regionally extensive from South Carolina through Georgia, Alabama, and most of Florida. Known elsewhere as the Floridan, this aquifer is composed primarily of Tertiary age limestone, including the Bug Island Formation, the Ocala Group, and the Suwannee Limestone. These formations are approximately 800 feet thick, and groundwater from this aquifer is used primarily for drinking water (Arora 1984).

The uppermost hydrologic unit is the surficial aquifer, which consists of widely varying amounts of sand and clay ranging from 55 to 150 feet in thickness. This aquifer is primarily used for domestic lawn and

agricultural irrigation. The top of the water table ranges from approximately 2 to 10 feet BGS (Geraghty and Miller 1993). The base of the aquifer corresponds to the top of the underlying dense clay of the Hawthorn Group. The Hawthorn Group was not encountered during drilling at this site, but is believed to be located at 40 to 50 feet BGS, thus the effective aquifer thickness would be approximately 35 to 45 feet. Soil surveys for Liberty and Long Counties describe the occurrence of a perched water table within the Stilson loamy sands present within Fort Stewart (Looper 1980).

The confining layer for the Principal Artesian aquifer is the phosphatic clay of the Hawthorn Group and ranges in thickness from 15 to 90 feet. The vertical hydraulic conductivity of this confining unit is on the order of 10^{-8} cm/sec. There are minor occurrences of aquifer material within the Hawthorn Group; however, they have limited utilization (Miller 1990). The Hawthorn Group has been divided into three formations: Coosawhatchie Formation, Markshead Formation, and the Parachula Formation, which are listed from youngest to oldest.

The Coosawhatchie Formation is composed predominantly of clay, but also has sandy clay, argillaceous sand, and phosphorite units. The formation is approximately 170 feet thick in the Savannah Georgia area. This unit disconformably overlies the Markshead Formation and is distinguished from the underlying unit by dark phosphatic clays or phosphorite in the lower part and fine-grained sand in the upper part.

The Markshead Formation is approximately 70 feet thick in the Savannah Georgia area and consists of light colored phosphatic, slightly dolomitic, argillaceous sand to fine-grained sandy clay with scattered beds of dolostone, limestone, and siliceous, and dolomitic and less calcareous.

The Parachula Formation consists of sand, clay, limestone, and dolomite, and is approximately 10 feet thick in the Savannah Georgia area. The Parachula Formation generally overlies the Suwannee Limestone in Georgia.

APPENDIX XI
PUBLIC NOTIFICATION

THIS PAGE INTENTIONALLY LEFT BLANK

STATE OF GEORGIA
CHATHAM COUNTY

Affidavit of Publication
Savannah Morning News
Savannah Evening Press

Personally appeared before me, Joan T. Jenkins, to me known, who being sworn, deposes and says:

That he is the Classified Adv Sunv of Southeastern Newspapers Corporation, a Georgia corporation, doing business in Chatham County, Georgia, under the trade name of Savannah Morning News/Savannah Evening Press, a daily newspaper published in said county;

That he is authorized to make affidavits of publication on behalf of said published corporation;

That said newspaper is of general circulation in said county and in the area adjacent thereto;

That he has reviewed the regular editions of the Savannah Morning News/Savannah Evening Press, published on 7-19, 1998, 7-26, 1998, , 1998, , 1998, and finds that the following Advertisement, to-wit:

PUBLIC NOTICE
Notification of Corrective Action Plan, Underground Storage Tank Releases, Fort Stewart Garrison Area, Fort Stewart, Georgia
The United States Army Corps of Engineers and Fort Stewart Directorate of Public Works have prepared Corrective Action Plan (CAP) - Part A and Part B reports to assess the environmental impact of diesel, gasoline, or waste oil releases from numerous underground storage tanks (USTs) located at the above garrison area. These reports will be submitted to the Georgia Environmental Protection Division after September 30, 1998. A listing of the UST sites for which CAP - Part A and Part B reports have been prepared is presented at the end of this notification.
The Georgia rules for UST management require notification of the public most directly affected by the plans. If you would like a copy of any of the plans, please contact:
Commander, 3d Infantry Division (Mechanized) and Fort Stewart, Attn: AE2P/DEV, Ft. Rutland, Building 1139, Fort Stewart, Georgia 31314-5000
A copy of each requested plan will be mailed at a nominal copying and shipping fee.
To make comments on any of the plans or to examine the Georgia Environmental Protection Division's files, contact the Corrective Action Unit, Underground Storage Tank Management Program, Environmental Protection Division at 404-362-2687. The Underground Storage Tank Management Program will accept comments on the CAP - Part A and Part B reports up to 30 days after submission to the Georgia Environmental Protection Division. Following is their mailing address:
Corrective Action Unit, Underground Storage Tank Management Program, 424 International Parkway, Suite 100, Atlanta, Georgia 30334
For CAP - Part A and Part B Underground Storage Tank Sites:
Tank Number
Facility ID
Building
242, 9-089041, 241
244, 9-089041, 241
246, 9-089011, 1720
248, 9-089011, 1720
1008, 9-089011, 1720
214, 9-089015, 1503
215, 9-089015, 1503
121, 9-089022, 6923
166, 9-089022, 6923
111, 9-089085, 19109
116, 9-089076, 1239
26, 9-089016, 1512
27, 9-089016, 1512
4, 9-089015, 1426
5 and 6, 9-089064, 1824
52, 9-089050, 1062
X, 9, 103001
1, 9-089064, 1842
18, 9-089011, 1720
20, 9-089011, 1720
24A, 9-089014, 1720
24B, 9-089028, 1421
24C, 9-089028, 1421
24D, 9-089028, 1421
24E, 9-089028, 1421
24F, 9-089028, 1421
24G, 9-089028, 1421
24H, 9-089028, 1421
24I, 9-089028, 1421
24J, 9-089028, 1421
24K, 9-089028, 1421
24L, 9-089028, 1421
24M, 9-089028, 1421
24N, 9-089028, 1421
24O, 9-089028, 1421
24P, 9-089028, 1421
24Q, 9-089028, 1421
24R, 9-089028, 1421
24S, 9-089028, 1421
24T, 9-089028, 1421
24U, 9-089028, 1421
24V, 9-089028, 1421
24W, 9-089028, 1421
24X, 9-089028, 1421
24Y, 9-089028, 1421
24Z, 9-089028, 1421
25, 9-089016, 1512
26, 9-089016, 1512
27, 9-089016, 1512
28, 9-089016, 1512
29, 9-089016, 1512
30, 9-089016, 1512
31, 9-089016, 1512
32, 9-089016, 1512
33, 9-089016, 1512
34, 9-089016, 1512
35, 9-089016, 1512
36, 9-089016, 1512
37, 9-089016, 1512
38, 9-089016, 1512
39, 9-089016, 1512
40, 9-089016, 1512
41, 9-089016, 1512
42, 9-089016, 1512
43, 9-089016, 1512
44, 9-089016, 1512
45, 9-089016, 1512
46, 9-089016, 1512
47, 9-089016, 1512
48, 9-089016, 1512
49, 9-089016, 1512
50, 9-089016, 1512
51, 9-089016, 1512
52, 9-089016, 1512
53, 9-089016, 1512
54, 9-089016, 1512
55, 9-089016, 1512
56, 9-089016, 1512
57, 9-089016, 1512
58, 9-089016, 1512
59, 9-089016, 1512
60, 9-089016, 1512
61, 9-089016, 1512
62, 9-089016, 1512
63, 9-089016, 1512
64, 9-089016, 1512
65, 9-089016, 1512
66, 9-089016, 1512
67, 9-089016, 1512
68, 9-089016, 1512
69, 9-089016, 1512
70, 9-089016, 1512
71, 9-089016, 1512
72, 9-089016, 1512
73, 9-089016, 1512
74, 9-089016, 1512
75, 9-089016, 1512
76, 9-089016, 1512
77, 9-089016, 1512
78, 9-089016, 1512
79, 9-089016, 1512
80, 9-089016, 1512
81, 9-089016, 1512
82, 9-089016, 1512
83, 9-089016, 1512
84, 9-089016, 1512
85, 9-089016, 1512
86, 9-089016, 1512
87, 9-089016, 1512
88, 9-089016, 1512
89, 9-089016, 1512
90, 9-089016, 1512
91, 9-089016, 1512
92, 9-089016, 1512
93, 9-089016, 1512
94, 9-089016, 1512
95, 9-089016, 1512
96, 9-089016, 1512
97, 9-089016, 1512
98, 9-089016, 1512
99, 9-089016, 1512
100, 9-089016, 1512
101, 9-089016, 1512
102, 9-089016, 1512
103, 9-089016, 1512
104, 9-089016, 1512
105, 9-089016, 1512
106, 9-089016, 1512
107, 9-089016, 1512
108, 9-089016, 1512
109, 9-089016, 1512
110, 9-089016, 1512
111, 9-089016, 1512
112, 9-089016, 1512
113, 9-089016, 1512
114, 9-089016, 1512
115, 9-089016, 1512
116, 9-089016, 1512
117, 9-089016, 1512
118, 9-089016, 1512
119, 9-089016, 1512
120, 9-089016, 1512
121, 9-089016, 1512
122, 9-089016, 1512
123, 9-089016, 1512
124, 9-089016, 1512
125, 9-089016, 1512
126, 9-089016, 1512
127, 9-089016, 1512
128, 9-089016, 1512
129, 9-089016, 1512
130, 9-089016, 1512
131, 9-089016, 1512
132, 9-089016, 1512
133, 9-089016, 1512
134, 9-089016, 1512
135, 9-089016, 1512
136, 9-089016, 1512
137, 9-089016, 1512
138, 9-089016, 1512
139, 9-089016, 1512
140, 9-089016, 1512
141, 9-089016, 1512
142, 9-089016, 1512
143, 9-089016, 1512
144, 9-089016, 1512
145, 9-089016, 1512
146, 9-089016, 1512
147, 9-089016, 1512
148, 9-089016, 1512
149, 9-089016, 1512
150, 9-089016, 1512
151, 9-089016, 1512
152, 9-089016, 1512
153, 9-089016, 1512
154, 9-089016, 1512
155, 9-089016, 1512
156, 9-089016, 1512
157, 9-089016, 1512
158, 9-089016, 1512
159, 9-089016, 1512
160, 9-089016, 1512
161, 9-089016, 1512
162, 9-089016, 1512
163, 9-089016, 1512
164, 9-089016, 1512
165, 9-089016, 1512
166, 9-089016, 1512
167, 9-089016, 1512
168, 9-089016, 1512
169, 9-089016, 1512
170, 9-089016, 1512
171, 9-089016, 1512
172, 9-089016, 1512
173, 9-089016, 1512
174, 9-089016, 1512
175, 9-089016, 1512
176, 9-089016, 1512
177, 9-089016, 1512
178, 9-089016, 1512
179, 9-089016, 1512
180, 9-089016, 1512
181, 9-089016, 1512
182, 9-089016, 1512
183, 9-089016, 1512
184, 9-089016, 1512
185, 9-089016, 1512
186, 9-089016, 1512
187, 9-089016, 1512
188, 9-089016, 1512
189, 9-089016, 1512
190, 9-089016, 1512
191, 9-089016, 1512
192, 9-089016, 1512
193, 9-089016, 1512
194, 9-089016, 1512
195, 9-089016, 1512
196, 9-089016, 1512
197, 9-089016, 1512
198, 9-089016, 1512
199, 9-089016, 1512
200, 9-089016, 1512
201, 9-089016, 1512
202, 9-089016, 1512
203, 9-089016, 1512
204, 9-089016, 1512
205, 9-089016, 1512
206, 9-089016, 1512
207, 9-089016, 1512
208, 9-089016, 1512
209, 9-089016, 1512
210, 9-089016, 1512
211, 9-089016, 1512
212, 9-089016, 1512
213, 9-089016, 1512
214, 9-089016, 1512
215, 9-089016, 1512
216, 9-089016, 1512
217, 9-089016, 1512
218, 9-089016, 1512
219, 9-089016, 1512
220, 9-089016, 1512
221, 9-089016, 1512
222, 9-089016, 1512
223, 9-089016, 1512
224, 9-089016, 1512
225, 9-089016, 1512
226, 9-089016, 1512
227, 9-089016, 1512
228, 9-089016, 1512
229, 9-089016, 1512
230, 9-089016, 1512
231, 9-089016, 1512
232, 9-089016, 1512
233, 9-089016, 1512
234, 9-089016, 1512
235, 9-089016, 1512
236, 9-089016, 1512
237, 9-089016, 1512
238, 9-089016, 1512
239, 9-089016, 1512
240, 9-089016, 1512
241, 9-089016, 1512
242, 9-089016, 1512
243, 9-089016, 1512
244, 9-089016, 1512
245, 9-089016, 1512
246, 9-089016, 1512
247, 9-089016, 1512
248, 9-089016, 1512
249, 9-089016, 1512
250, 9-089016, 1512
251, 9-089016, 1512
252, 9-089016, 1512
253, 9-089016, 1512
254, 9-089016, 1512
255, 9-089016, 1512
256, 9-089016, 1512
257, 9-089016, 1512
258, 9-089016, 1512
259, 9-089016, 1512
260, 9-089016, 1512
261, 9-089016, 1512
262, 9-089016, 1512
263, 9-089016, 1512
264, 9-089016, 1512
265, 9-089016, 1512
266, 9-089016, 1512
267, 9-089016, 1512
268, 9-089016, 1512
269, 9-089016, 1512
270, 9-089016, 1512
271, 9-089016, 1512
272, 9-089016, 1512
273, 9-089016, 1512
274, 9-089016, 1512
275, 9-089016, 1512
276, 9-089016, 1512
277, 9-089016, 1512
278, 9-089016, 1512
279, 9-089016, 1512
280, 9-089016, 1512
281, 9-089016, 1512
282, 9-089016, 1512
283, 9-089016, 1512
284, 9-089016, 1512
285, 9-089016, 1512
286, 9-089016, 1512
287, 9-089016, 1512
288, 9-089016, 1512
289, 9-089016, 1512
290, 9-089016, 1512
291, 9-089016, 1512
292, 9-089016, 1512
293, 9-089016, 1512
294, 9-089016, 1512
295, 9-089016, 1512
296, 9-089016, 1512
297, 9-089016, 1512
298, 9-089016, 1512
299, 9-089016, 1512
300, 9-089016, 1512
301, 9-089016, 1512
302, 9-089016, 1512
303, 9-089016, 1512
304, 9-089016, 1512
305, 9-089016, 1512
306, 9-089016, 1512
307, 9-089016, 1512
308, 9-089016, 1512
309, 9-089016, 1512
310, 9-089016, 1512
311, 9-089016, 1512
312, 9-089016, 1512
313, 9-089016, 1512
314, 9-089016, 1512
315, 9-089016, 1512
316, 9-089016, 1512
317, 9-089016, 1512
318, 9-089016, 1512
319, 9-089016, 1512
320, 9-089016, 1512
321, 9-089016, 1512
322, 9-089016, 1512
323, 9-089016, 1512
324, 9-089016, 1512
325, 9-089016, 1512
326, 9-089016, 1512
327, 9-089016, 1512
328, 9-089016, 1512
329, 9-089016, 1512
330, 9-089016, 1512
331, 9-089016, 1512
332, 9-089016, 1512
333, 9-089016, 1512
334, 9-089016, 1512
335, 9-089016, 1512
336, 9-089016, 1512
337, 9-089016, 1512
338, 9-089016, 1512
339, 9-089016, 1512
340, 9-089016, 1512
341, 9-089016, 1512
342, 9-089016, 1512
343, 9-089016, 1512
344, 9-089016, 1512
345, 9-089016, 1512
346, 9-089016, 1512
347, 9-089016, 1512
348, 9-089016, 1512
349, 9-089016, 1512
350, 9-089016, 1512
351, 9-089016, 1512
352, 9-089016, 1512
353, 9-089016, 1512
354, 9-089016, 1512
355, 9-089016, 1512
356, 9-089016, 1512
357, 9-089016, 1512
358, 9-089016, 1512
359, 9-089016, 1512
360, 9-089016, 1512
361, 9-089016, 1512
362, 9-089016, 1512
363, 9-089016, 1512
364, 9-089016, 1512
365, 9-089016, 1512
366, 9-089016, 1512
367, 9-089016, 1512
368, 9-089016, 1512
369, 9-089016, 1512
370, 9-089016, 1512
371, 9-089016, 1512
372, 9-089016, 1512
373, 9-089016, 1512
374, 9-089016, 1512
375, 9-089016, 1512
376, 9-089016, 1512
377, 9-089016, 1512
378, 9-089016, 1512
379, 9-089016, 1512
380, 9-089016, 1512
381, 9-089016, 1512
382, 9-089016, 1512
383, 9-089016, 1512
384, 9-089016, 1512
385, 9-089016, 1512
386, 9-089016, 1512
387, 9-089016, 1512
388, 9-089016, 1512
389, 9-089016, 1512
390, 9-089016, 1512
391, 9-089016, 1512
392, 9-089016, 1512
393, 9-089016, 1512
394, 9-089016, 1512
395, 9-089016, 1512
396, 9-089016, 1512
397, 9-089016, 1512
398, 9-089016, 1512
399, 9-089016, 1512
400, 9-089016, 1512
401, 9-089016, 1512
402, 9-089016, 1512
403, 9-089016, 1512
404, 9-089016, 1512
405, 9-089016, 1512
406, 9-089016, 1512
407, 9-089016, 1512
408, 9-089016, 1512
409, 9-089016, 1512
410, 9-089016, 1512
411, 9-089016, 1512
412, 9-089016, 1512
413, 9-089016, 1512
414, 9-089016, 1512
415, 9-089016, 1512
416, 9-089016, 1512
417, 9-089016, 1512
418, 9-089016, 1512
419, 9-089016, 1512
420, 9-089016, 1512
421, 9-089016, 1512
422, 9-089016, 1512
423, 9-089016, 1512
424, 9-089016, 1512
425, 9-089016, 1512
426, 9-089016, 1512
427, 9-089016, 1512
428, 9-089016, 1512
429, 9-089016, 1512
430, 9-089016, 1512
431, 9-089016, 1512
432, 9-089016, 1512
433, 9-089016, 1512
434, 9-089016, 1512
435, 9-089016, 1512
436, 9-089016, 1512
437, 9-089016, 1512
438, 9-089016, 1512
439, 9-089016, 1512
440, 9-089016, 1512
441, 9-089016, 1512
442, 9-089016, 1512
443, 9-089016, 1512
444, 9-089016, 1512
445, 9-089016, 1512
446, 9-089016, 1512
447, 9-089016, 1512
448, 9-089016, 1512
449, 9-089016, 1512
450, 9-089016, 1512
451, 9-089016, 1512
452, 9-089016, 1512
453, 9-089016, 1512
454, 9-089016, 1512
455, 9-089016, 1512
456, 9-089016, 1512
457, 9-089016, 1512
458, 9-089016, 1512
459, 9-089016, 1512
460, 9-089016, 1512
461, 9-089016, 1512
462, 9-089016, 1512
463, 9-089016, 1512
464, 9-089016, 1512
465, 9-089016, 1512
466, 9-089016, 1512
467, 9-089016, 1512
468, 9-089016, 1512
469, 9-089016, 1512
470, 9-089016, 1512
471, 9-089016, 1512
472, 9-089016, 1512
473, 9-089016, 1512
474, 9-089016, 1512
475, 9-089016, 1512
476, 9-089016, 1512
477, 9-089016, 1512
478, 9-089016, 1512
479, 9-089016, 1512
480, 9-089016, 1512
481, 9-089016, 1512
482, 9-089016, 1512
483, 9-089016, 1512
484, 9-089016, 1512
485, 9-089016, 1512
486, 9-089016, 1512
487, 9-089016, 1512
488, 9-089016, 1512
489, 9-089016, 1512
490, 9-089016, 1512
491, 9-089016, 1512
492, 9-089016, 1512
493, 9-089016, 1512
494, 9-089016, 1512
495, 9-089016, 1512
496, 9-089016, 1512
497, 9-089016, 1512
498, 9-089016, 1512
499, 9-089016, 1512
500, 9-089016, 1512
501, 9-089016, 1512
502, 9-089016, 1512
503, 9-089016, 1512
504, 9-089016, 1512
505, 9-089016, 1512
506, 9-089016, 1512
507, 9-089016, 1512
508, 9-089016, 1512
509, 9-089016, 1512
510, 9-089016, 1512
511, 9-089016, 1512
512, 9-089016, 1512
513, 9-089016, 1512
514, 9-089016, 1512
515, 9-089016, 1512
516, 9-089016, 1512
517, 9-089016, 1512
518, 9-089016, 1512
519, 9-089016, 1512
520, 9-089016, 1512
521, 9-089016, 1512
522, 9-089016, 1512
523, 9-089016, 1512
524, 9-089016, 1512
525, 9-089016, 1512
526, 9-089016, 1512
527, 9-089016, 1512
528, 9-089016, 1512
529,

THIS PAGE INTENTIONALLY LEFT BLANK

ATTACHMENT A
TECHNICAL APPROACH

THIS PAGE INTENTIONALLY LEFT BLANK

TECHNICAL APPROACH

1.0 INTRODUCTION

The overall objective of this project is to provide the engineering services required to produce Corrective Action Plans (CAPs) for the subject UST sites. These reports will conform to the site closure requirements of a CAP-Part A for sites in Georgia. The field investigations necessary to support the report preparation included the installation of temporary piezometers, soil borings, and associated sampling of soil and groundwater. Upon completion of the field investigations, a CAP-Part A will be prepared to meet Georgia Environmental Protection Division (GA EPD), Fort Stewart, and the U.S. Army Corps of Engineers (USACE)-Savannah requirements.

2.0 FIELD ACTIVITIES

The following sections detail the methodologies used for geoprobe drilling, sampling, and piezometer installation. A geologist from SAIC was on site at all times during operations. No drilling activities were undertaken until all utility clearances and permits had been obtained from Fort Stewart's utility personnel.

2.1 Subsurface Soil Sampling

2.1.1 Geoprobe Drilling

The geoprobe method was used during the project for the collection of soil samples. During all geoprobe drilling, soil samples were collected continuously on 4.0-foot centers from the ground surface to the bottom of the borehole. The total depth of each borehole was dictated by the depth where the water table was encountered.

2.1.2 Sample Collection

Soil samples for chemical analyses were collected from boreholes using 4.0-foot macro-core samplers. Upon retrieval of the sampling device, the soil core was split into two 2.0-foot sections using a stainless steel knife. A portion of each 2.0-foot section was collected for possible laboratory analysis. The remaining portion of each 2.0-foot section was used for field measurements.

Samples designated for possible laboratory analysis were collected from the section using a stainless steel spoon. The spoon was run lengthwise down the core to collect a sample representative of the entire core section. The portion of the sample designated for volatile organic analyses was placed into laboratory sample containers first, followed by placement of the remaining portion of the sample into the containers designated for other types of analyses. Sample containers designated for volatile organic analyses were filled so that minimal headspace was present in the containers. Headspace gas concentration measurements were made using a field organic vapor meter (OVM). Initially, soil from each 2.0-foot interval was placed into a glass jar, leaving some air space, and covered with aluminum foil to create an air-tight seal. The sample was allowed to volatilize for a minimum of 15 minutes. The sealed jar was punctured with the OVM probe and headspace gas drawn until the meter reading was stable. The concentration of the headspace gas was recorded to the nearest 0.1 part per million.

Immediately after collection of each sample and completion of bottle label information, each potential analytical sample container was placed into an ice-filled cooler to ensure preservation. A clean split-barrel sampling device was used to collect soil core from each interval of the project boreholes. Information regarding the criteria for selection of soil samples for off-site shipment to a laboratory for chemical analysis

is presented in Section 3.1.3 of the project Work Plan. Soil samples, which were not selected for laboratory analysis, were disposed of as investigation-derived waste.

2.2 Groundwater Sampling

2.2.1 Groundwater Collection

Collection of groundwater samples from geoprobe boreholes installed during Preliminary Groundwater and CAP-Part A investigations was accomplished using a geoprobe sampler or from temporary piezometers. The geoprobe sampler is a probe that allows the collection of a groundwater sample from a discrete undisturbed depth interval in a soil boring. Temporary piezometers were constructed of 1.0-inch inside diameter (ID) polyvinyl chloride (PVC) casing with a 5-foot or 10-foot screened interval. These piezometers were installed in the open borehole following completion of all drilling activities.

Each soil borehole was advanced to the top of the water table using direct push methods. For each borehole, the geoprobe sampler was lowered to the bottom of the borehole and driven through the undisturbed soil to a depth of approximately 3.0 feet below the water table. The outer casing of the geoprobe sampler was retracted to expose the screen and allow groundwater to enter the chamber. In cases where the geoprobe sampler could not be driven or where groundwater recovery through the geoprobe sampler was poor, the groundwater sample was collected through the temporary piezometer.

Groundwater samples were collected using a peristaltic pump or a 0.75-inch diameter stainless steel bailer. The portion of the sample designated for volatile organic analysis was poured into laboratory sample containers first, followed by pouring the remaining sample portion into containers designated for other types of chemical analyses. Sample containers designated for volatile organic analysis were filled so that no headspace was present in the containers.

2.2.2 Field Measurements

Groundwater field measurements performed during the project included measurement of static groundwater level, pH, specific conductance, and temperature. Measurement of groundwater levels in soil boreholes was accomplished through the installation of temporary PVC piezometers. A summary of the procedures and criteria to be used for groundwater sample field measurements is presented in the following sections.

Static Groundwater Level

Static groundwater level measurements were made using an electronic water level indicator. Initially, the indicator probe was lowered into each temporary piezometer casing until the alarm sounded and/or the indicator light illuminated. The probe was withdrawn several feet and slowly lowered again until the groundwater surface was contacted as noted by the alarm and/or indicator light. Water level measurements were estimated to the nearest 0.01 foot based on the difference between the nearest probe cord mark to the top of the piezometer casing.

The distance between the top of casing and the surrounding ground surface was taken into account in measuring the water level to within 0.01 foot. The static water level measurement procedure was repeated two or three times to ensure that the water level measurements were consistent (plus or minus 0.01 foot). If this was the case, then the first measured level was recorded as the depth to groundwater. If this was not the case, the procedure was repeated until consistent readings were obtained from three consecutive measurements.

pH, Specific Conductance, and Temperature

The pH, specific conductance, and temperature measurements were recorded for groundwater during groundwater sampling. The pH, temperature, and conductivity measurements were made using a combination meter designed to measure these parameters. A portion of each groundwater sample was retrieved from the PowerPunch sampler and poured into the collection cup. With the combination meter set in the pH mode, the meter electrode was swirled at a slow constant rate within the sample until the meter reading reached equilibrium. The sample pH was recorded to the nearest 0.1 pH unit. The pH measurement procedure was repeated, using a new sample each time, until the pH measurements were consistent (less than 0.2 pH units variation).

Upon completion of the pH measurement, conductivity and temperature measurements were made on a groundwater sample collected in the same manner as described above. With the combination meter set in the conductivity mode, the meter electrode was swirled at a slow constant rate within the sample until the meter reading reached equilibrium. Concurrently, a temperature probe was placed into the sample and allowed to reach equilibrium. The sample conductivity was recorded to the nearest 10 mmhos/cm and the temperature to the nearest 0.1° C. All recorded conductivity values were converted to conductance at 25° C. The conductivity and temperature measurement procedure was repeated a minimum of three times using a new sample each time, until the measurements are consistent (less than 10 percent variation for conductance and less than 0.5° C variation for temperatures).

2.3 Temporary Piezometer Installation

Following the collection of the groundwater sample, a 1.0-inch PVC piezometer, with a 5-foot or 10-foot screened section, was installed in the borehole to prevent the borehole from collapsing. These piezometers remained in the boreholes approximately 24-hours, after which time the static water level was measured.

2.4 Borehole Abandonment

Once the static water level was measured, the temporary piezometers were removed and the boreholes were abandoned. Abandonment was conducted in a manner precluding any current or subsequent fluid media from entering or migrating within the subsurface environment along the axis or from the endpoint of the borehole. Abandonment was accomplished by filling the entire volume of the borehole with grout.

2.5 Surveying

A topographic survey of the horizontal and vertical locations of all soil boreholes was conducted after completion of all field activities. The topographic survey was conducted by a surveyor registered in the state of Georgia.

The horizontal coordinates for each soil borehole were surveyed to the closest 1.0 foot and referenced to the State Plane Coordinate System. Ground elevations were surveyed to the closest 0.1 foot. Elevations were referenced to the National Geodetic Vertical Datum of 1983.

2.6 Decontamination Procedures

2.6.1 Geoprobe Equipment

Decontamination of equipment used for the drilling of boreholes was conducted within the temporary decontamination pad constructed at the central staging area. The decontamination pad was constructed so that all decontamination liquids were contained from the surrounding environment and were recovered for disposal as investigation-derived waste (IDW). The entire geoprobe vehicle and equipment was decontaminated once it arrived on site and the geoprobe sampling equipment was decontaminated after completion of each soil borehole. The equipment was decontaminated by removing the caked soil material from the exterior of equipment using a rod and/or brush, steam cleaning the interior and exterior of equipment, allowing the equipment to air dry as long as possible, and wrapping or covering the equipment in plastic.

2.6.2 Sampling Equipment

Decontamination of equipment used for soil sampling and collection of groundwater samples was conducted at the temporary decontamination area. Nondedicated equipment was decontaminated after each use. The sampling equipment was washed with potable water and phosphate-free detergent using various types of brushes required to remove particulate matter and surface films, followed by a potable water rinse, ASTM Type I or equivalent water rinse, isopropyl alcohol rinse, ASTM Type I or equivalent water rinse, allowed to air dry, and wrapped in plastic or aluminum foil.

In addition to the sampling equipment, field measurement instruments were also decontaminated between uses. Only those portions of each instrument that come into contact with potentially contaminated environmental media were decontaminated. Because of the delicate nature of these instruments, the decontamination procedure only involved initial rinsing of the instrument probes with ASTM Type I or equivalent water.

2.7 Documentation of field activities

All information pertinent to sampling activities, including instrument calibration data, was recorded in field logbooks. The logbooks were bound and the pages consecutively numbered. Entries in the logbooks were made in black permanent ink and included, at a minimum, a description of all activities, individuals involved in drilling and sampling activities, date and time of drilling and sampling, weather conditions, any problems encountered, and all field measurements. Sufficient information was recorded in the logbooks to permit reconstruction of all sampling activities.

3.0 SAMPLE HANDLING AND ANALYSIS

3.1 Analytical Program

Soil samples were screened for the presence of volatile vapors using a organic vapor analyzer (PID). The PID was calibrated daily using 100 parts per million (ppm) isobutylene. The headspace of each sample was measured approximately 15 minutes after collection.

For sites where the UST had contained waste oil, soil samples were analyzed for BTEX by method SW846-8020, PAH by method SW846-8270, and TPH by method SW846-9073. Groundwater samples were analyzed for BTEX by method SW 846-8240 and PAH by method SW 846-8270. All samples were sent to General Engineering Laboratories, Charleston, South Carolina.

For sites where the UST had contained gasoline or diesel, soil samples were analyzed for BTEX by method SW 846-8020, PAH by method SW 846-8270, and TPH by method SW 846-8015 (modified). Groundwater samples were analyzed for BTEX by method SW 846-8240 and PAH by method SW 846-8270. TPH analysis included both gasoline range organics and diesel range organics. All samples were sent to General Engineering Laboratories, Charleston, South Carolina.

Duplicate samples of soil and groundwater were collected throughout the project and represented approximately 10 percent of the total sample population. Rinsate blanks were collected to determine whether the sampling equipment was causing cross-contamination of the samples and represented approximately 5 percent of the total sample population. Duplicates and rinsates were submitted to General Engineering Laboratories, Charleston, South Carolina.

3.2 Sample Containers, Preservation, and Holding Times

The soil sample containers, preservatives, and holding times are summarized in Table A-1. The groundwater sample containers, preservatives, and holding times are summarized in Table A-2.

3.3 Sampling Packaging and Shipment

Each sample container was labeled, taped shut with electrical tape (except those containing samples designated for volatile organic analysis), and a initialed/dated custody seal was placed over the lid. Each sample bottle was placed into a separate plastic bag and sealed. The samples were placed upright in thermally insulated rigid-body coolers and surrounded by vermiculite to prevent breakage during shipment. In addition, samples were cooled to approximately 4°C with wet ice. These measures were taken to slow the decomposition and volatilization of contaminants during shipping and handling. The sample coolers were shipped to the analytical laboratory via courier service provided by the laboratory.

Table A-1. Summary of Sample Containers, Preservation Techniques, and Holding Times for Soil Samples Collected During the Site Investigation

Analyte Group	Container	Minimum Sample Size	Preservative	Holding Time
BTEX	1 – 4 oz jar with Teflon [®] -lined cap (no headspace)	20 g	Cool, 4°C	14 d
TPH-GRO	use same container as BTEX	20 g	Cool, 4°C	14 d
PAHs	1 – 8 oz jar with Teflon [®] -lined cap	90 g	Cool, 4°C	14 d (extraction) 40 d (analysis)
TPH-DRO	use same container as PAHs	90 g	Cool, 4°C	14 d (extraction) 40 d (analysis)
TPH	use same container as PAHs	90 g	Cool, 4°C	14 d (extraction) 40 d (analysis)
Metals (lead)	use same container as PAHs	20 g	Cool, 4°C	180 d

Table A-2. Summary of Sample Containers, Preservation Techniques, and Holding Times for Groundwater Samples Collected During the Site Investigation

Analyte Group	Container	Minimum Sample Size	Preservative	Holding Time
BTEX	2 – 40 mL glass vials with Teflon [®] -lined septum (no headspace)	40 mL	Cool, 4°C HCl to pH < 2	14 d
PAHs	2 – 1L amber glass bottle with Teflon [®] -lined lid	1000 mL	Cool, 4°C	7 d (extraction) 40 d (analysis)

ATTACHMENT B

REFERENCES

THIS PAGE INTENTIONALLY LEFT BLANK

Anderson Columbia Environmental Inc., 1996. Closure Report, Waste Oil Tank, Building P430, Tank 261, Facility ID: 9-089118, Fort Stewart, Georgia, October.

Arora, Ram, 1984. Hydrologic Evaluation for Underground Injection Control in the Coastal Plain of Georgia, Department of Natural Resources, Environmental Protection Division, Georgia Geological Survey.

Geraghy and Miller, 1993. RCRA Facility Investigation Work Plan, Fort Stewart, Georgia.

Looper, Edward E., 1980. Soil Survey of Liberty and Long Counties, Georgia, U.S. Department of Agriculture, Soil Conservation Service.

Metcalf and Eddy, 1996. Final Work Plan for RCRA Facility Investigation at Bulk Fuel Storage System, Wright Army Airfield, Fort Stewart, Georgia.

Miller, James A., 1990. Groundwater Atlas of the United States, U.S. Department of the Interior, U.S. Geological Survey, Hydrologic Inventory Atlas 730G.

THIS PAGE INTENTIONALLY LEFT BLANK




Figure 3. Map Showing Public and Private Drinking Water Sources and Surface Water Bodies at Fort Stewart, Liberty County, Georgia




Figure 4a. Soil Quality Map of the USTs 257 - 260, Building 430 Site




Figure 4b. Soil Quality Map of the USTs 257 - 260, Building 430 Site




Figure 5a. Groundwater Quality Map of the USTs 257 - 260, Building 430 Site




Figure 5b. Groundwater Quality Map of the USTs 257 - 260, Building 430 Site