

U.S. ARMY GARRISON WIESBADEN

DRINKING WATER CONSUMER CONFIDENCE REPORT

FISCAL YEAR 2021





Table of Contents

1.	Where does my drinking water come from?	4
2.	Why do we conduct so much testing? – Required information per EPA	5
3.	Is our water safe to drink?	5
4.	What about lead in the water?	6
5.	What about copper in Clay Kaserne barracks' and Amelia Earhart Center?	7
6.	What else is being done to ensure our water remains safe?	8
7.	What can I do to improve my drinking water quality?	9
8.	What can I do to conserve water and protect the environment? 1	0
9.	What are our water quality testing results? 1	1
10.	What is the water tested for?	.0
11.	Customer input welcome	21
12.	Acronyms and definitions	:2

Dear USAG Wiesbaden Community Member,

I am pleased to present USAG Wiesbaden's third annual Consumer Confidence Report that offers you, our valued customers, a transparent overview of our drinking water supply sources, water quality information, and testing results over the past fiscal year. Our goal is to provide you and your family with reliably safe and compliant drinking water. We are continually striving to improve our services, protect our vital water resources and maintain your trust by keeping you informed.

Here at USAG Wiesbaden, we are blessed with a sufficient supply of high-quality drinking water. Please remember, we all play a part in protecting our environment, especially groundwater, which is key to replenishing our drinking water supply. By working together, we can preserve its quality and availability for generations to come.

lington

COL, AG Commanding



1. Where does my drinking water come from?

USAG Wiesbaden installations receive their drinking water from several local reputable German suppliers who ensure water quality is in strict compliance with the German Drinking Water Ordinance.

	Water System	Water Supplier	Source
1.	Lucius D. Clay Kaserne	ESWE/Hessenwasser: Ried (Hassloch) https://www.hessenwasser.de/home.html	GW ¹
2.	Army Family Housing Areas: Aukamm, Crestview, and Hainerberg	ESWE/Hessenwasser: Ried (Hassloch)/ Taunus/Niedernhausen <u>https://www.hessenwasser.de/home.html</u>	GW
3.	Amelia Earhart Center	ESWE/Hessenwasser: Schierstein/Taunus <u>https://www.hessenwasser.de/home.html</u>	GW and GWUDISW ²
4.	Golf Course Rheinblick	ESWE/Hessenwasser: Ried (Hassloch)/Schierstein <u>https://www.hessenwasser.de/home.html</u>	GW and GWUDISW
5.	Mainz Kastel Station	Mainz Netze GmbH: Petersaue/Hof-Schönau <u>https://www.mainzer-</u> <u>netze.de/trinkwasser/trinkwasserqualitaet/</u>	GWUDISW
6.	McCully Support Center and Wackernheim Range	Rheinhessische Energie Wackernheim https://www.rheinhessische.de/wasser.html	GW and GWUDISW
7.	Darmstadt Training Center (DAGGER)	HSE Hessenwasser https://www.hessenwasser.de/home.html	GW

Table 1: USAG Wiesbaden Water Systems, Suppliers and Sources

Note: Report does not include water supplied to Army operational areas at Mainz Kastel Heavy Equipment Repair Shop and Egelsbach Transmitter facilities (non-potable water).

The majority of our water supply comes from groundwater that travels through purifying sand and activated carbon filtration to remove impurities prior to distribution. The water quality is *hard* meaning it is high in essential minerals, such as calcium and magnesium.

¹ Groundwater

² Groundwater under the direct influence of surface water

U.S. ARMY GARRISON WIESBADEN – FY21 DRINKING WATER CONSUMER CONFIDENCE REPORT Although healthy for consumption, hardness causes white scaling to develop on appliances and around faucets. These mineral deposits are easily removable with vinegar or lemon juice. Hard water can contribute to dry skin, and soap not rinsing off easily. Therefore, residents may consider using German soaps and beauty products formulated for use in hard water.

2. Why do we conduct so much testing? - Required information per EPA

Continual maintenance of the distribution systems and ongoing water testing assures our water remains safe. The sources of drinking water – both tap water and bottled water – include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can pick up and dissolve various natural and synthetic substances to include:

- Microbes, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganics, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from agriculture, urban stormwater runoff, and residential uses.
- Organic chemicals, including synthetic and volatile organics from industrial processes, petroleum production, gas stations, urban stormwater runoff, and septic systems.
- Radioactive materials, which can be naturally occurring or the result of oil or gas production and mining activities.

Drinking water, including bottled water, may also contain small amounts of impurities that do not necessarily pose a health risk. Some people may be more vulnerable to impurities in drinking water than the general population.

Persons undergoing chemotherapy or organ transplants, with immune system disorders, some elderly and infants may be at a higher risk of waterborne illness. These people should seek advice about drinking water quality from their health care providers. More information on drinking water quality and potential health effects is available by visiting the EPA website at https://www.epa.gov/ground-water-and-drinking-water/safe-drinking-water-information or by calling the EPA Safe Drinking Water Hotline at 001-800-426-4791.

3. Is our water safe to drink?

Yes, our water is safe to drink. In addition to the treatment and testing performed by water suppliers, the Directorate of Public Works (DPW) Sanitation Branch operates and maintains each installation's water distribution system. DPW personnel are on call 24 hours per day, 7 days per

U.S. ARMY GARRISON WIESBADEN – FY21 DRINKING WATER CONSUMER CONFIDENCE REPORT week to maintain a continuous supply of safe and compliant drinking water. They conduct daily water quality field-testing to verify systems are operating properly, ensure water systems remain pressurized, and maintain sufficient disinfectant residual.

To verify our water remains safe, Landstuhl Regional Medical Center Environmental Health Service conducts monthly bacteriological and water quality monitoring at multiple locations throughout the garrison. Through a Service Agreement, IMCOM-Europe has Public Health Command-Europe (PHCE) conduct recurring water sampling and analyses at their U.S. /German accredited laboratory for over 60 parameters (see Section 10). PHCE consistently reports that all USAG Wiesbaden installation's water quality complies with German Final Governing Standards (GFGS) regulations. DPW Environmental Division provides overall management and technical oversight of the Drinking Water Program to ensure water remains safe and compliant.

4. What about lead in the water?

There are no known lead pipes in use at USAG Wiesbaden and lead testing verifies our water supply is well below the regulatory action level. Lead is a naturally occurring metal found in small amounts throughout our environment including groundwater. Lead is not absorbed through the skin from washing or bathing. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children.



In addition to the GFGS required Lead & Copper Rule monitoring conducted by PHCE (<u>see results</u> <u>in Section 9</u>), USAG Wiesbaden is an active participant in the Army-wide, 5-year lead testing campaign to ensure primary drinking water taps in child occupied facilities and occupied Army Family Housing units are safe.

Lead testing completed in Fiscal Year (FY) 2021

confirmed safe drinking water in USAG Wiesbaden community facilities occupied by children aged 6 and under. DPW Environmental Division achieved the Army's goal of having 100% of occupied Army Family Housing units tested by the end of FY2020. In FY21, DPW Housing Division began overseeing the Army lead sampling campaign, and is seeking resident support to continue the testing.

Figure 1 illustrates the sampling procedure after a water stagnation period of at least 8 hours. During the first 5-year cycle, approximately 8% of the kitchen faucet first draw samples (A: first cup (250 mL) of water after 8 hours) reported results above the action level, which is likely attributable to lead leaching from the brass within the faucet to the water. In these cases, DPW quickly coordinates faucet replacements, which have proven effective at reducing lead levels.



Figure 1: Timing of sample collection set after a water stagnation period of at least 8 hours using 250-milliter samples containers

Nearly all second draw (B) and third draw (C) testing results report lead well below the action level, emphasizing the importance of flushing your tap until noticeably colder (30 seconds to 2 minutes) after extended periods of non-use before using the water for consumption purposes. DPW notifies all residents of their lead sampling results within 14 days of receiving the results. Lead testing results are too numerous to include in this report, but are available by contacting DPW Environmental Division during business hours at 0611-143-**548-4092/4093**.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure wherever you are staying is available at <u>https://www.epa.gov/ground-water-and-drinking-water/basic-information-about-lead-drinking-water</u>.

5. What about copper in Clay Kaserne barracks' and Amelia Earhart Center?

Clay Kaserne Barracks: Lead and Copper Rule monitoring initially reported copper above action levels in several Clay Kaserne barracks in late 2017. This is likely attributable to copper leaching from the barrack pipes into the water due to low occupancy rates, which allow the water to stagnate. This emphasizes the importance of allowing the cold water to run prior to use for drinking or cooking purposes to flush out stagnant water.

Unlike lead, copper is essential for health with a Recommended Dietary Allowance (RDA) of 900 micrograms per day. Excessive copper exposure though can cause stomach and intestinal distress short-term, liver and kidney damage long-term, and complications in genetically predisposed people with Wilson's disease that allows excess copper to build up in the body.

Steps taken to effectively reduce copper levels in barrack drinking water include educating occupants to flush cold water before use, and filtering water at shared kitchens and fountains. Permanent solutions nearing completion include replacement of brass faucets and accessible copper piping within barracks, and installation of automatic flushing devices on top floors to reduce water stagnation.

U.S. ARMY GARRISON WIESBADEN – FY21 DRINKING WATER CONSUMER CONFIDENCE REPORT IN FY2021, Clay Kaserne drinking water complied with lead and copper standards for two consecutive semi-annual monitoring events and now qualifies for reduced annual sampling. Results are provided in Table 2.

Amelia Earhart Center (AEC) complied with Lead and Copper Rule monitoring until July 2020, when routine testing reported elevated copper. Copper reported slightly above the Lead & Copper Rule 1.3 mg/L action level is most likely a result of water stagnation due to most personnel working from home due to COVID since March 2020. Lead results remained well below the GFGS action level.

Elevated copper results did prompt increased monitoring in FY2021, from annual to semiannual testing for lead and copper. The AEC Facility Manager was promptly notified and autoflushing faucets were installed in upper floor bathrooms to improve water circulation. DPW Plumbing Shop continues to flush the water system on a recurring basis. In FY21, semiannual testing results complied with both lead and copper action levels in July 2021, but results for copper were slightly elevated in January 2021. Reducing copper below the 1.3 mg/L action level will happen when majority of personnel return to the facility full time.

6. What else is being done to ensure our water remains safe?

Additional monitoring conducted to ensure water remains safe includes the following:

McCully Support Center Increased Nitrate Monitoring:

Per the GFGS, increased quarterly monitoring for nitrates began at McCully Support Center in 2012 when nitrate was initially reported above 5 parts per million (ppm). In FY2021, nitrate concentration ranged between 4.2 and 4.7 ppm, and remains consistently well below the maximum contaminant level (MCL) of 10 ppm. Nitrite was not detected.

Elevated nitrate levels in water are usually attributable to fertilizer applications from farming. Nitrate levels may rise quickly for short periods because of rainfall or agricultural activity. Levels above 10 milligrams per liter (mg/L) of nitrate in drinking water is a health risk for infants less than 6 months of age as it can cause blue baby syndrome. If you are drinking the water at McCully Support Center and breast-feeding, or preparing baby formula with the water, seek advice from your health care provider.

Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Water Supply Testing:

PFOA/PFOS are compounds found in everyday life products such as carpets, clothing, fabrics for furniture, food packaging, cookware, firefighting foams and other materials needing resistance to water, grease, and stains. USAG Wiesbaden drinking water supplies were tested for PFOA and PFOS in FY2017 per Department of Defense (DoD) direction soon after the Environmental Protection Agency (EPA) established health advisory levels (HLA) for these emerging contaminants.

U.S. ARMY GARRISON WIESBADEN – FY21 DRINKING WATER CONSUMER CONFIDENCE REPORT All testing results for the USAG Wiesbaden water supplies sampled in FY2021 were reported well below the EPA's lifetime health advisory levels for these unhealthy compounds (Table 9).

Testing Hot Shower Water for Legionella Bacteria:

Although not yet required stateside, the GFGS requires annual monitoring of hot water for Legionella bacteria in multi-family and community facilities having showers with large hot water heaters.

Inhaling water droplets containing high concentrations of Legionella bacteria can cause Legionnaires disease, a type of severe pneumonia. Persons over 50 years old, smokers or those with compromised immune systems are most susceptible to infection. Children are rarely affected. Legionella typically becomes a concern in poorly maintained hot water systems, where water is not hot enough to kill the bacteria or where water remains stagnant for long periods of time.

In FY21 at USAG Wiesbaden, a certified German Laboratory collected representative hot water samples (1 sample per stairwell or 2 per facility) from 145 buildings for Legionella analyses. Three of the buildings tested reported legionella above the 100 CFU/100 mL GFGS action level requiring notification of occupants and corrective actions including technical inspection of boilers, replacement of hot water circulation pumps, raising hot water temperatures and flushing of lines. Legionella sampling results are not included in this report, but you can contact DPW Environmental Division at 0611-143-**548-4092/4093** for further information.

7. What can I do to improve my drinking water quality?

Consider taking an active role at further improving the drinking water quality at your tap for you and your family by following the EPA Best Management Practices listed below, which are applicable wherever you live or are visiting:

- Flush cold water before initial daily use. At the start of each day or after extended periods of non-use, flush the cold-water tap by running the water for about 30 seconds or until it becomes noticeably colder indicating you are receiving fresh water. No need to waste this stagnant flush water as it is useful for watering plants or cleaning purposes.
- Use only cold water, not hot water to prepare food, drinks and especially baby formula. Hot water is more aggressive at leaching metals from plumbing so be sure to use only cold water for drinking water purposes and then heat it when hot water is needed.
- Twice per year, clean the aerator screens at the end of your faucets. Sediment and mineral deposits accumulate on faucet aerators degrading water quality. Removing and soaking the aerators in vinegar overnight dissolves these deposits, improving flow and water quality. As needed, replacement aerators are available at the Hainerberg Self-Help

U.S. ARMY GARRISON WIESBADEN – FY21 DRINKING WATER CONSUMER CONFIDENCE REPORT Store (Building 7802, 0611-143-548-4072). Make sure to bring the old aerators along, as there are several different types.

Consider using a water filter, which may reduce the hardness, remove chlorine, and improve taste. Be sure to replace the filter at proper intervals to prevent bacteria from developing.

DPW Environmental Division recommends residents use their kitchen cold-water taps as the primary source of drinking water since these are the taps tested for lead, and likely used more often so provide fresher water.

8. What can I do to conserve water and protect the environment?

Water is a precious resource that is not limitless or cheap. USAG Wiesbaden consumes over 160 million gallons of water every year at a rising cost of roughly \$1.6 million dollars. During 2018-2019 drought like conditions in Germany, water suppliers requested USAG Wiesbaden to reduce water consumption and conserve water. DPW water conservation measures taken and underway include reducing irrigation and installing low-flow plumbing fixtures during housing and office renovations. You too can conserve water and protect the environment by:

- Not letting the water run while shaving or brushing teeth;
- Only running the dishwasher and washing machine when full;
- Promptly reporting water leaks to DPW Customer Service at 0611-548-4357 or usarmy.wiesbaden.imcom-europe.list.dpw-customer-rep@mail.mil;
- Effectively using flush water for cleaning, watering plants, washing hands, etc.;
- Not using toilets for trash disposal. Dispose of tissues, cotton balls, etc. in the trash bin instead;
- Only washing vehicles at the Auto Skills Center on Clay North, Mainz Kastel Station or offpost commercial facilities;
- Only changing oil and servicing your vehicle at vehicle maintenance areas;
- Never flushing medicine down the drain where it can reenter the environment. Return unneeded medications and prescription drugs to the Wiesbaden Army Health Clinic;
- Never flushing hazardous products down the drain. Bring unneeded household hazardous materials to the Clay Kaserne Recycling Center Bldg. 2450 Heinigstrasse;
- Extinguishing cigarette butts in ashtrays for disposal in residual waste bins. Discarded cigarette butts can start fires and pollute storm water with toxins;
- Immediately reporting spills of hazardous substances to the USAG Wiesbaden Fire Department at 0611-705-117;

9. What are our water quality testing results?

Per the GFGS, your water is tested for a wide variety of parameters. Results must remain below the regulatory limit to be in compliance. This limit, called the maximum contaminant level (MCL) establishes the regulatory criteria to protect human health. If a level exceeds the MCL, it is a violation. PHCE consistently reports our water complies with the GFGS water quality criteria for the drinking water parameters evaluated each fiscal year.

The results listed in Tables 2-9 were the only substances with health action levels detected by laboratory analyses, although testing included many other parameters. This allows an easy comparison of the impurities detected to the MCL. The reporting period for this report is October 1, 2020 to September 30, 2021; however, not all parameters require annual monitoring per the GFGS. In those cases, the tables list the results and dates of the most recent testing.

Quick view at definitions and units:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.
- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
- ✤ <u>Action Level</u>: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum residual disinfectant level goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Maximum residual disinfectant level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Units: The units of measurement typically used in the tables are *ppm*, which stands for the concentration in parts per million (or 1 drop in 1 million gallons); *ppb* is even smaller and stands for parts per billion (or 1 drop in 1 billion gallons); ppt is smaller still representing parts per trillion; *pCi/L* stands for picocurie per liter and describes radiological activity.

Table 2: Lucius D. Clay Kaserne Water Quality Summary

LEAD AND COPPER – Tes	sted at customers ta	aps twice per y	vear.					
Contaminant	EPA's Action Level(AL)	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Leve	Highest Level	Violation	Typical Sources
Lead (Feb 2021)	90% of samples <15 ppb	0 ppb	4.6 ppb	1 out of 40	<0.2 ppb	24 ppb	No	Corrosion of household plumbing
Lead (July 2021)	90% of samples <15 ppb	0 ppb	6.9 ppb	2 out of 40	<0.2 ppb	28 ppb	No	Corrosion of household plumbing
Copper (Feb 2021)	90% of samples <1.3 ppm	1.3 ppm	1.1 ppm	3 out of 40 (3 in Barracks)	0.011 ppm	1.9 ppm	No	Corrosion of household plumbing
Copper (July 2021)	90% of samples <1.3 ppm	1.3 ppm	1.0 ppm	2 out of 4 (1 in Barracks)	0.016 ppm	2.1 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	Ideal Goal (EPA's MCLG)	Your	Water Results	Samp	le Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.026 ppm		30 Nov 20		No	Erosion of natural deposits
Barium	2.0 ppm	2.0 ppm	0.12 ppm		30 Nov 20		No	Erosion of natural deposits
Fluoride	4 ppm	4.0 ppm	0.19 ppm		30 Nov 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.56 ppm		30 Nov 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	17 ppm		30 Nov 20		No	Erosion of natural deposits
DISINFECTANT RESIDUAL	s – triennial monito	ring						
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Samp	le Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	23.5 ppb (Annual Average)	Clay & Newman Village)	27 Jul 21		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	<6 ppb (Annual Average)	Clay & Newman Village)	27 Jul 21		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY	- Sampling not requ	ired in FY202	I. Next samplin	g scheduled for FY2022				
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Samp	le Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0 pCi/L		23 Apr 18		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	3.3 pCi/L		23 Apr 18		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.33 pCi/L		23 Apr 18		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

Table 3: Army Family Housing Areas Aukamm, Crestview and Hainerberg Water Quality Summary**

LEAD AND COPPER - Sar	npling not required	in FY2021. Ne	ext sampling sch	eduled for FY2023.test	ed at custo	mers taps t	wice per ye	ar
Contaminant	EPA's Action Level	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Level	Highest Level	Violation	Typical Sources
Lead (Aug 2019)	90% of samples <15 ppb	0 ppb	7.4 ppb	0 out of 20	0.4 ppb	10 ppb	No	Corrosion of household plumbing
Lead (August 2020)	90% of samples <15 ppb	0 ppb	9.2 ppb	0 out of 16	0.55 ppb	12 ppb	No	Corrosion of household plumbing
Copper (Aug 2019)	90% of samples <1.3 ppm	1.3 ppm	0.4 ppm	0 out of 20	0.02 ppm	1.10 ppm	No	Corrosion of household plumbing
Copper (August 2020)	90% of samples <1.3 ppm	1.3 ppm	0.35 ppm	1 out of 16	.041 ppm	1.9 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	Ideal Goal (EPA's MCLG)	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.023 ppm		30 Nov 20		No	Erosion of natural deposits
Barium	2.0 ppm	2.0 ppm	0.10 ppm		30 Nov 20		No	Erosion of natural deposits
Fluoride	4 ppm	4.0 ppm	0.18 ppm		30 Nov 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.72 ppm		30 Nov 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	14 ppm		30 Nov 20		No	Erosion of natural deposits
DISINFECTANT RESIDUAL	s – triennial monito	ring						
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	<2.3 ppb (Hainerb	perg)	30 Jun 21		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	<6.0 ppb		30 Jun 21		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY	- Sampling not requ	uired in FY202	1. Next samplin	ig scheduled for FY2023				
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0 pCi/L		25 Jun 19		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	2.3 pCi/L		25 Jun 19		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.41 pCi/L		25 Jun 19		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

** Includes Hainerberg Schools, Lodge and PX.

Table 4: Amelia Earhart Center Water Quality Summary

LEAD AND COPPER – test	ted at customers ta	ps twice per ye	ear					
Contaminant	EPA's Action Level	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Level	Highest Level	Violation	Typical Sources
Lead (Jan 2021)	90% of samples <15 ppb	0 ppb	2.1 ppb	0 out of 10	0.94 ppb	2.4 ppb	No	Corrosion of household plumbing
Lead (Jul 2021)	90% of samples <15 ppb	0 ppb	1.9 ppb	0 out of 10	0.64 ppb	2.6 ppb	No	Corrosion of household plumbing
Copper (Jan 2021)	90% of samples <1.3 ppm	1.3 ppm	1.4 ppm	2 out of 10	0.42 ppm	1.6 ppm	Above AL	Corrosion of household plumbing
Copper (Jul 2021)	90% of samples <1.3 ppm	1.3 ppm	0.93 ppm	0 out of 10	0.19 ppm	0.94 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	Ideal Goal (EPA's MCLG)	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.024 ppm		30 Nov 20		No	Erosion of natural deposits
Arsenic	10 ppb	0 ppb	3.1 ppb		30 Nov 20		No	Erosion of natural deposits, runoff from production wastes
Barium	2.0 ppm	2.0 ppm	0.085 ppm		30 Nov 20		No	Erosion of natural deposits
Fluoride	4.0 ppm	4.0 ppm	0.24 ppm		30 Nov 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.84 ppm		30 Nov 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	28 ppm		30 Nov 20		No	Erosion of natural deposits
DISINFECTANT RESIDUALS	s – annual monitorii	ng						
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	4.8 ppb		27 Jul 21		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	<6.0 ppb		27 Jul 21		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY	- Sampling not requ	ired in FY2021	Next sampling	g scheduled for FY2023.				
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0 pCi/L		25 Jun 19		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	5.1 pCi/L		25 Jun 19		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.56 pCi/L		25 Jun 19		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

Contaminant	Highest Level Allowed (EPA's MCL)	ldeal Goal (EPA's MCLG)	Your Water Results	Sample Date	Violation	Typical Sources
Barium	2 ppm	2 ppm	0.017 ppm	30 Nov 20	No	Erosion of natural deposits
Fluoride	4 ppm	4 ppm	0.2 ppm	30 Nov 20	No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.58 ppm	30 Nov 20	No	Runoff from fertilizer use
Sodium	No Standard*	N/A	75 ppm	30 Nov 20	No	Erosion of natural deposits, Water softeners
RADIOLOGICAL ACTIVITY	- Sampling not requ	ired in FY2021	. Next sampling scheduled for FY2023.			
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your Water Results	Sample Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0.093 pCi/L	3 Jun 20	No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	2.0 pCi/L	3 Jun 20	No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.35 pCi/L	3 Jun 20	No	Erosion of natural deposits

Table 5: Golf Course Rheinblick Water Quality Summary**

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

** As a transient non-community water system (TNCWS), applicable testing at Rheinblick Golf Course is limited to inorganics and ammonium/nitrates.

Table 6: Mainz Kastel Station Water Quality Summary

LEAD AND COPPER - San	npling not required	in FY2021. Ne	ext sampling sch	eduled for FY2022.				
Contaminant	EPA's Action Level	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Level	Highest Level	Violation	Typical Sources
Lead (Aug 2019)	90% of samples <15 ppb	0 ppb	2.8 ppb	0 out of 5	0.6 ppb	4.1 ppb	No	Corrosion of household plumbing
Copper (Aug 2019)	90% of samples <1.3 ppm	1.3 ppm	0.50 ppm	0 out of 5	0.03 ppm	0.57 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	ldeal Goal (EPA's MCLG)	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.033 ppm		30 Nov 20		No	Erosion of natural deposits
Barium	2.0 ppm	2.0 ppm	0.39 ppm		30 Nov 20		No	Erosion of natural deposits
Fluoride	4.0 ppm	4.0 ppm	0.24 ppm		30 Nov 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	0.51 ppm		30 Nov 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	62 ppm		30 Nov 20		No	Erosion of natural deposits
DISINFECTANT RESIDUALS	s – annual monitorir	וg						
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	< 0.5 ppb		30 Jun 21		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	< 6.0 ppb		30 Jun 21		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY	- Sampling not requ	ired in FY2021	. Next sampling	scheduled for FY2022.				
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0 pCi/L		24 Apr 18		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	5 pCi/L		24 Apr 18		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.73 pCi/L		24 Apr 18		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

Table 7: McCully Support Center and Wackernheim Range Water Quality Summary

LEAD AND COPPER - Sam	pling not required in	FY2021. Next	sampling sched	uled for FY2023.				
Contaminant	EPA's Action Level	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Level	Highest Level	Violation	Typical Sources
Lead (Jul 2020)	90% of samples <15 ppb	0 ppb	3.1 ppb	0 out of 6	0.29 ppb	3.4 ppb	No	Corrosion of household plumbing
Copper (Jul 2020)	90% of samples <1.3 ppm	1.3 ppm	0.10 ppm	0 out of 6	0.01 ppm	0.14 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	Ideal Goal (EPA's MCLG)	Your Wa	ater Results	Sampl	le Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.032 ppm		30 Nov 20		No	Erosion of natural deposits
Barium	2.0 ppm	2.0 ppm	0.10 ppm		30 Nov 20		No	Erosion of natural deposits
Fluoride	4.0 ppm	4.0 ppm	0.22 ppm		30 Nov 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	4 ppm**		30 Nov 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	30 ppm		30 Nov 20		No	Erosion of natural deposits
DISINFECTANT RESIDUALS	 annual monitoring 							
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your Wat McCully W	er Results in ackernheim	Samp	le Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	54 ppb <0).5 ppb	01 July 21		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	<6 ppb <6	5 ppb	01 July 21		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY -	Sampling not require	ed in FY2021. N	lext sampling so	cheduled for FY20	22			
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your Wa	ater Results	Sampl	le Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	0 pCi/L		24 Apr 18		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	2.8 pCi/L		24 Apr 18		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	1.01 pCi/L		24 Apr 18		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

**Quarterly nitrate monitoring levels ranged from 4.2 to 4.7 ppm.

Table 8: Darmstadt Training Complex (DAGGER) Water Quality Summary

LEAD AND COPPER – trie	ennial monitoring							
Contaminant	EPA's Action Level	Ideal Goal (EPA's MCLG)	90% of Test Levels Were Less Than	# of Tests with Levels above EPA's Action Level	Lowest Level	Highest Level	Violation	Typical Sources
Lead (June 2021)	90% of samples <15 ppb	0 ppb	3.0 ppb	0 out of 6	0.57 ppb	5.3 ppb	No	Corrosion of household plumbing
Copper (June 2021)	90% of samples <1.3 ppm	1.3 ppm	0.080 ppm	0 out of 6	0.026 ppm	0.19 ppm	No	Corrosion of household plumbing
INORGANIC CHEMICALS								
Contaminant	Highest Level Allowed (EPA's MCL)	Ideal Goal (EPA's MCLG)	Your	· Water Results	Sampl	e Date	Violation	Typical Sources
Aluminum	No Standard*	N/A	0.025 ppm		01 Dec 20		No	Erosion of natural deposits
Barium	2.0 ppm	2.0 ppm	0.057 ppm		01 Dec 20		No	Erosion of natural deposits
Fluoride	4.0 ppm	4.0 ppm	0.16 ppm		01 Dec 20		No	Erosion of natural deposits
Nitrate (measured as Nitrogen)	10 ppm	10 ppm	1.9 ppm		01 Dec 20		No	Runoff from fertilizer use
Sodium	No Standard*	N/A	12 ppm		01 Dec 20		No	Erosion of natural deposits
DISINFECTANT RESIDUAL	s – triennial monitoi	ring. Sampling	not required in	FY2021. Next sampling	scheduled	for FY2022	2.	
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	· Water Results	Sampl	e Date	Violation	Typical Sources
Total Trihalomethanes	80 ppb	N/A	5.1 ppb		26 Jun 19		No	Sum total of disinfection by- products
Total Haloacetic Acids	60 ppb	N/A	<6 ppb		26 Jun 19		No	Sum total of disinfection by- products
RADIOLOGICAL ACTIVITY	- Sampling not requ	ired in FY2021	. Next sampling	scheduled for FY2022.				
Contaminant	MCL, TT or MRDL	MCLG or MRDLG	Your	Water Results	Sampl	e Date	Violation	Typical Sources
Gross Alpha Activity, calculated	15 pCi/L	0 pCi/L	1.2 pCi/L		25 Apr 18		No	Erosion of natural deposits
Gross Beta Activity, total	50 pCi/L	0 pCi/L	3.5 pCi/L		25 Apr 18		No	Decay of natural and man-made deposits
Combined Radium 226/228 Activity	5 pCi/L	0 pCi/L	0.276 pCi/L		25 Apr 18		No	Erosion of natural deposits

* No Standard per EPA, but the GFGS establishes notification levels for these parameters. Parameters were below their respective notification levels.

Health Advisory Leve	I: Sum of PFOA & PFC)S < 70 ppt					
Amelia Earhart Centi	ER			LUCIUS D. CLAY KASE	RNE		
Analyte Name	Reporting Limit	Result	Date	Analyte Name	Reporting Limit	Result	Date
PFOA	1.7 ppt	<1.7 ppt	30 Nov 20	PFOA	1.8 ppt	<1.8 ppt	30 Nov 20
PFOS	1.7 ppt	<1.7 ppt	30 Nov 20	PFOS	1.8 ppt	<1.8 ppt	30 Nov 20
PFOA	1.8 ppt	<1.8 ppt	26 Jan 21	PFOA	1.8 ppt	<1.8 ppt	26 Jan 21
PFOS	1.8 ppt	<1.8 ppt	26 Jan 21	PFOS	1.8 ppt	<1.8 ppt	26 Jan 21
ARMY FAMILY HOUSING	Areas			MAINZ-KASTEL STATI	ON		
Analyte Name	Reporting Limit	Result	Date	Analyte Name	Reporting Limit	Result	Date
PFOA	1.8 ppt	<1.8 ppt	20 Nov 20	PFOA	1.8 ppt	<1.8 ppt	19 Nov 19
PFOS	1.8 ppt	< 1.8 ppt	20 Nov 20	PFOS	1.8 ppt	<1.8 ppt	3 May 21
PFOA	1.7 or 1.8 ppt	<1.7 or <1.8 ppt	3 May 21	PFOA	1.8 ppt	<1.8 ppt	19 Nov 19
PFOS	1.7 or 1.8 ppt	<1.7 or <1.8 ppt	3 May 21	PFOS	1.8 ppt	<1.8 ppt	3 May 21
MCCULLY SUPPORT CEN	ITER			RHEINBLICK RECREATI	on Annex		
Analyte Name	Reporting Limit	Result	Date	Analyte Name	Reporting Limit	Result	Date
PFOA	1.8 ppt	<1.8 ppt	30 Nov 20	PFOA	1.8 ppt	<1.8 ppt	30 Nov 20
PFOS	1.8 ppt	3.1 ppt	30 Nov 20	PFOS	1.8 ppt	<1.8 ppt	30 Nov 20
PFOA	1.7 ppt	<1.7 ppt	4 May 21	PFOA	1.8 ppt	<1.8 ppt	3 May 21
PFOS	1.7 ppt	2.7 ppt	4 May 21	PFOS	1.8 ppt	< 1.8 ppt	3 May 21
DARMSTADT TRAINING	Center						
Analyte Name	Reporting Limit	Result	Date				
PFOA	1.7 ppt	<1.7 ppt	21 Nov 19				
PFOS	1.7 ppt	<1.7 ppt	21 Nov 19				

 Table 9: Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Water Supply Testing Results in parts per trillion (ppt)

10. What is the water tested for?

Table 10: Parameters requiring monitoring per German Final Governing Standards

Inorganics	Volatile Organic Compounds (VOCs)	Additionally Analyzed Parameters
Ammonia	Benzene	Alkalinity
Cyanide, free	Bromodichloromethane	Calcium
Fluoride	Bromoform	Magnesium
Nitrate (as Nitrogen)	Carbon tetrachloride	Phosphorus, total
Nitrite (as Nitrogen)	Chlorobenzene	Saturation (Langelier) Index
Total Nitrate and Nitrite	Chloroform	Total dissolved solids
	Dibromochloromethane	Total hardness (calculated)
Metals	1,2-Dichlorobenzene	
Aluminum	1,1-Dichloroethene	
Antimony	cis-1,2-Dichloroethene	
Arsenic	trans-1,2-Dichloroethene	
Barium	1,2-Dichloropropane	
Beryllium	Ethylbenzene	
Boron	Methyl t-butyl ether	
Cadmium	Methylene chloride	
Chromium	Naphtalene	
Copper	Styrene	
Lead	Tetrachloroethene	
Mercury	Toluene	
Nickel	1,2,4-Trichlorobenzene	
Selenium	1,1,1-Trichloroethane	
Sodium	1,1,2-Trichloroethane	
Thallium	Trichloroethene	
	Vinyl Chloride	
Organic Compounds (PAHs)	Xylene, Total	
Benzo(a)pyrene	Trihalomethanes, total	
Total PAHs	Di (2-ethylhexyl) adipate	
Benzo(b)fluoranthene	Di (2-ethylhexyl) phthalate	
Benzo(k)fluoranthene		
Benzo(g,h,h)perylene	Radiological Activity	
Indeno(1,2,3-cd)pyrene	Gross Alpha Activity, total	
	Gross Alpha Uncertainty	
Disinfectant Byproducts	Gross Alpha Minimum Detect Activity	
Trihalomethanes, total	Gross Alpha Activity (calculated)	
Bromodichloromethane	Gross Beta Activity, total	
Bromoform	Gross Beta Uncertainty	
Chloroform	Gross Beta Minimum Detect Activity	
Dibromochloromethane	Uranium	
Haloacetic Acids, total	Radium – 228 Activity	
Dibromoacetic acid	Radium – 228 Uncertainty	
Dichloroacetic acid	Radium – 228 Minimum Detect Activity	
Monobromoacetic acid	Radium – 226 Activity	
Monochloroacetic acid	Radium – 226 Uncertainty	
Trichloroacetic acid	Radium – 226 Minimum Detect Activity	
	Combined Radium 226/228	

11. Customer input welcome

Our valued customers do not need to wait for Town Hall meetings to discuss water supply and drinking water quality. For more information on this report or drinking water quality in general, please visit the DPW-Environmental Division website at:

<u>https://home.army.mil/wiesbaden/index.php/my-fort/all-services/environmental</u> or call 0611-143-**548-4092/4093** during working hours. The Environmental Division welcomes your ideas and comments to improve this report and our services.

ALAction Level. A level below the maximum contaminant level that if exceeded requires initiation of additional monitoring and possible operational actions.Disinfectant ByproductsThey can form when disinfectants, such as chlorine, react with naturally present compounds in the water.DoDDepartment of DefenseDPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
Image: initiation of additional monitoring and possible operational actions.Disinfectant ByproductsThey can form when disinfectants, such as chlorine, react with naturally present compounds in the water.DoDDepartment of DefenseDPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in disinfectant level
Disinfectant ByproductsThey can form when disinfectants, such as chlorine, react with naturally present compounds in the water.DoDDepartment of DefenseDPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGoround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in disinfectant allowed in
compounds in the water.DoDDepartment of DefenseDPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
DoDDepartment of DefenseDPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
DPWDirectorate of Public WorksEPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
EPAUnited States Environmental Protection AgencyFYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
FYU.S. Government Fiscal Year. FY20 starts on 1 October 2019 and ends on 31 September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
September 2020.GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
GWGround WaterGWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
GWUDISWGround Water Under Direct Influence of Surface WaterGFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
GFGSGerman Final Governing Standards (latest edition 2017)HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
HLAHealth Advisory LevelLCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
LCRLead and Copper RuleMCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
MCLMaximum Contaminant Level. The highest level of a contaminant allowed in drinking water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.MLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
water before some type of action is required. If results exceed the MCL, they are marked as violation.MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
MCLGMaximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
below which there is no known or expected risk to health. MCLGs allow a margin of safety.mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
safety. mg/L Metric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000. mL Milliliter (1 cup or 8 ounces equals 236.5 mL) MRDL Maximum residual disinfectant level. The highest level of a disinfectant allowed in
mg/LMetric unit of measure meaning milligrams per liter. 1 mg/l corresponds to 1 minute in 2 years, or a single penny in \$10,000.mLMilliliter (1 cup or 8 ounces equals 236.5 mL)MRDLMaximum residual disinfectant level. The highest level of a disinfectant allowed in
In 2 years, or a single penny in \$10,000. mL Milliliter (1 cup or 8 ounces equals 236.5 mL) MRDL Maximum residual disinfectant level. The highest level of a disinfectant allowed in
mL Milliliter (1 cup or 8 ounces equals 236.5 mL) MRDL Maximum residual disinfectant level. The highest level of a disinfectant allowed in
MRDL Maximum residual disinfectant level. The highest level of a disinfectant allowed in
determines the second
drinking water. There is convincing evidence that addition of a disinfectant is
necessary for control of microbial contaminants.
MRDLG Maximum residual disinfectant level goal. The level of a drinking water disinfectant
the benefits of the use of disinfectants to control microbial contaminants
Barameter Substance being tested for
nCi/l Metric unit of measure meaning nicocuries per liter
PEOA Perfluorooctanoic Acid
PEOS Perfluorooctane Sulfonate
PHCE Public Health Command-Europe
nnb Parts per billion (or 1 drop in a billion gallons)
ppb Parts per million (or 1 drop in 1 million gallons) ppm Parts per million (or 1 drop in 1 million gallons)
RDA Recommended Dietary Allowance or popularly called the Recommended Daily
Allowance
TNCWS Transient Non-Community Water System
USAG United States Army Garrison

12. Acronyms and definitions